

【参考】

システム販売 長級・材種・径級ごと出材比率表

署名	津軽	物件番号	1				(単位 : m, m3, cm, 枚, m3)	
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考	
スギ	4.00	一般材	200	~13	1.00	200		
			1700	14~20	0.25	425		
				22~28	0.37	629		
				30~34	0.02	34		
				30~34B	0.20	340		
				36~	0.01	17		
		36~B		0.15	255			
		合板材	3500	14~16	0.07	245		
			18~24	0.48	1,680			
			26~38	0.41	1,435			
			40~	0.04	140			
			~13		0			
	14~20			0				
	3.00	一般材	~13		0			
			14~20		0			
			22~28		0			
			30~34		0			
			30~34B		0			
			36~		0			
	2.00	一般材	~13		0			
			14~20		0			
			22~28		0			
			30~34		0			
			36~		0			
36~B				0				
合板材	2000	14~16	0.02	40				
		18~24	0.42	840				
		26~38	0.50	1,000				
		40~	0.06	120				
		14~22	0.19	10				
		24~28	0.56	28				
アカマツ	4.00	一般材	50	30~44	0.25	13		
			合板材	14~16		0		
				18~24		0		
		26~38			0			
		2.00	一般材	50	14~22	0.45	23	
				24~28	0.40	20		
	30~44			0.15	8			
	合板材		46~		0			
			14~16		0			
			18~24		0			
	カラマツ	4.00	一般材	50	~13		0	
					14~28	0.70	35	
30~44					0.30	15		
2.00		一般材	50	46~		0		
				~13		0		
				14~28	0.79	40		
クロマツ	4.00	一般材		30~44	0.21	11		
				46~		0		
				14~22		0		
	2.00	一般材		24~28		0		
				30~44		0		
				46~		0		
			7600			7,600		

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	金木	物件番号	(単位 : m, m3, cm, 枚, m3)						
樹種	長級	材種	3 予定数量	径級	見込出材 比率	見込出材 数量	備考		
スギ	4.00	一般材	400	~13	1.00	400			
			1900	14~20	0.33	627			
				22~28	0.43	817			
				30~34	0.11	209			
				30~34B	0.05	95			
				36~	0.06	114			
		36~B		0.02	38				
		合板材	5100	14~16	0.17	867			
			18~24	0.50	2,550				
			26~38	0.32	1,632				
			40~	0.01	51				
			3.00	一般材	~13		0		
	14~20					0			
	22~28				0				
	30~34				0				
	30~34B				0				
	36~				0				
	2.00	一般材	~13		0				
			14~20		0				
			22~28		0				
			30~34		0				
			36~		0				
			36~B		0				
		合板材	600	14~16	0.10	60			
			18~24	0.61	366				
			26~38	0.28	168				
			40~	0.01	6				
アカマツ			4.00	一般材	100	14~22	0.49	49	
					24~28	0.41	41		
	30~44	0.10			10				
	46~				0				
	合板材	200	14~16	0.05	10				
		18~24	0.50	100					
26~38		0.45	90						
40~			0						
2.00	一般材	~13		0					
		14~22		0					
		24~28		0					
		30~44		0					
	合板材	300	14~16	0.06	18				
		18~24	0.60	180					
カラマツ	4.00	一般材	50	~13		0			
			14~28	0.98	49				
			30~44	0.02	1				
			46~		0				
	2.00	一般材	50	~13		0			
			14~28	0.95	48				
			50	30~44	0.05	3			
				46~		0			
			8,700			8,700			

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	青森	物件番号	5	(単位 : m, m3, cm, 枚, m3)					
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考		
スギ	4.00	一般材	100	~13	1.00	100			
			1000	14~20	0.16	160			
				22~28	0.47	470			
				30~34	0.03	30			
				30~34B	0.17	170			
				36~	0.02	20			
				36~B	0.15	150			
		合板材	14~16	0.11	385				
			18~24	0.47	1,645				
			26~38	0.38	1,330				
			40~	0.04	140				
			3.00	一般材	~13		0		
					14~20		0		
					22~28		0		
	30~34				0				
	30~34B				0				
	36~				0				
	36~B				0				
	2.00	一般材	~13		0				
			14~20		0				
			22~28		0				
			30~34		0				
			36~		0				
			合板材	14~16	0.05	150			
				18~24	0.50	1,500			
		26~38		0.42	1,260				
		40~		0.03	90				
		アカマツ		4.00	一般材	10	14~22	0.68	7
24~28							0.29	3	
30~44							0.03	0	
合板材			46~			0			
			14~16			0			
	18~24				0				
	26~38				0				
	40~			0					
	2.00		一般材	10	14~22	0.68	7		
					24~28	0.29	3		
30~44					0.03	0			
合板材			46~		0				
			14~16		0				
			18~24		0				
		26~38		0					
カラマツ	4.00	一般材	10	~13		0			
				14~28	0.92	9			
				30~44	0.08	1			
				46~		0			
	2.00	一般材	10	~13		0			
				14~28	0.85	9			
				30~44	0.15	2			
				46~		0			
			7,640			7,640			

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	下北	物件番号	7	(単位 : m, m3, cm, 枚, m3)			
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考
スギ	4.00	一般材	500	~13	1.00	500	
				14~20	0.51	255	
			22~28	0.32	160		
			30~34	0.03	15		
			30~34B	0.10	50		
			36~	0.01	5		
		36~B	0.03	15			
		合板材	8500	14~16	0.19	1,615	
				18~24	0.56	4,760	
				26~38	0.24	2,040	
				40~	0.01	85	
				~13		0	
	14~20				0		
	3.00	一般材		22~28		0	
				30~34		0	
				30~34B		0	
				36~		0	
				36~B		0	
				~13		0	
	2.00	一般材		14~20		0	
				22~28		0	
				30~34		0	
				36~		0	
				14~16	0.24	600	
18~24				0.58	1,450		
合板材		2500	26~38	0.17	425		
			40~	0.01	25		
			14~22		0		
			24~28		0		
			30~44		0		
			46~		0		
アカマツ	4.00	一般材		14~16	0.06	3	
				18~24	0.62	31	
				26~38	0.31	16	
				40~	0.01	1	
				14~22		0	
				24~28		0	
	2.00	一般材		30~44		0	
				46~		0	
				14~16	0.06	3	
				18~24	0.62	31	
				26~38	0.31	16	
				40~	0.01	1	
カラマツ	4.00	一般材	100	~13		0	
				14~28	0.97	97	
				30~44	0.03	3	
				46~		0	
				~13		0	
				14~28	1.00	100	
	2.00	一般材	100	30~44		0	
				46~		0	
				12,300		12,300	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	三八上北	物件番号	10, 11	(単位 : m, m3, cm, 枚, m3)						
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考			
スギ	4.00	一般材	150	~13	1.00	150				
			500	14~20	0.35	175				
				22~28	0.45	225				
				30~34	0.01	5				
				30~34B	0.13	65				
				36~	0.01	5				
		36~B		0.05	25					
		合板材	14~16	0.07	112					
			18~24	0.60	960					
			26~38	0.32	512					
			40~	0.01	16					
			3.00	一般材	50	~13	1.00	50		
	400				14~20	0.35	140			
		22~28			0.58	232				
		30~34			0.01	4				
		30~34B			0.05	20				
		36~			0.00	0				
		36~B	0.01	4						
	2.00	一般材	500	~13		0				
				14~20	0.60	300				
				22~28	0.34	170				
				30~34	0.05	25				
				36~	0.01	5				
				36~B	0.05	25				
合板材		2000	14~16	0.05	100					
			18~24	0.67	1,340					
			26~38	0.26	520					
			40~	0.02	40					
			アカマツ	4.00	一般材		14~22		0	
							24~28		0	
30~44		0								
46~		0								
14~16	0.01	1								
18~24	0.14	14								
合板材	100	26~38		0.80	80					
		40~		0.05	5					
		2.00		一般材		14~22		0		
						24~28		0		
						30~44		0		
						46~		0		
14~16	0.10		10							
18~24	0.45		45							
合板材	100	26~38	0.40	40						
		40~	0.05	5						
		カラマツ	4.00	一般材	50	~13	1.00	50		
					50	14~28	0.80	40		
						30~44	0.18	9		
						46~	0.02	1		
~13						0				
2.00	一般材				150	14~28	0.76	114		
		30~44	0.23	35						
		46~	0.01	2						
		14~22	0.12	6						
クロマツ	4.00	一般材	50	24~28	0.60	30				
				30~44	0.26	13				
				46~	0.02	1				
				14~22	0.15	15				
	2.00	一般材	100	24~28	0.46	46				
				30~44	0.38	38				
46~				0.01	1					
5800						5,800				

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	岩手北部	物件番号	17, 18	(単位 : m, m3, cm, 森, m3)						
樹種	長級	材種		径級	見込出材比率	見込出材数量	備考			
スギ	4.00	一般材	100	~13		0				
				14~20	0.34	34				
				22~28	0.39	39				
				30~34	0.12	12				
				30~34B	0.04	4				
				36~	0.06	6				
		36~B	0.05	5						
		合板材	2000	14~16	0.13	260				
				18~24	0.67	1,340				
				26~38	0.19	380				
				40~	0.01	20				
				~13		0				
	14~20				0					
	3.00	一般材		22~28		0				
				30~34		0				
				30~34B		0				
				36~		0				
				36~B		0				
				~13		0				
	2.00	一般材		14~20		0				
				22~28		0				
				30~34		0				
				36~		0				
				14~16	0.17	289				
18~24				0.60	1,020					
合板材		1700	26~38	0.22	374					
			40~	0.01	17					
			14~22		0					
			24~28		0					
			30~44		0					
			46~		0					
アカマツ	4.00	一般材		14~16		0				
				18~24	0.33	594				
				26~38	0.63	1,134				
		合板材		1800	40~	0.04	72			
					14~22		0			
					24~28		0			
	2.00	一般材		30~44		0				
				46~		0				
				14~16	0.69	828				
		合板材		1200	18~24	0.30	360			
					26~38	0.01	12			
					40~					
カラマツ	4.00	一般材	400	~13		0				
				14~28	0.83	332				
				30~44	0.16	64				
				46~	0.01	4				
	2.00	一般材	300	~13		0				
				14~28	0.96	288				
				30~44	0.04	12				
				46~						
							7,500			
									7,500	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	三陸中部	物件番号	19	(単位 : m, m3, cm, 枚, m3)						
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考			
スギ	4.00	一般材	800	~13		0				
				14~20	0.46	368				
				22~28	0.42	336				
				30~34	0.01	8				
				30~34B	0.08	64				
				36~		0				
		36~B	0.03	24						
		合板材	300	14~16	0.12	36				
				18~24	0.64	192				
				26~38	0.24	72				
				40~		0				
				~13		0				
	14~20				0					
	3.00	一般材		14~20		0				
				22~28		0				
				30~34		0				
				30~34B		0				
				36~		0				
				36~B		0				
	2.00	一般材		~13		0				
				14~20		0				
				22~28		0				
				30~34		0				
				36~		0				
40~					0					
合板材		200	14~16	0.10	20					
			18~24	0.65	130					
			26~38	0.25	50					
			40~		0					
			14~22		0					
			24~28		0					
アカマツ	4.00	一般材		30~44		0				
				46~		0				
				14~16		0				
		合板材		18~24		0				
				26~38		0				
				40~		0				
	2.00	一般材		14~22		0				
				24~28		0				
				30~44		0				
		合板材		46~		0				
				14~16		0				
				18~24		0				
カラマツ	4.00	一般材		~13		0				
				14~28		0				
				30~44		0				
				46~		0				
				2.00	一般材		~13		0	
							14~28		0	
	30~44		0							
	46~		0							
							1,300		1,300	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	盛岡	物件番号	21	(単位 : m, m3, cm, 枚, m3)					
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考		
スギ	4.00	一般材	1500	~13		0			
				14~20	0.49	735			
				22~28	0.38	570			
				30~34	0.07	105			
				30~34B	0.03	45			
				36~	0.02	30			
		36~B	0.01	15					
		合板材	14~16		0				
			18~24		0				
			26~38		0				
			40~		0				
			~13		0				
	14~20			0					
	3.00	一般材		22~28		0			
				30~34		0			
				30~34B		0			
				36~		0			
				36~B		0			
				~13		0			
	2.00	一般材	1800	14~20	0.47	846			
				22~28	0.41	738			
				30~34	0.09	162			
				36~	0.03	54			
				14~16	0.09	18			
18~24				0.66	132				
合板材		200	26~38	0.25	50				
			40~		0				
			14~22		0				
			24~28		0				
			30~44		0				
			46~		0				
アカマツ	4.00	一般材		14~16		0			
				18~24		0			
				26~38		0			
		合板材		40~		0			
				14~22		0			
				24~28		0			
	30~44			0					
	46~			0					
	14~16		0.56	56					
	2.00	一般材		18~24	0.13	13			
				26~38	0.30	30			
				40~	0.01	1			
合板材		100							
		~13			0				
		14~28		0.91	91				
カラマツ	4.00	一般材		30~44		0			
				46~		0			
				~13		0			
	2.00			一般材	100	30~44	0.09	9	
						46~		0	
						3,700		3,700	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。



【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	岩手南部	物件番号	23, 24, 25		(単位 : m, m3, cm, 森, m3)		
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考
スギ	4.00	一般材	200	~13		0	
				14~20	0.25	50	
				22~28	0.47	94	
				30~34	0.03	6	
				30~34B	0.15	30	
				36~	0.02	4	
		36~B	0.08	16			
		合板材	600	14~16	0.10	60	
				18~24	0.50	300	
				26~38	0.30	180	
				40~	0.10	60	
				~13		0	
	14~20			0.50	500		
	3.00	一般材	1000	22~28	0.49	490	
				30~34	0.01	10	
				30~34B		0	
				36~		0	
				36~B		0	
				~13		0	
	2.00	一般材	800	14~20	0.77	616	
				22~28	0.20	160	
				30~34	0.02	16	
				36~	0.01	8	
				14~16	0.28	560	
18~24				0.50	1,000		
合板材		2000	26~38	0.20	400		
			40~	0.02	40		
			14~22		0		
			24~28		0		
			30~44		0		
			46~		0		
アカマツ	4.00	一般材		14~16		0	
				18~24		0	
				26~38		0	
				40~		0	
				14~22		0	
				24~28		0	
	2.00	一般材		30~44		0	
				46~		0	
				14~16		0	
				18~24		0	
				26~38		0	
				40~		0	
カラマツ	4.00	一般材	200	~13		0	
				14~28	0.92	184	
				30~44	0.08	16	
				46~		0	
				~13		0	
				14~28	0.85	170	
	2.00	一般材	200	30~44	0.15	30	
				46~		0	
				5,000		5,000	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	遠野	物件番号	27, 28, 29		(単位 : m, m3, cm, 森, m3)			
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考	
スギ	4.00	一般材	1700	~13		0		
				14~20	0.41	697		
				22~28	0.48	816		
				30~34	0.10	170		
				30~34B	0.00	0		
				36~	0.01	17		
		36~B	0.00	0				
		合板材	400	14~16	0.06	24		
				18~24	0.67	268		
				26~38	0.27	108		
	40~				0			
	3.00	一般材		~13		0		
				14~20		0		
				22~28		0		
				30~34		0		
				30~34B		0		
				36~		0		
	2.00	一般材	1500	~13		0		
				14~20	0.36	540		
				22~28	0.51	765		
30~34				0.11	165			
合板材		400	36~	0.02	30			
			14~16	0.09	36			
			18~24	0.74	296			
			26~38	0.17	68			
アカマツ	4.00	一般材		14~22		0		
				24~28		0		
				30~44		0		
		合板材		100	46~		0	
					14~16	0.05	5	
					18~24	0.48	48	
	26~38		0.37		37			
	2.00	一般材		40~	0.10	10		
				14~22		0		
				24~28		0		
				30~44		0		
		合板材	200	46~		0		
				14~16	0.02	4		
				18~24	0.56	112		
26~38				0.41	82			
カラマツ	4.00	一般材	500	~13		0		
				14~28	0.95	475		
				30~44	0.05	25		
				46~		0		
	2.00	一般材	500	~13		0		
				14~28	0.95	475		
				30~44	0.05	25		
				46~		0		
			5,300			5,300		

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

システム販売 長級・材種・径級ごと出材比率表

署名	宮城北部	物件番号	31, 32, 33, 34		(単位 : m, m3, cm, 枚, m3)				
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考		
スギ	4.00	一般材	2200	~13		0			
				14~20		0			
				22~28		0			
				30~34		0			
				30~34B		0			
				36~		0			
		36~B			0				
		14~16		0.08	176				
		18~24		0.55	1,210				
		26~38		0.35	770				
		40~		0.02	44				
		3.00		一般材	2300	~13		0	
	14~20		0						
	22~28		0						
	30~34		0						
	30~34B		0						
	36~		0						
	36~B		0						
	2.00	一般材	2300	~13			0		
	14~20					0			
	22~28					0			
	30~34					0			
	36~					0			
	14~16			0.25	575				
18~24	0.54	1,242							
26~38	0.20	460							
40~	0.01	23							
アカマツ	4.00	一般材			14~22		0		
					24~28		0		
					30~44		0		
			46~			0			
			14~16			0			
			18~24			0			
	26~38		0						
	40~		0						
	2.00	一般材			14~22		0		
	24~28					0			
	30~44					0			
	46~					0			
14~16				0					
18~24				0					
26~38		0							
40~		0							
カラマツ	4.00	一般材			~13		0		
					14~28		0		
					30~44		0		
					46~		0		
	2.00	一般材	~13			0			
	14~28				0				
	30~44				0				
	46~				0				
					4,500		4,500		

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	仙台	物件番号	39	(単位 : m, m3, cm, 枚, m3)			
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考
スギ	4.00	一般材		~13		0	
				14~20		0	
				22~28		0	
				30~34		0	
				30~34B		0	
				36~		0	
				36~B		0	
		合板材	200	14~16	0.10	20	
				18~24	0.54	108	
				26~38	0.35	70	
				40~	0.01	2	
				~13		0	
				14~20		0	
				22~28		0	
	3.00	一般材		~13		0	
				14~20		0	
				22~28		0	
				30~34		0	
				30~34B		0	
				36~		0	
				36~B		0	
	2.00	一般材		~13		0	
				14~20		0	
				22~28		0	
				30~34		0	
				36~		0	
				14~16	0.15	90	
				18~24	0.58	348	
合板材	600	26~38	0.26	156			
		40~	0.01	6			
		14~22		0			
		24~28		0			
		30~44		0			
		46~		0			
		14~16	0.02	1			
アカマツ	4.00	一般材		18~24	0.28	14	
				26~38	0.65	33	
				40~	0.05	3	
				14~22		0	
		合板材	50	14~16	0.07	11	
				18~24	0.62	93	
				26~38	0.30	45	
40~	0.01			2			
2.00	一般材		14~16	0.07	11		
			18~24	0.62	93		
			26~38	0.30	45		
			40~	0.01	2		
	合板材	150	14~16	0.07	11		
			18~24	0.62	93		
			26~38	0.30	45		
カラマツ	4.00	一般材	100	~13		0	
				14~28	0.96	96	
				30~44	0.04	4	
				46~		0	
	2.00	一般材	650	~13		0	
				14~28	0.92	598	
				30~44	0.08	52	
46~		0					
			1,750			1,750	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	米代東部	物件番号	41, 42, 43, 44		(単位 : m, m3, cm, 森, m3)		
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考
スギ	4.00	一般材	2000	~13		0	
				14~20	0.29	580	
				22~28	0.39	780	
				30~34	0.01	20	
				30~34B	0.20	400	
				36~	0.01	20	
		36~B	0.10	200			
		合板材	1000	14~16	0.00	0	
				18~24	0.67	670	
				26~38	0.28	280	
				40~	0.05	50	
				~13		0	
	14~20				0		
	3.00	一般材		22~28		0	
				30~34		0	
				30~34B		0	
				36~		0	
				36~B		0	
				~13		0	
	2.00	一般材	2500	14~20	0.15	375	
				22~28	0.39	975	
				30~34	0.31	775	
				36~	0.15	375	
				14~16	0.00	0	
18~24				0.64	704		
合板材		1100	26~38	0.35	385		
			40~	0.01	11		
			14~22		0		
			24~28		0		
			30~44		0		
			46~		0		
アカマツ	4.00	一般材		14~16		0	
				18~24		0	
				26~38		0	
				40~		0	
				14~22		0	
				24~28		0	
	2.00	一般材		30~44		0	
				46~		0	
				14~16		0	
				18~24		0	
				26~38		0	
				40~		0	
カラマツ	4.00	一般材	200	~13		0	
				14~28	0.90	180	
				30~38	0.10	20	
				40~		0	
				~13		0	
				14~28	0.90	180	
	2.00	一般材	200	30~38	0.09	18	
				40~	0.01	2	
				7,000			

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	上小阿仁	物件番号	46	(単位 : m, m3, cm, 枚, m3)			
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考
スギ	4.00	一般材	1000	~13		0	
				14~20		0	
				22~28		0	
				30~34		0	
				30~34B		0	
				36~		0	
		36~B			0		
		14~16		0.00	0		
		18~24		0.51	510		
		26~38		0.47	470		
		40~		0.02	20		
		~13			0		
	14~20		0				
	22~28		0				
	30~34		0				
	30~34B		0				
	36~		0				
	36~B		0				
	~13		0				
	14~20		0				
	22~28		0				
	30~34		0				
	36~		0				
	14~16	0.00	0				
18~24	0.57	1,140					
26~38	0.41	820					
40~	0.02	40					
アカマツ	4.00	一般材		14~22		0	
				24~28		0	
				30~44		0	
		46~			0		
		14~16			0		
		18~24			0		
	26~38			0			
	40~			0			
	14~22			0			
	24~28			0			
	30~44			0			
	46~			0			
14~16		0					
18~24		0					
26~38		0					
40~		0					
カラマツ	4.00	一般材	3,000	~13		0	
				14~28		0	
				30~44		0	
				46~		0	
	~13			0			
	14~28			0			
	30~44			0			
	46~			0			
			3,000			3,000	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

システム販売 長級・材種・径級ごと出材比率表

署名	米代西部	物件番号	(単位 : m, m3, cm, 枚, m3)							
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考			
スギ	4.00	一般材	2000	~13		0				
				14~20		0				
				22~28		0				
				30~34		0				
				30~34B		0				
				36~		0				
		36~B			0					
		14~16		0.00	0					
		18~24		0.68	1,360					
		26~38		0.30	600					
		40~		0.02	40					
		~13			0					
	3.00	一般材	2000	14~20		0				
				22~28		0				
				30~34		0				
				30~34B		0				
				36~		0				
				36~B		0				
	2.00	一般材	3500	~13		0				
				14~20		0				
				22~28		0				
				30~34		0				
				36~		0				
				14~16		0				
18~24		0.63	2,205							
26~38		0.34	1,190							
40~		0.03	105							
アカマツ		4.00	一般材	3500	14~22		0			
					24~28		0			
					30~44		0			
	46~				0					
	合板材		14~16			0				
			18~24			0				
		26~38			0					
		40~			0					
		2.00	一般材		14~22		0			
					24~28		0			
	30~44					0				
	46~				0					
合板材	14~16			0						
	18~24			0						
	26~38		0							
カラマツ	4.00	一般材	3500	~13		0				
				14~28		0				
				30~44		0				
				46~		0				
				2.00	一般材	~13		0		
						14~28		0		
	30~44					0				
	46~					0				
						5,500		5,500		

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

システム販売 長級・材種・径級ごと出材比率表

署名	秋田	物件番号	48	(単位：m, m3, cm, 材種, m3)						
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考			
スギ	4.00	一般材		～13		0				
				14～20		0				
				22～28		0				
				30～34		0				
				30～34B		0				
				36～		0				
		36～B		0						
		合板材	500	14～16	0.00	0				
				18～24	0.68	340				
				26～38	0.30	150				
				40～	0.02	10				
				～13		0				
	14～20				0					
	3.00	一般材		22～28		0				
				30～34		0				
				30～34B		0				
				36～		0				
				36～B		0				
				～13		0				
		合板材	1100	14～16		0				
				18～24	0.63	693				
				26～38	0.34	374				
				40～	0.03	33				
				14～22		0				
24～28					0					
アカマツ	4.00	一般材		30～44		0				
				46～		0				
				14～16		0				
		合板材		18～24		0				
				26～38		0				
				40～		0				
	2.00	一般材		14～22		0				
				24～28		0				
				30～44		0				
		合板材		46～		0				
				14～16		0				
				18～24		0				
カラマツ	4.00	一般材		26～38		0				
				40～		0				
				～13		0				
				14～28		0				
	2.00	一般材		30～38		0				
				40～		0				
				～13		0				
				14～28		0				
				30～38		0				
				40～		0				
							1,600		1,600	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。



【参考】

システム販売 長級・材種・径級ごと出材比率表

署名	由利	物件番号	(単位 : m, m3, cm, 材, m3)					
樹種	長級	材種	52 予定数量	径級	見込出材 比率	見込出材 数量	備考	
スギ	4.00	一般材		~13		0		
				14~20		0		
				22~28		0		
				30~34		0		
				30~34B		0		
				36~		0		
		36~B		0				
		合板材	400	14~16			0	
				18~24	0.55	220		
				26~38	0.38	152		
				40~	0.07	28		
				~13		0		
	14~20				0			
	3.00	一般材		22~28		0		
				30~34		0		
				30~34B		0		
				36~		0		
				36~B		0		
				~13		0		
		合板材	600	14~16			0	
				18~24	0.56	336		
				26~38	0.40	240		
				40~	0.04	24		
				~13		0		
14~20					0			
アカマツ	4.00	一般材		24~28		0		
				30~44		0		
				46~		0		
		合板材		14~16		0		
				18~24		0		
				26~38		0		
	2.00	一般材		46~		0		
				14~22		0		
				24~28		0		
		合板材		30~44		0		
				14~16		0		
				18~24		0		
26~38		0						
40~		0						
カラマツ	4.00	一般材		~13		0		
				14~28		0		
				30~44		0		
				46~		0		
	2.00	一般材		~13		0		
				14~28		0		
				30~44		0		
				46~		0		
				1,000		1,000		

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	庄内	物件番号	53	(単位 : m, m3, cm, 枚, m3)						
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考			
スギ	4.00	一般材		~13		0				
				14~20		0				
				22~28		0				
				30~34		0				
				30~34B		0				
				36~		0				
		36~B			0					
		合板材		14~16		0				
				18~24		0				
				26~38		0				
				40~		0				
				~13		0				
	14~20			0						
	3.00	一般材		22~28		0				
				30~34		0				
				30~34B		0				
				36~		0				
				36~B		0				
				~13		0				
	2.00	一般材			14~20		0			
					22~28		0			
					30~34		0			
					36~		0			
					14~16	0.06	60			
18~24					0.39	390				
合板材	26~38	0.49	490							
	40~	0.06	60							
	14~22		0							
	24~28		0							
アカマツ	4.00	一般材			30~44		0			
					46~		0			
				合板材	14~16		0			
					18~24		0			
					26~38		0			
					40~		0			
	2.00	一般材			14~22		0			
					24~28		0			
					30~44		0			
					46~		0			
					合板材	14~16		0		
						18~24		0		
26~38		0								
40~		0								
カラマツ	4.00	一般材			~13		0			
					14~28		0			
					30~44		0			
					46~		0			
	2.00	一般材		~13		0				
				14~28		0				
				30~44		0				
				46~		0				
						1,000			1,000	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。

【参考】

## システム販売 長級・材種・径級ごと出材比率表

署名	最上	物件番号	55, 56	(単位 : m, m3, cm, 枚, m3)			
樹種	長級	材種	予定数量	径級	見込出材比率	見込出材数量	備考
スギ	4.00	一般材	4500	~13		0	
				14~20	0.17	765	
				22~28	0.22	990	
				30~34	0.05	225	
				30~34B	0.13	585	
				36~	0.15	675	
		36~B	0.28	1,260			
		合板材	14~16		0		
			18~24		0		
			26~38		0		
	40~			0			
	3.00	一般材	500	~13		0	
				14~20	0.60	300	
				22~28	0.30	150	
				30~34	0.02	10	
				30~34B	0.06	30	
				36~	0.01	5	
		36~B	0.01	5			
		合板材	14~16		0		
			18~24		0		
26~38				0			
40~			0				
2.00	一般材	4000	~13		0		
			14~20	0.22	880		
			22~28	0.31	1,240		
			30~34	0.29	1,160		
			36~	0.18	720		
			40~		0		
	合板材	14~16		0			
		18~24		0			
		26~38		0			
		40~		0			
アカマツ	4.00	一般材		14~22		0	
				24~28		0	
				30~44		0	
				46~		0	
		合板材	14~16		0		
			18~24		0		
			26~38		0		
			40~		0		
	2.00	一般材		14~22		0	
				24~28		0	
				30~44		0	
		合板材	14~16		0		
			18~24		0		
			26~38		0		
カラマツ	4.00	一般材		~13		0	
				14~28		0	
				30~44		0	
				46~		0	
	2.00	一般材		~13		0	
				14~28		0	
				30~44		0	
				46~		0	
			9,000			9,000	

(注1) 見込み出材比率は過去の実績で表したものであり、今年度の出材比率を確約するものではありません。また、見込み出材数量は見込みで有り、増減することがあります。