

造林請負事業予定箇所作業条件等調査表(下刈)

棚倉 森林管理署

森林事務所	林小班	予定面積 (ha)	作業期間	作業条件					林分条件					
				作業仕様	作業手段	通勤往復 時間 (分)	人員輸送車 往復距離 (km)	備考	林齢	植生密度	傾斜	転石	つるの量	その他
久慈川	1る2	5.49	事業内訳書 のとおり	全刈	人力・機械	55	20.0		2	中	21~30°	-	-	
"	3い2	2.86				65	17.6		2	中	31°~	-	-	
"	3い3	7.58				56	17.6		2	中	31°~	-	-	
"	7ち	1.24				65	26.6		3	密	21~30°	-	-	
"	8ほ1	9.87				86	28.2		3	密	21~30°	-	-	
"	8ほ2	7.93				80	28.2		3	密	21~30°	-	-	
"	9い1 I	0.92				59	24.8		2	中	21~30°	-	-	
"	9い1 II	1.92				56	24.8		2	中	21~30°	-	-	
"	9い2 I	1.81				56	24.8		2	中	31°~	-	-	
"	9い2 II	2.16				65	24.8		2	中	31°~	-	-	
"	9い2 III	2.43				65	24.8		2	中	31°~	-	-	
"	9ろ	0.30				53	24.8		2	中	31°~	-	-	
"	9は	0.24				68	24.8		2	中	31°~	-	-	
"	10い I	1.66				61	27.4		2	中	31°~	-	-	
"	10い II	2.45				70	27.4		2	中	31°~	-	-	
"	10い III	0.85				73	27.4		2	中	31°~	-	-	
"	10い IV	0.80				64	27.4		2	中	31°~	-	-	
"	12い3	1.72				65	27.8		3	中	31°~	-	-	
"	21に4	0.35				70	33.8		2	中	21~30°	-	-	
"	27ぬ I	2.48				60	28.4		2	中	21~30°	-	-	
"	27ぬ II	0.99				66	28.4		2	中	21~30°	-	-	
"	27ぬ III	2.49				69	28.4		2	中	21~30°	-	-	
"	27ぬ IV	2.24				75	28.4		2	中	21~30°	-	-	
"	27ぬ V	0.63				75	28.4		2	中	21~30°	-	-	
"	27ね I	2.29				70	30.4		3	密	21~30°	-	-	
"	27ね II	1.95				79	30.4		3	密	31°~	-	-	
"	27ね III	2.46				88	30.4		3	密	31°~	-	-	
"	27ね IV	1.23				91	30.4		3	密	31°~	-	-	
"	30い I	1.61				47	20.4		2	中	21~30°	-	-	
"	30い II	2.45				50	20.6		2	中	21~30°	-	-	
"	30い III	2.13				59	20.6		2	中	21~30°	-	-	
"	30い IV	2.15				48	20.8		2	中	21~30°	-	-	

造林請負事業予定箇所作業条件等調査表(下刈)

棚倉 森林管理署

森林事務所	林小班	予定面積 (ha)	作業期間	作業条件					林分条件					
				作業仕様	作業手段	通勤往復 時間 (分)	人員輸送車 往復距離 (km)	備考	林齢	植生密度	傾斜	転石	つるの量	その他
久慈川	30いV	2.47	事業内訳書 のとおり	全刈	人力・機械	53	21.8		2	中	21~30°	-	-	
"	32は	4.99				52	23.2		1	疎	31°~	-	-	
"	32に	5.41				58	23.2		1	疎	31°~	-	-	
"	33り	4.05				59	27.8		1	疎	31°~	-	-	
東館	47は1 I	2.33				50	22.6		2	密	31°~	-	少	
"	47は1 II	2.47				49	22.0		2	密	31°~	-	少	
"	48に1 I	2.33				54	20.2		2	密	31°~	-	少	
"	48に1 II	2.18				51	20.0		2	密	31°~	-	少	
"	48に1 III	2.19				45	19.6		2	密	31°~	-	少	
"	48に1 IV	1.85				56	19.6		2	密	31°~	-	少	
"	48に1 V	2.36				62	19.6		2	密	31°~	-	少	
"	48に1 VI	2.24				69	19.6		2	密	31°~	-	少	
"	49に4 I	0.96				67	23.2		4	中	31°~	-	少	
"	49に4 II	1.27				73	23.2		4	中	31°~	-	少	
"	56い	2.25				55	26.0		3	密	31°~	-	少	
"	57に	5.35				74	35.6		2	密	21~30°	-	少	
"	57わ	1.04				81	31.4		5	密	31°~	-	少	
"	57か	8.66				79	30.6		5	密	31°~	-	少	
"	57つ1 I	2.47				64	28.8		3	密	31°~	-	少	
"	57つ1 II	2.38				62	28.2		3	密	31°~	-	少	
"	57つ2 III	1.89				61	27.6		4	密	31°~	-	少	
"	57つ2 IV	2.30				64	28.0		4	密	31°~	-	少	
"	60ろ I	5.03				80	36.8		2	密	31°~	-	少	
"	60ろ II	1.27				77	36.8		2	密	31°~	-	少	
"	60ろ III	0.25				75	36.6		2	密	31°~	-	少	
"	66わ2	1.51				82	32.2		4	中	21~30°	-	少	
"	66わ3	1.76				82	32.2		4	中	31°~	-	少	
"	66わ4	1.79				76	32.2		4	中	21~30°	-	少	
"	70か II	2.36				83	29.4		4	密	21~30°	-	少	
"	70か III	2.34				76	29.4		4	密	21~30°	-	少	
"	70な I	2.49				67	28.2		3	密	21~30°	-	少	
"	70な II	2.47				85	28.2		3	密	21~30°	-	少	

造林請負事業予定箇所作業条件等調査表(下刈)

棚倉 森林管理署

森林事務所	林小班	予定面積 (ha)	作業期間	作業条件					林分条件					
				作業仕様	作業手段	通勤往復 時間 (分)	人員輸送車 往復距離 (km)	備考	林齢	植生密度	傾斜	転石	つるの量	その他
東館	70<	11.71	事業内訳書 のとおり	全刈	人力・機械	60	27.2		2	密	21~30°	-	少	
"	72へ	2.64				66	28.8		4	中	21~30°	-	少	
笹原	80ち1	6.40				64	26.7		3	中	21~30°	やや影響	-	
"	80ち2	6.42				56	26.7		3	中	21~30°	-	-	
"	80ち3	3.37				59	26.7		3	中	21~30°	-	-	
"	80ぬ	4.00				63	28.8		1	中	21~30°	-	-	
"	88に1	0.61				100	43.8		2	中	21~30°	-	-	
"	88に2	1.31				97	43.8		2	中	21~30°	-	-	
"	88に3	2.62				93	43.8		2	中	21~30°	-	-	
"	88そ3Ⅰ	1.44				95	46.2		2	中	21~30°	-	-	
"	88そ3Ⅱ	2.44				95	46.2		2	中	21~30°	-	-	
"	88そ3Ⅲ	2.47				97	46.2		2	中	21~30°	-	-	
"	88そ3Ⅳ	1.13				98	46.2		2	中	21~30°	-	-	
"	89は1	1.48				108	46.4		3	中	21~30°	-	-	
"	89は2	1.20				102	46.4		3	中	21~30°	-	-	
"	89そⅠ	1.49				104	50.4		2	中	21~30°	-	-	
"	89そⅡ	2.46				116	50.4		2	中	21~30°	-	-	
"	90そ2	2.46				114	53.1		3	中	21~30°	-	-	
"	90つⅠ	1.79				121	53.1		3	中	21~30°	-	-	
"	90つⅡ	1.68				126	53.1		3	中	21~30°	-	-	
"	92へⅡ	1.27				99	48.0		4	中	21~30°	-	-	
"	92へⅢ	2.49				105	48.0		4	中	31°~	-	-	
"	94は	5.81				97	46.0		2	中	21~30°	やや影響	-	
"	95いⅠ	1.07				78	36.0		3	中	21~30°	-	-	
"	95いⅡ	2.38				87	36.0		3	中	21~30°	-	-	
"	95る2	8.44				88	41.6		1	中	21~30°	-	-	
"	98に1	3.32				84	39.6		3	中	21~30°	-	-	
"	98ね1	1.77				79	32.0		1	中	21~30°	-	-	
"	98ね2	1.78				75	32.0		1	中	21~30°	-	-	
"	98ね4	2.01				66	32.0		1	中	21~30°	-	-	
"	99にⅠ	2.28				84	39.2		2	中	21~30°	-	-	
"	99にⅡ	2.47				87	39.2		2	中	21~30°	-	-	

造林請負事業予定箇所作業条件等調査表(下刈)

棚倉 森林管理署

森林事務所	林小班	予定面積 (ha)	作業期間	作業条件					林分条件					
				作業仕様	作業手段	通勤往復 時間 (分)	人員輸送車 往復距離 (km)	備考	林齢	植生密度	傾斜	転石	つるの量	その他
笹原	99へ1	7.07	事業内訳書 のとおり	全刈	人力・機械	87	39.2		2	中	21~30°	-	-	
"	99へ2	0.19				79	38.4		2	中	21~30°	-	-	
"	99れ1	6.81				100	36.6		1	中	21~30°	-	-	
"	99れ2	6.78				103	36.6		1	中	21~30°	-	-	
"	100ぬ1	0.99				58	26.2		2	中	~20°	-	-	
"	100ぬ2	7.00				54	26.2		2	中	21~30°	-	-	
"	100ぬ3	4.53				54	26.2		2	中	21~30°	-	-	
"	100ぬ4	1.77				54	26.2		2	中	21~30°	-	-	
"	100な	2.38				78	36.4		1	中	21~30°	-	-	
"	100む	4.45				73	35.6		2	中	21~30°	-	-	
"	100の1	2.63				91	41.6		2	中	21~30°	-	-	
"	102ちI	1.39				80	39.2		2	中	21~30°	-	-	
"	102ちII	1.55				81	39.2		2	中	21~30°	-	-	
"	102ちIII	1.56				83	39.2		2	中	21~30°	-	-	
"	102ちIV	2.46				87	39.2		2	中	21~30°	-	-	
"	102うI	1.81				101	39.2		2	中	21~30°	-	-	
"	102うII	1.74				101	39.2		2	中	21~30°	-	-	
"	102うIII	2.05				101	39.2		2	中	21~30°	-	-	
"	104てI	3.25				92	43.2		4	中	21~30°	-	-	
"	104てII	1.99				95	43.2		4	中	21~30°	-	-	
"	106う1	1.51				95	42.8		4	中	21~30°	-	-	
"	106う2	1.45				98	42.8		4	中	21~30°	-	-	
"	106う3	2.51				100	42.8		4	中	21~30°	-	-	
"	106う4	1.01				103	42.8		4	中	21~30°	-	-	
"	107ほI	1.08				110	45.0		2	中	21~30°	-	-	
"	107ほII	1.84				110	45.0		2	中	21~30°	-	-	
"	107ち1I	1.24				105	45.0		2	中	21~30°	-	-	
"	107ち1II	1.77				110	45.0		2	中	21~30°	-	-	
"	108わ	4.61				77	36.2		3	中	21~30°	-	-	
"	108つI	3.50				93	43.8		2	中	21~30°	-	-	
"	108つII	2.26				96	43.8		2	中	21~30°	-	-	
"	109る1I	1.09				66	31.4		2	中	21~30°	-	-	

造林請負事業予定箇所作業条件等調査表(下刈)

棚倉 森林管理署

森林事務所	林小班	予定面積 (ha)	作業期間	作業条件					林分条件					
				作業仕様	作業手段	通勤往復 時間 (分)	人員輸送車 往復距離 (km)	備考	林齢	植生密度	傾斜	転石	つるの量	その他
笹原	109る1Ⅱ	2.46	事業内訳書 のとおり	全刈	人力・機械	74	31.4		2	中	21~30°	-	-	
"	109る3	2.54				76	32.2		4	中	21~30°	-	-	
"	109れ	3.58				74	32.8		2	中	21~30°	-	-	
"	111ろ	12.16				51	23.0		4	中	21~30°	-	-	
"	111わ	3.45				54	25.6		3	中	31°~	-	-	
"	111よ1	1.63				86	32.5		3	中	21~30°	-	-	
"	111よ2	1.86				89	32.5		3	中	21~30°	-	-	
"	111よ3	1.70				91	32.5		3	中	21~30°	-	-	
"	111よ4	4.87				85	32.5		1	中	21~30°	-	-	
"	111う4	4.87				71	30.8		4	中	21~30°	-	-	
"	111け1	3.89				79	32.5		2	中	21~30°	-	-	
"	111け2	5.32				86	32.5		2	中	21~30°	-	-	
"	112い1Ⅰ	2.09				57	24.6		3	中	21~30°	-	-	
"	112い1Ⅱ	1.30				64	24.6		3	中	21~30°	-	-	
"	112はⅠ	2.43				53	24.8		5	中	21~30°	-	-	
"	112はⅡ	2.50				56	24.8		4	中	~20°	-	-	
"	112ち	0.31				57	25.2		4	中	21~30°	-	-	
"	112り	3.29				57	25.2		4	中	21~30°	-	-	
"	112そⅠ	2.49				77	26.8		3	中	21~30°	-	-	
"	112そⅡ	2.50				57	26.8		3	中	21~30°	-	-	
鮫川	116ろ1Ⅰ	0.84				77	30.8		3	密	21~30°	-	-	
"	116ろ1Ⅱ	2.32				95	30.8		3	密	21~30°	-	-	
"	116ろ1Ⅲ	2.44				86	30.8		3	密	21~30°	-	-	
"	116ろ1Ⅳ	1.85				101	30.8		3	密	21~30°	-	-	
"	116ぬ1	1.17				66	27.2		2	密	21~30°	-	-	
"	116ぬ2	2.20				63	27.2		2	密	21~30°	-	-	
"	121か1	0.43				71	34.6		4	密	~20°	-	-	
"	121た	2.71				74	34.6		4	密	21~30°	-	-	
"	124い	12.49				61	24.4		4	密	~20°	-	-	
"	127い	0.49				37	15.6		2	密	21~30°	-	-	
"	127る2	4.31				52	18.4		3	密	21~30°	-	-	
"	128にⅠ	2.47				66	25.4		2	密	21~30°	-	-	

造林請負事業予定箇所作業条件等調査表(忌避剤散布)

棚倉森林管理署

森林事務所	林小班	予定面積 (ha)	作業期間	作業条件					林分条件			希釈液					
				作業仕様	作業手段	通勤往復 時間 (分)	人員輸送車 往復距離 (km)	備考	樹高	傾斜	転石	原液散布量 (ℓ)	希釈倍数	水で希釈後 の散布量 (ℓ/ha)			
久慈川	19にI	1.82	事業内訳書 のとおり		人力	73	35.2		50cm未満	10° ~30° 未満		18.2	3倍	30			
"	19にII	1.31				76	35.2		"	"		13.1	"	"			
"	19にIII	1.63				77	35.6		"	"		16.3	"	"			
"	19にIV	1.90				83	35.6		"	"		19.0	"	"			
"	19へ	1.96				85	35.6		"	"		19.6	"	"			
"	27ぬVI	2.05				61	29.2		"	"		20.5	"	"			
"	27ぬVII	1.70				67	29.2		"	"		17.0	"	"			
"	27ぬVIII	2.50				67	29.2		"	"		25.0	"	"			
"	27ぬIX	2.49				73	29.2		"	"		24.9	"	"			
"	27ぬX	2.48				79	29.2		"	"		24.8	"	"			
"	27ぬXI	1.04				85	29.2		"	"		10.4	"	"			
東館	47は1 I	2.07				50	22.6		"	30° 以上		20.7	"	"			
"	47は1 II	2.09				49	22.0		"	"		20.9	"	"			
"	48に1 I	2.01				54	20.2		"	"		20.1	"	"			
"	48に1 II	1.90				51	20.0		"	"		19.0	"	"			
"	48に1 III	1.75				45	19.6		"	"		17.5	"	"			
"	48に1 IV	1.53				56	19.6		"	"		15.3	"	"			
"	48に1 V	2.08				62	19.6		"	"		20.8	"	"			
"	48に1 VI	1.84				69	19.6		"	"		18.4	"	"			
計		36.15													361.5		

