

別表第2 建設機械損料算定表 別添1  
船舶損料算定表

# 誤

※森林整備保全事業建設機械経費積算要領の一部改正新旧対照表において、  
改正後の「別表第2 建設機械損料算定表」として掲げた別添1のうち、  
船舶損料算定表（p177～186）に係る箇所の訂正となります。

| 規 格                                   |                    |                    | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                  |                         |                         | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                                |                     |                                       |                      | 参 考                                   |                      |                                       |                      | 摘 要                              |  |           |
|---------------------------------------|--------------------|--------------------|---------------------|------------------------------|--------------------------|-------------------------|-------------------------|------------------------------|------------------------------|--------------------------------------|---------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|----------------------------------|--|-----------|
| 船舶の種類                                 | 呼 称                | 機関出力<br>(kW)       |                     |                              | (3)<br>運 転<br>時間<br>(時間) | (4)<br>運 転<br>日数<br>(日) | (5)<br>供 用<br>日数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                  |                     | 供 用 日 当 り                             |                      | 運 転 時 間 (または日)<br>当 り 換 算 値           |                      | 供 用 日 当 り 換 算 値                       |                      |                                  |  |           |
|                                       |                    |                    |                     |                              |                          |                         |                         |                              |                              | (8)<br>損 料 率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損 料 率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損 料 率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |                                  |  |           |
| (主作業船)<br>浚渫埋立作業船<br>ポンプ浚渫船<br>[電動機式] | E                  | 200PS型             | 147                 | 108,000                      | 25                       | 520                     | 40                      | 70                           | 190                          | 6                                    | 1,104               | 11,900                                | 16,771               | 181,000                               | 3,362                | 36,300                                | 24,971               | 270,000                          | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイント、並びに[電動機式]については陸上受電設備及び送電線を含まない。 |           |
|                                       | E                  | 500PS型             | 368                 | 278,000                      | 25                       | 520                     | 40                      | 70                           | 190                          | 6                                    | 1,104               | 30,700                                | 16,771               | 466,000                               | 3,362                | 93,500                                | 24,971               | 694,000                          |  |           |
|                                       | E                  | 1,000PS型           | 736                 | 522,000                      | 25                       | 520                     | 40                      | 70                           | 190                          | 6                                    | 1,104               | 57,600                                | 16,771               | 875,000                               | 3,362                | 175,000                               | 24,971               | 1,300,000                        |  |           |
|                                       | [ディーゼル式]           | D                  | 250PS型              | 184                          | 136,000                  | 25                      | 520                     | 40                           | 70                           | 190                                  | 6                   | 1,104                                 | 15,000               | 16,771                                | 228,000              | 3,362                                 | 45,700               | 24,971                           |  | 340,000   |
|                                       |                    | D                  | 420PS型              | 309                          | 230,000                  | 25                      | 520                     | 40                           | 70                           | 190                                  | 6                   | 1,104                                 | 25,400               | 16,771                                | 386,000              | 3,362                                 | 77,300               | 24,971                           |  | 574,000   |
|                                       |                    | D                  | 600PS型              | 441                          | 312,000                  | 25                      | 520                     | 40                           | 70                           | 190                                  | 6                   | 1,104                                 | 34,400               | 16,771                                | 523,000              | 3,362                                 | 105,000              | 24,971                           |  | 779,000   |
|                                       |                    | D                  | 800PS型              | 588                          | 399,000                  | 25                      | 520                     | 40                           | 70                           | 190                                  | 6                   | 1,104                                 | 44,000               | 16,771                                | 669,000              | 3,362                                 | 134,000              | 24,971                           |  | 996,000   |
|                                       |                    | D                  | 1,350PS型            | 993                          | 639,000                  | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 39,400               | 14,214                                | 908,000              | 2,172                                 | 139,000              | 19,857                           |  | 1,270,000 |
|                                       |                    | D                  | 2,250PS型            | 1,655                        | 1,120,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 69,100               | 14,214                                | 1,590,000            | 2,172                                 | 243,000              | 19,857                           |  | 2,220,000 |
|                                       |                    | D                  | 3,200PS型            | 2,354                        | 1,590,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 98,100               | 14,214                                | 2,260,000            | 2,172                                 | 345,000              | 19,857                           |  | 3,160,000 |
|                                       |                    | D                  | 4,000PS型            | 2,942                        | 2,070,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 128,000              | 14,214                                | 2,940,000            | 2,172                                 | 450,000              | 19,857                           |  | 4,110,000 |
|                                       | [タービン式]            | D                  | 6,000PS型            | 4,413                        | 2,930,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 181,000              | 14,214                                | 4,160,000            | 2,172                                 | 636,000              | 19,857                           |  | 5,820,000 |
|                                       |                    | D                  | 8,000PS型            | 5,884                        | 3,670,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 226,000              | 14,214                                | 5,220,000            | 2,172                                 | 797,000              | 19,857                           |  | 7,290,000 |
|                                       |                    | T                  | 4,000PS型            | 2,942                        | 2,100,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 130,000              | 14,214                                | 2,980,000            | 2,172                                 | 456,000              | 19,857                           |  | 4,170,000 |
|                                       |                    | T                  | 5,000PS型            | 3,678                        | 2,500,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 154,000              | 14,214                                | 3,550,000            | 2,172                                 | 543,000              | 19,857                           |  | 4,960,000 |
|                                       | [ディーゼル発電式]         | T                  | 9,000PS型            | 6,620                        | 4,120,000                | 30                      | 640                     | 40                           | 70                           | 140                                  | 6                   | 617                                   | 254,000              | 14,214                                | 5,860,000            | 2,172                                 | 895,000              | 19,857                           |  | 8,180,000 |
| DE                                    |                    | 5,000PS型           | 3,678               | 2,900,000                    | 30                       | 640                     | 40                      | 70                           | 140                          | 6                                    | 617                 | 179,000                               | 14,214               | 4,120,000                             | 2,172                | 630,000                               | 19,857               | 5,760,000                        |  |           |
| DE                                    | 8,000PS型           | 5,884              | 3,820,000           | 30                           | 640                      | 40                      | 70                      | 140                          | 6                            | 617                                  | 236,000             | 14,214                                | 5,430,000            | 2,172                                 | 830,000              | 19,857                                | 7,590,000            |                                  |  |           |
| 汚泥浚渫船<br>[ウーザー型]                      |                    |                    |                     |                              |                          |                         |                         |                              |                              |                                      |                     |                                       |                      |                                       |                      |                                       |                      | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイントを含まない。 |  |           |
|                                       |                    | 180PS型             | 132                 | 188,000                      | 15                       | 700                     | 70                      | 120                          | 155                          | 6                                    | 1,200               | 22,600                                | 12,000               | 226,000                               | 3,257                | 61,200                                | 19,000               |                                  | 357,000  |           |
|                                       |                    | 850PS型             | 625                 | 986,000                      | 15                       | 700                     | 70                      | 120                          | 155                          | 6                                    | 1,200               | 118,000                               | 12,000               | 1,180,000                             | 3,257                | 321,000                               | 19,000               |                                  | 1,870,000  |           |
|                                       | [カッタレス型]           |                    | 100PS型              | 74                           | 238,000                  | 15                      | 700                     | 70                           | 120                          | 155                                  | 6                   | 1,200                                 | 28,600               | 12,000                                | 286,000              | 3,257                                 | 77,500               |                                  | 19,000   | 452,000   |
|                                       |                    | 320PS型             | 235                 | 830,000                      | 15                       | 700                     | 70                      | 120                          | 155                          | 6                                    | 1,200               | 99,600                                | 12,000               | 996,000                               | 3,257                | 270,000                               | 19,000               | 1,580,000                        |  |           |
| グラブ浚渫船(普通地盤用)アンカー方式<br>[ディーゼル式]       |                    |                    |                     |                              |                          |                         |                         |                              |                              |                                      |                     |                                       |                      |                                       |                      |                                       |                      | (普通地盤用グラブ)                       |  |           |
|                                       | D                  | 1.0m <sup>3</sup>  | 74                  | 70,200                       | 20                       | 640                     | 80                      | 135                          | 155                          | 6                                    | 984                 | 6,910                                 | 9,111                | 64,000                                | 2,906                | 20,400                                | 13,778               |                                  | 96,700   |           |
|                                       | D                  | 2.5m <sup>3</sup>  | 191                 | 154,000                      | 20                       | 640                     | 80                      | 135                          | 155                          | 6                                    | 984                 | 15,200                                | 9,111                | 140,000                               | 2,906                | 44,800                                | 13,778               |                                  | 212,000  |           |
|                                       | D                  | 5.0m <sup>3</sup>  | 456                 | 303,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 24,000                                | 9,078                | 275,000                               | 2,657                | 80,500                                | 12,939               |                                  | 392,000  |           |
|                                       | D                  | 9.0m <sup>3</sup>  | 883                 | 592,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 46,900                                | 9,078                | 537,000                               | 2,657                | 157,000                               | 12,939               |                                  | 766,000  |           |
|                                       | DE                 | 6.0m <sup>3</sup>  | 736                 | 459,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 36,400                                | 9,078                | 417,000                               | 2,657                | 122,000                               | 12,939               |                                  | 594,000  |           |
| DE                                    | 10.0m <sup>3</sup> | 1,206              | 787,000             | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 62,400              | 9,078                                 | 714,000              | 2,657                                 | 209,000              | 12,939                                | 1,020,000            |                                  |  |           |
| グラブ浚渫船(普通地盤用)スパッド方式<br>[ディーゼル式]       |                    |                    |                     |                              |                          |                         |                         |                              |                              |                                      |                     |                                       |                      |                                       |                      |                                       |                      | (普通地盤用グラブ、アンカー機能含む)              |  |           |
|                                       | D                  | 2.5m <sup>3</sup>  | 191                 | 247,000                      | 20                       | 640                     | 80                      | 135                          | 155                          | 6                                    | 984                 | 24,300                                | 9,111                | 225,000                               | 2,906                | 71,800                                | 13,778               |                                  | 340,000  |           |
|                                       | D                  | 5.0m <sup>3</sup>  | 456                 | 485,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 38,500                                | 9,078                | 440,000                               | 2,657                | 129,000                               | 12,939               |                                  | 628,000  |           |
|                                       | D                  | 9.0m <sup>3</sup>  | 883                 | 859,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 68,100                                | 9,078                | 780,000                               | 2,657                | 228,000                               | 12,939               |                                  | 1,110,000  |           |
|                                       | D                  | 15.0m <sup>3</sup> | 1,397               | 1,400,000                    | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 111,000                               | 9,078                | 1,270,000                             | 2,657                | 372,000                               | 12,939               |                                  | 1,810,000  |           |
|                                       | D                  | 23.0m <sup>3</sup> | 1,912               | 2,120,000                    | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 168,000                               | 9,078                | 1,920,000                             | 2,657                | 563,000                               | 12,939               |                                  | 2,740,000  |           |
| D                                     | 30.0m <sup>3</sup> | 2,363              | 2,770,000           | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 220,000             | 9,078                                 | 2,510,000            | 2,657                                 | 736,000              | 12,939                                | 3,580,000            |                                  |  |           |
| グラブ浚渫船(硬土盤用)アンカー方式<br>[ディーゼル式]        |                    |                    |                     |                              |                          |                         |                         |                              |                              |                                      |                     |                                       |                      |                                       |                      |                                       |                      | (普通地盤用グラブ+硬土盤用グラブ)               |  |           |
|                                       | D                  | 3.5m <sup>3</sup>  | 456                 | 296,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 23,500                                | 9,078                | 269,000                               | 2,657                | 78,600                                | 12,939               |                                  | 383,000  |           |
| D                                     | 5.5m <sup>3</sup>  | 883                | 567,000             | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 45,000              | 9,078                                 | 515,000              | 2,657                                 | 151,000              | 12,939                                | 734,000              |                                  |  |           |
| グラブ浚渫船(硬土盤用)スパッド方式<br>[ディーゼル式]        |                    |                    |                     |                              |                          |                         |                         |                              |                              |                                      |                     |                                       |                      |                                       |                      |                                       |                      | (普通地盤用グラブ+硬土盤用グラブ、アンカー機能含む)      |  |           |
|                                       | D                  | 3.5m <sup>3</sup>  | 456                 | 521,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 41,300                                | 9,078                | 473,000                               | 2,657                | 138,000                               | 12,939               |                                  | 674,000  |           |
|                                       | D                  | 5.5m <sup>3</sup>  | 883                 | 920,000                      | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 73,000                                | 9,078                | 835,000                               | 2,657                | 244,000                               | 12,939               |                                  | 1,190,000  |           |
|                                       | D                  | 7.5m <sup>3</sup>  | 1,397               | 1,500,000                    | 25                       | 560                     | 70                      | 115                          | 125                          | 6                                    | 793                 | 119,000                               | 9,078                | 1,360,000                             | 2,657                | 399,000                               | 12,939               |                                  | 1,940,000  |           |
| D                                     | 11.5m <sup>3</sup> | 1,912              | 2,260,000           | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 179,000             | 9,078                                 | 2,050,000            | 2,657                                 | 600,000              | 12,939                                | 2,920,000            |                                  |  |           |

| 規 格   |                             |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                  |                         |                         | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                                |                     |                                       |                      | 参 考                                   |                      |                                       |                      | 摘 要                              |
|---|-----------------------------|--------------|---------------------|------------------------------|--------------------------|-------------------------|-------------------------|------------------------------|------------------------------|--------------------------------------|---------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|----------------------------------|
| 船舶の種類   | 呼 称                         | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時間<br>(時間) | (4)<br>運 転<br>日数<br>(日) | (5)<br>供 用<br>日数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                  |                     | 供 用 日 当 り                             |                      | 運 転 時 間(または日)<br>当 り 換 算 値            |                      | 供 用 日 当 り 換 算 値                       |                      |                                  |
|   |                             |              |                     |                              |                          |                         |                         |                              |                              | (8)<br>損 料 率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損 料 率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損 料 率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |                                  |
| グラブ浚渫船(岩盤用)アンカー方式<br>[ディーゼル式・重錘式]                   | D 3.5m <sup>3</sup> (重錘20t) | 456          | 319,000             | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 25,300              | 9,078                                 | 290,000              | 2,657                                 | 84,800               | 12,939                                | 413,000              | (普通地盤用グラブ+硬土盤用グラブ+砕岩棒)           |
|   | D 5.5m <sup>3</sup> (重錘30t) | 883          | 608,000             | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 48,200              | 9,078                                 | 552,000              | 2,657                                 | 162,000              | 12,939                                | 787,000              |                                  |
| グラブ浚渫船(岩盤用)スノッド方式<br>[ディーゼル式・重錘式]                   | D 3.5m <sup>3</sup> (重錘20t) | 456          | 550,000             | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 43,600              | 9,078                                 | 499,000              | 2,657                                 | 146,000              | 12,939                                | 712,000              | (普通地盤用グラブ+硬土盤用グラブ+砕岩棒、アンカー機能含む)  |
|   | D 5.5m <sup>3</sup> (重錘30t) | 883          | 962,000             | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 76,300              | 9,078                                 | 873,000              | 2,657                                 | 256,000              | 12,939                                | 1,240,000            |                                  |
|   | D 7.5m <sup>3</sup> (重錘45t) | 1,397        | 1,560,000           | 25                           | 560                      | 70                      | 115                     | 125                          | 6                            | 793                                  | 124,000             | 9,078                                 | 1,420,000            | 2,657                                 | 414,000              | 12,939                                | 2,020,000            |                                  |
| バックホウ浚渫船  | D 1.0m <sup>3</sup>         | 206          | 94,600              | 20                           | 640                      | 80                      | 130                     | 155                          | 6                            | 984                                  | 9,310               | 9,462                                 | 89,500               | 2,906                                 | 27,500               | 14,308                                | 135,000              | (スノッド付)                          |
|   | D 2.0m <sup>3</sup>         | 302          | 191,000             | 20                           | 640                      | 80                      | 130                     | 155                          | 6                            | 984                                  | 18,800              | 9,462                                 | 181,000              | 2,906                                 | 55,500               | 14,308                                | 273,000              |                                  |
|   | D 3.0m <sup>3</sup>         | 397          | 286,000             | 20                           | 640                      | 80                      | 130                     | 155                          | 6                            | 984                                  | 28,100              | 9,462                                 | 271,000              | 2,906                                 | 83,100               | 14,308                                | 409,000              |                                  |
| マイクロポンプ船<br>[ディーゼル式]                                | D 150PS型                    | 110          | 51,700              | 15                           | 500                      | 50                      | 85                      | 130                          | 6                            | 1,513                                | 7,820               | 15,961                                | 82,500               | 4,227                                 | 21,900               | 24,863                                | 129,000              | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイントを含まない。 |
|   | D 200PS型                    | 147          | 74,100              | 15                           | 500                      | 50                      | 85                      | 130                          | 6                            | 1,513                                | 11,200              | 15,961                                | 118,000              | 4,227                                 | 31,300               | 24,863                                | 184,000              |                                  |
| リクレーマ船<br>[グラブ式]<br><br>[チェーンバケット式]<br><br>[バックホウ式] | DE 860PS型                   | 633          | 413,000             | 20                           | 960                      | 120                     | 200                     | 140                          | 6                            | 617                                  | 25,500              | 5,963                                 | 246,000              | 1,859                                 | 76,800               | 8,925                                 | 369,000              |                                  |
|   | DE 4,600PS型                 | 3,383        | 1,910,000           | 20                           | 960                      | 120                     | 200                     | 140                          | 6                            | 617                                  | 118,000             | 5,963                                 | 1,140,000            | 1,859                                 | 355,000              | 8,925                                 | 1,700,000            |                                  |
|   | DE 8,000PS型                 | 5,884        | 3,550,000           | 20                           | 960                      | 120                     | 200                     | 140                          | 6                            | 617                                  | 219,000             | 5,963                                 | 2,120,000            | 1,859                                 | 660,000              | 8,925                                 | 3,170,000            |                                  |
|   | DE 3,700PS型                 | 2,721        | 2,220,000           | 20                           | 960                      | 120                     | 200                     | 140                          | 6                            | 617                                  | 137,000             | 5,963                                 | 1,320,000            | 1,859                                 | 413,000              | 8,925                                 | 1,980,000            |                                  |
|   | DE 1,200PS型                 | 883          | 1,130,000           | 20                           | 960                      | 120                     | 200                     | 140                          | 6                            | 617                                  | 69,700              | 5,963                                 | 674,000              | 1,859                                 | 210,000              | 8,925                                 | 1,010,000            |                                  |
|   | DE 2,800PS型                 | 2,059        | 1,720,000           | 20                           | 960                      | 120                     | 200                     | 140                          | 6                            | 617                                  | 106,000             | 5,963                                 | 1,030,000            | 1,859                                 | 320,000              | 8,925                                 | 1,540,000            |                                  |
|   | DE 3,200PS型                 | 2,354        | 1,970,000           | 20                           | 960                      | 120                     | 200                     | 140                          | 6                            | 617                                  | 122,000             | 5,963                                 | 1,170,000            | 1,859                                 | 366,000              | 8,925                                 | 1,760,000            |                                  |
| バージアンローダ船   | D 420PS型                    | 309          | 347,000             | 20                           | 720                      | 90                      | 150                     | 150                          | 6                            | 858                                  | 29,800              | 8,117                                 | 282,000              | 2,549                                 | 88,500               | 12,233                                | 424,000              | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイントを含まない。 |
|   | D 1,000PS型                  | 736          | 703,000             | 20                           | 720                      | 90                      | 150                     | 150                          | 6                            | 858                                  | 60,300              | 8,117                                 | 571,000              | 2,549                                 | 179,000              | 12,233                                | 860,000              |                                  |
|   | D 1,600PS型                  | 1,177        | 845,000             | 20                           | 720                      | 90                      | 150                     | 150                          | 6                            | 858                                  | 72,500              | 8,117                                 | 686,000              | 2,549                                 | 215,000              | 12,233                                | 1,030,000            |                                  |
|   | D 1,800PS型                  | 1,324        | 877,000             | 20                           | 720                      | 90                      | 150                     | 150                          | 6                            | 858                                  | 75,200              | 8,117                                 | 712,000              | 2,549                                 | 224,000              | 12,233                                | 1,070,000            |                                  |
|   | D 2,000PS型                  | 1,471        | 947,000             | 20                           | 720                      | 90                      | 150                     | 150                          | 6                            | 858                                  | 81,300              | 8,117                                 | 769,000              | 2,549                                 | 241,000              | 12,233                                | 1,160,000            |                                  |
|   | D 2,500PS型                  | 1,839        | 1,060,000           | 20                           | 720                      | 90                      | 150                     | 150                          | 6                            | 858                                  | 90,900              | 8,117                                 | 860,000              | 2,549                                 | 270,000              | 12,233                                | 1,300,000            |                                  |
| 空気圧送船   | D 2,000PS型                  | 1,471        | 1,130,000           | 20                           | 640                      | 80                      | 135                     | 150                          | 6                            | 965                                  | 109,000             | 9,019                                 | 1,020,000            | 2,867                                 | 324,000              | 13,593                                | 1,540,000            | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイントを含まない。 |
|   | D 3,000PS型                  | 2,207        | 2,270,000           | 20                           | 640                      | 80                      | 135                     | 150                          | 6                            | 965                                  | 219,000             | 9,019                                 | 2,050,000            | 2,867                                 | 651,000              | 13,593                                | 3,090,000            |                                  |
|   | D 6,000PS型                  | 4,413        | 2,880,000           | 20                           | 640                      | 80                      | 135                     | 150                          | 6                            | 965                                  | 278,000             | 9,019                                 | 2,600,000            | 2,867                                 | 826,000              | 13,593                                | 3,910,000            |                                  |
| 構造物作業船<br>自航起重機船<br>[固定・ディーゼル式]<br><br>[旋回・ディーゼル式]  | 30t吊 D                      | 184          | 108,000             | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 7,690               | 5,372                                 | 58,000               | 2,192                                 | 23,700               | 7,953                                 | 85,900               | 特殊吊金具を含まない。                      |
|   | 50t吊 D                      | 294          | 279,000             | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 19,900              | 5,372                                 | 150,000              | 2,192                                 | 61,200               | 7,953                                 | 222,000              |                                  |
|   | 50t吊 D                      | 405          | 475,000             | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 33,800              | 5,372                                 | 255,000              | 2,192                                 | 104,000              | 7,953                                 | 378,000              |                                  |
|   | 70t吊 D                      | 515          | 607,000             | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 43,200              | 5,372                                 | 326,000              | 2,192                                 | 133,000              | 7,953                                 | 483,000              |                                  |
|   | 100t吊 D                     | 736          | 804,000             | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 57,200              | 5,372                                 | 432,000              | 2,192                                 | 176,000              | 7,953                                 | 639,000              |                                  |
|   | 120t吊 D                     | 809          | 862,000             | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 61,400              | 5,372                                 | 463,000              | 2,192                                 | 189,000              | 7,953                                 | 686,000              |                                  |
|   | 150t吊 D                     | 883          | 961,000             | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 68,400              | 5,372                                 | 516,000              | 2,192                                 | 211,000              | 7,953                                 | 764,000              |                                  |
|   | 200t吊 D                     | 1,030        | 1,130,000           | 20                           | 780                      | 130                     | 215                     | 125                          | 6                            | 712                                  | 80,500              | 5,372                                 | 607,000              | 2,192                                 | 248,000              | 7,953                                 | 899,000              |                                  |

| 規 格                 |            |              | (1)          | (2)                   | 年 間 標 準           |                  |                  | (6)                   | (7)                   | 算 定 表                                |                     |                                       |                      | 参 考                                   |                      |                                       |                      | 摘 要  |         |       |         |
|---------------------|------------|--------------|--------------|-----------------------|-------------------|------------------|------------------|-----------------------|-----------------------|--------------------------------------|---------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|--|---------|-------|---------|
| 船舶の種類               | 呼 称        | 機関出力<br>(kW) | 基礎価格<br>(千円) | 標準<br>使用<br>年数<br>(年) | (3)               | (4)              | (5)              | 維持<br>修理<br>費率<br>(%) | 年間<br>管理<br>費率<br>(%) | 運 転 時 間<br>(または日)当り                  |                     | 供 用 日 当 り                             |                      | 運 転 時 間 (または日)<br>当 り 換 算 値           |                      | 供 用 日 当 り 換 算 値                       |                      |  |         |       |         |
|                     |            |              |              |                       | 運 転<br>時間<br>(時間) | 運 転<br>日数<br>(日) | 供 用<br>日数<br>(日) |                       |                       | (8)<br>損 料 率<br>(×10 <sup>-7</sup> ) | (9)<br>損 料 額<br>(円) | (10)<br>損 料 率<br>(×10 <sup>-7</sup> ) | (11)<br>損 料 額<br>(円) | (12)<br>損 料 率<br>(×10 <sup>-7</sup> ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>(×10 <sup>-7</sup> ) | (15)<br>損 料 額<br>(円) |  |         |       |         |
| 起重機船<br>[固定・ディーゼル式] |            |              |              |                       |                   |                  |                  |                       |                       |                                      |                     |                                       |                      |                                       |                      |                                       |                      | 特殊吊金具を含まない。  |         |       |         |
|                     | 50t吊 D     | 92           | 96,900       | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 8,160               | 6,697                                 | 64,900               | 2,683                                 | 26,000               | 9,758                                 | 94,600               |  |         |       |         |
|                     | 70t吊 D     | 114          | 133,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 11,200              | 6,697                                 | 89,100               | 2,683                                 | 35,700               | 9,758                                 | 130,000              |  |         |       |         |
|                     | 100t吊 D    | 143          | 188,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 15,800              | 6,697                                 | 126,000              | 2,683                                 | 50,400               | 9,758                                 | 183,000              |  |         |       |         |
|                     | 150t吊 D    | 191          | 267,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 22,500              | 6,697                                 | 179,000              | 2,683                                 | 71,600               | 9,758                                 | 261,000              |  |         |       |         |
|                     | 200t吊 D    | 243          | 345,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 29,000              | 6,697                                 | 231,000              | 2,683                                 | 92,600               | 9,758                                 | 337,000              |  |         |       |         |
| [旋回・ディーゼル式]         |            |              |              |                       |                   |                  |                  |                       |                       |                                      |                     |                                       |                      |                                       |                      |                                       |                      |  |         |       |         |
|                     | 30t吊 D     | 103          | 156,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 13,100              | 6,697                                 | 104,000              | 2,683                                 | 41,900               | 9,758                                 | 152,000              |  |         |       |         |
|                     | 40t吊 D     | 143          | 183,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 15,400              | 6,697                                 | 123,000              | 2,683                                 | 49,100               | 9,758                                 | 179,000              |  |         |       |         |
|                     | 50t吊 D     | 177          | 206,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 17,300              | 6,697                                 | 138,000              | 2,683                                 | 55,300               | 9,758                                 | 201,000              |  |         |       |         |
|                     | 70t吊 D     | 235          | 260,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 21,900              | 6,697                                 | 174,000              | 2,683                                 | 69,800               | 9,758                                 | 254,000              |  |         |       |         |
|                     | 80t吊 D     | 265          | 284,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 23,900              | 6,697                                 | 190,000              | 2,683                                 | 76,200               | 9,758                                 | 277,000              |  |         |       |         |
|                     | 100t吊 D    | 313          | 341,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 28,700              | 6,697                                 | 228,000              | 2,683                                 | 91,500               | 9,758                                 | 333,000              |  |         |       |         |
|                     | 120t吊 D    | 353          | 392,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 33,000              | 6,697                                 | 263,000              | 2,683                                 | 105,000              | 9,758                                 | 383,000              |  |         |       |         |
|                     | 150t吊 D    | 405          | 467,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 39,300              | 6,697                                 | 313,000              | 2,683                                 | 125,000              | 9,758                                 | 456,000              |  |         |       |         |
|                     | 180t吊 D    | 515          | 598,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 50,400              | 6,697                                 | 400,000              | 2,683                                 | 160,000              | 9,758                                 | 584,000              |  |         |       |         |
|                     | 200t吊 D    | 588          | 663,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 55,800              | 6,697                                 | 444,000              | 2,683                                 | 178,000              | 9,758                                 | 647,000              |  |         |       |         |
|                     | 250t吊 D    | 736          | 834,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 70,200              | 6,697                                 | 559,000              | 2,683                                 | 224,000              | 9,758                                 | 814,000              |  |         |       |         |
|                     | 300t吊 D    | 883          | 998,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 84,000              | 6,697                                 | 668,000              | 2,683                                 | 268,000              | 9,758                                 | 974,000              |  |         |       |         |
|                     | 350t吊 D    | 1,030        | 1,140,000    | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 96,000              | 6,697                                 | 763,000              | 2,683                                 | 306,000              | 9,758                                 | 1,110,000            |  |         |       |         |
|                     | 400t吊 D    | 1,178        | 1,280,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 148,000             | 8,556                                 | 1,100,000            | 3,563                                 | 456,000              | 12,667                                | 1,620,000            |  |         |       |         |
|                     | 450t吊 D    | 1,325        | 1,430,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 165,000             | 8,556                                 | 1,220,000            | 3,563                                 | 510,000              | 12,667                                | 1,810,000            |  |         |       |         |
|                     | 500t吊 D    | 1,470        | 1,590,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 184,000             | 8,556                                 | 1,360,000            | 3,563                                 | 567,000              | 12,667                                | 2,010,000            |  |         |       |         |
|                     | 550t吊 D    | 1,616        | 1,750,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 202,000             | 8,556                                 | 1,500,000            | 3,563                                 | 624,000              | 12,667                                | 2,220,000            |  |         |       |         |
| [固定・ディーゼル発電式]       |            |              |              |                       |                   |                  |                  |                       |                       |                                      |                     |                                       |                      |                                       |                      |                                       |                      |  |         |       |         |
|                     | 50t吊 DE    | 110          | 144,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 12,100              | 6,697                                 | 96,400               | 2,683                                 | 38,600               | 9,758                                 | 141,000              |  |         |       |         |
|                     | 150t吊 DE   | 221          | 354,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 29,800              | 6,697                                 | 237,000              | 2,683                                 | 95,000               | 9,758                                 | 345,000              |  |         |       |         |
|                     | 300t吊 DE   | 324          | 593,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 49,900              | 6,697                                 | 397,000              | 2,683                                 | 159,000              | 9,758                                 | 579,000              |  |         |       |         |
|                     | 500t吊 DE   | 441          | 910,000      | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 105,000             | 8,556                                 | 779,000              | 3,563                                 | 324,000              | 12,667                                | 1,150,000            |  |         |       |         |
|                     | 1,300t吊 DE | 956          | 1,810,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 209,000             | 8,556                                 | 1,550,000            | 3,563                                 | 645,000              | 12,667                                | 2,290,000            |  |         |       |         |
|                     | 1,400t吊 DE | 1,015        | 2,220,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 257,000             | 8,556                                 | 1,900,000            | 3,563                                 | 791,000              | 12,667                                | 2,810,000            |  |         |       |         |
|                     | 2,000t吊 DE | 1,324        | 3,070,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 355,000             | 8,556                                 | 2,630,000            | 3,563                                 | 1,090,000            | 12,667                                | 3,890,000            |  |         |       |         |
|                     | 2,200t吊 DE | 1,397        | 3,430,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 397,000             | 8,556                                 | 2,930,000            | 3,563                                 | 1,220,000            | 12,667                                | 4,340,000            |  |         |       |         |
|                     | 3,000t吊 DE | 1,765        | 4,830,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 558,000             | 8,556                                 | 4,130,000            | 3,563                                 | 1,720,000            | 12,667                                | 6,120,000            |  |         |       |         |
|                     | 3,700t吊 DE | 2,721        | 5,850,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 676,000             | 8,556                                 | 5,010,000            | 3,563                                 | 2,080,000            | 12,667                                | 7,410,000            |  |         |       |         |
|                     | 4,000t吊 DE | 2,997        | 6,240,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 721,000             | 8,556                                 | 5,340,000            | 3,563                                 | 2,220,000            | 12,667                                | 7,900,000            |  |         |       |         |
|                     | 4,100t吊 DE | 3,089        | 6,330,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 732,000             | 8,556                                 | 5,420,000            | 3,563                                 | 2,260,000            | 12,667                                | 8,020,000            |  |         |       |         |
| [旋回・ディーゼル発電式]       |            |              |              |                       |                   |                  |                  |                       |                       |                                      |                     |                                       |                      |                                       |                      |                                       |                      |  |         |       |         |
|                     | 100t吊 DE   | 368          | 389,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 32,800              | 6,697                                 | 261,000              | 2,683                                 | 104,000              | 9,758                                 | 380,000              |  |         |       |         |
|                     | 200t吊 DE   | 736          | 577,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 842                                  | 48,600              | 6,697                                 | 386,000              | 2,683                                 | 155,000              | 9,758                                 | 563,000              |  |         |       |         |
|                     | 400t吊 DE   | 1,471        | 1,190,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 138,000             | 8,556                                 | 1,020,000            | 3,563                                 | 424,000              | 12,667                                | 1,510,000            |  |         |       |         |
|                     | 1,600t吊 DE | 2,620        | 4,820,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 557,000             | 8,556                                 | 4,120,000            | 3,563                                 | 1,720,000            | 12,667                                | 6,110,000            |  |         |       |         |
| [固定・ディーゼル油圧式]       |            |              |              |                       |                   |                  |                  |                       |                       |                                      |                     |                                       |                      |                                       |                      |                                       |                      |  |         |       |         |
|                     | 400t吊 DH   | 546          | 808,000      | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 93,400              | 8,556                                 | 691,000              | 3,563                                 | 288,000              | 12,667                                | 1,020,000            |  |         |       |         |
|                     | 600t吊 DH   | 647          | 1,070,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 124,000             | 8,556                                 | 915,000              | 3,563                                 | 381,000              | 12,667                                | 1,360,000            |  |         |       |         |
|                     | 700t吊 DH   | 699          | 1,350,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 156,000             | 8,556                                 | 1,160,000            | 3,563                                 | 481,000              | 12,667                                | 1,710,000            |  |         |       |         |
|                     | 1,300t吊 DH | 1,000        | 2,180,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 252,000             | 8,556                                 | 1,870,000            | 3,563                                 | 777,000              | 12,667                                | 2,760,000            |  |         |       |         |
|                     | 3,000t吊 DH | 1,861        | 4,860,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 562,000             | 8,556                                 | 4,160,000            | 3,563                                 | 1,730,000            | 12,667                                | 6,160,000            |  |         |       |         |
|                     | 3,700t吊 DH | 2,216        | 5,950,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,156                                | 688,000             | 8,556                                 | 5,090,000            | 3,563                                 | 2,120,000            | 12,667                                | 7,540,000            |  |         |       |         |
| クレーン付台船             |            |              |              |                       |                   |                  |                  |                       |                       |                                      |                     |                                       |                      |                                       |                      |                                       |                      | クレーン付台船の損料額は、クローラクレーン損料(上段)と台船損料(下段)を合算した額とする。<br>クローラクレーンの損料率は(×10 <sup>-6</sup> )とする。<br>台船の基礎価格には、固縛費、操船ウィンチ等を含む。 |         |       |         |
|                     | クローラクレーン台船 | 35~40t吊      | 94           | 28,300                | 14                | —                | 100              | 150                   | 25                    | 10                                   | 482                 | (日)                                   | 13,600               | 869                                   | (供)                  | 24,600                                | 1,786                | (日)  | 50,500  | 1,190 | 33,700  |
|                     | クローラクレーン台船 | 300t積        | —            | 39,400                | 20                | —                | —                | 135                   | 95                    | 6                                    | —                   | —                                     | —                    | 11,556                                | (供)                  | 45,500                                | —                    | —  | 11,556  | —     | 45,500  |
|                     | クローラクレーン台船 | 45~50t吊      | 102          | 33,900                | 14                | —                | 100              | 150                   | 25                    | 10                                   | 482                 | (日)                                   | 16,300               | 869                                   | (供)                  | 29,500                                | 1,786                | (日)  | 60,500  | 1,190 | 40,300  |
|                     | クローラクレーン台船 | 500t積        | —            | 48,700                | 20                | —                | —                | 135                   | 95                    | 6                                    | —                   | —                                     | —                    | 11,556                                | (供)                  | 56,300                                | —                    | —  | 11,556  | —     | 56,300  |
|                     | クローラクレーン台船 | 80t吊         | 161          | 66,300                | 14                | —                | 100              | 150                   | 25                    | 10                                   | 482                 | (日)                                   | 32,000               | 869                                   | (供)                  | 57,600                                | 1,786                | (日)  | 118,000 | 1,190 | 78,900  |
|                     | クローラクレーン台船 | 700t積        | —            | 60,000                | 20                | —                | —                | 135                   | 95                    | 6                                    | —                   | —                                     | —                    | 11,556                                | (供)                  | 69,300                                | —                    | —  | 11,556  | —     | 69,300  |
|                     | クローラクレーン台船 | 100t吊        | 193          | 89,800                | 14                | —                | 100              | 150                   | 25                    | 10                                   | 482                 | (日)                                   | 43,300               | 869                                   | (供)                  | 78,000                                | 1,786                | (日)  | 160,000 | 1,190 | 107,000 |
|                     | クローラクレーン台船 | 1,000t積      | —            | 79,000                | 20                | —                | —                | 135                   | 95                    | 6                                    | —                   | —                                     | —                    | 11,556                                | (供)                  | 91,300                                | —                    | —  | 11,556  | —     | 91,300  |
|                     | クローラクレーン台船 | 150t吊        | 195          | 121,000               | 14                | —                | 100              | 150                   | 25                    | 10                                   | 482                 | (日)                                   | 58,300               | 869                                   | (供)                  | 105,000                               | 1,786                | (日)  | 216,000 | 1,190 | 144,000 |
|                     | クローラクレーン台船 | 1,000t積      | —            | 79,000                | 20                | —                | —                | 135                   | 95                    | 6                                    | —                   | —                                     | —                    | 11,556                                | (供)                  | 91,300                                | —                    | —  | 11,556  | —     | 91,300  |
|                     | クローラクレーン台船 | 200t吊        | 197          | 189,000               | 14                | —                | 100              | 150                   | 25                    | 10                                   | 482                 | (日)                                   | 91,100               |                                       |                      |                                       |                      |  |         |       |         |

| 規 格                     |                       |              | (1)          | (2)                   | 年 間 標 準                   |                          |                          | (6)                   | (7)                   | 算 定 表                       |              |                             |              | 参 考                         |              |                             |              | 摘 要                          |
|-------------------------|-----------------------|--------------|--------------|-----------------------|---------------------------|--------------------------|--------------------------|-----------------------|-----------------------|-----------------------------|--------------|-----------------------------|--------------|-----------------------------|--------------|-----------------------------|--------------|------------------------------|
| 船舶の種類                   | 呼 称                   | 機関出力<br>(kW) | 基礎価格<br>(千円) | 標準<br>使用<br>年数<br>(年) | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) | 維持<br>修理<br>費率<br>(%) | 年間<br>管理<br>費率<br>(%) | 運 転 時 間<br>(または日)当り         |              | 供 用 日 当 り                   |              | 運 転 時 間(または日)<br>当 り 換 算 値  |              | 供 用 日 当 り 換 算 値             |              |                              |
|                         |                       |              |              |                       |                           |                          |                          |                       |                       | (8)                         | (9)          | (10)                        | (11)         | (12)                        | (13)         | (14)                        | (15)         |                              |
|                         |                       |              |              |                       |                           |                          |                          |                       |                       | 損料率<br>( $\times 10^{-7}$ ) | 損 料 額<br>(円) | 損料率<br>( $\times 10^{-7}$ ) | 損 料 額<br>(円) | 損料率<br>( $\times 10^{-7}$ ) | 損 料 額<br>(円) | 損料率<br>( $\times 10^{-7}$ ) | 損 料 額<br>(円) |                              |
| 杭打船<br>[重錘式]            | モンケン 3.0t D           | 15           | 15,200       | 20                    | 480                       | 80                       | 135                      | 105                   | 6                     | 1,052                       | 1,600        | 8,185                       | 12,400       | 3,354                       | 5,100        | 11,926                      | 18,100       |                              |
| [ディーゼルハンマ式]             | D-25                  | 103          | 172,000      | 20                    | 480                       | 80                       | 135                      | 105                   | 6                     | 1,052                       | 18,100       | 8,185                       | 141,000      | 3,354                       | 57,700       | 11,926                      | 205,000      |                              |
|                         | D-45                  | 221          | 367,000      | 20                    | 480                       | 80                       | 135                      | 105                   | 6                     | 1,052                       | 38,600       | 8,185                       | 300,000      | 3,354                       | 123,000      | 11,926                      | 438,000      |                              |
|                         | D-72                  | 405          | 726,000      | 20                    | 480                       | 80                       | 135                      | 100                   | 6                     | 1,026                       | 74,500       | 8,093                       | 588,000      | 3,302                       | 240,000      | 11,741                      | 852,000      |                              |
|                         | D-80                  | 515          | 923,000      | 20                    | 480                       | 80                       | 135                      | 100                   | 6                     | 1,026                       | 94,700       | 8,093                       | 747,000      | 3,302                       | 305,000      | 11,741                      | 1,080,000    |                              |
| [油圧ハンマ式]                | H-65                  | 221          | 824,000      | 20                    | 480                       | 80                       | 135                      | 100                   | 6                     | 1,026                       | 84,500       | 8,093                       | 667,000      | 3,302                       | 272,000      | 11,741                      | 967,000      |                              |
|                         | H-125                 | 405          | 1,590,000    | 20                    | 480                       | 80                       | 135                      | 100                   | 6                     | 1,026                       | 163,000      | 8,093                       | 1,290,000    | 3,302                       | 525,000      | 11,741                      | 1,870,000    |                              |
|                         | H-150                 | 515          | 2,020,000    | 20                    | 480                       | 80                       | 135                      | 100                   | 6                     | 1,026                       | 207,000      | 8,093                       | 1,630,000    | 3,302                       | 667,000      | 11,741                      | 2,370,000    |                              |
| [スチームハンマ式]              | S-1,500               | 353          | 973,000      | 20                    | 480                       | 80                       | 135                      | 100                   | 6                     | 1,026                       | 99,800       | 8,093                       | 787,000      | 3,302                       | 321,000      | 11,741                      | 1,140,000    |                              |
| コンクリートミキサー船<br>[バッチ式]   | DE 0.5 m <sup>3</sup> | 147          | 167,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 20,200       | 8,741                       | 146,000      | 3,667                       | 61,200       | 13,037                      | 218,000      |                              |
|                         | DE 0.75m <sup>3</sup> | 177          | 250,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 30,200       | 8,741                       | 219,000      | 3,667                       | 91,700       | 13,037                      | 326,000      |                              |
|                         | DE 1.0 m <sup>3</sup> | 338          | 445,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 53,800       | 8,741                       | 389,000      | 3,667                       | 163,000      | 13,037                      | 580,000      |                              |
|                         | DE 1.5 m <sup>3</sup> | 530          | 699,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 84,400       | 8,741                       | 611,000      | 3,667                       | 256,000      | 13,037                      | 911,000      |                              |
|                         | DE 2.0 m <sup>3</sup> | 633          | 776,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 93,700       | 8,741                       | 678,000      | 3,667                       | 285,000      | 13,037                      | 1,010,000    |                              |
|                         | DE 2.5 m <sup>3</sup> | 736          | 848,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 102,000      | 8,741                       | 741,000      | 3,667                       | 311,000      | 13,037                      | 1,110,000    |                              |
| [コンティニアス式]              | DE 25 型               | 177          | 211,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 25,500       | 8,741                       | 184,000      | 3,667                       | 77,400       | 13,037                      | 275,000      |                              |
|                         | DE 45 型               | 279          | 380,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 45,900       | 8,741                       | 332,000      | 3,667                       | 139,000      | 13,037                      | 495,000      |                              |
|                         | DE 90 型               | 434          | 628,000      | 20                    | 480                       | 80                       | 135                      | 135                   | 6                     | 1,208                       | 75,900       | 8,741                       | 549,000      | 3,667                       | 230,000      | 13,037                      | 819,000      |                              |
| ケーソン製作用台船<br>[フローティング式] | 1,300t積               |              | 237,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 259,000      |                             |              | 10,917                      | 259,000      | 注排水装置及びクレーン装置を含む。            |
|                         | 1,500t積               |              | 280,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 306,000      |                             |              | 10,917                      | 306,000      |                              |
|                         | 2,000t積               |              | 350,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 382,000      |                             |              | 10,917                      | 382,000      |                              |
|                         | 2,500t積               |              | 415,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 453,000      |                             |              | 10,917                      | 453,000      |                              |
|                         | 3,200t積               |              | 504,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 550,000      |                             |              | 10,917                      | 550,000      |                              |
|                         | 4,000t積               |              | 623,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 680,000      |                             |              | 10,917                      | 680,000      |                              |
|                         | 5,000t積               |              | 774,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 845,000      |                             |              | 10,917                      | 845,000      |                              |
|                         | 6,000t積               |              | 926,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 1,010,000    |                             |              | 10,917                      | 1,010,000    |                              |
|                         | 6,500t積               |              | 1,010,000    | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 1,100,000    |                             |              | 10,917                      | 1,100,000    |                              |
|                         | 7,000t積               |              | 1,090,000    | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 1,190,000    |                             |              | 10,917                      | 1,190,000    |                              |
|                         | 10,000t積              |              | 1,500,000    | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 1,640,000    |                             |              | 10,917                      | 1,640,000    |                              |
|                         | 11,000t積              |              | 1,660,000    | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 1,810,000    |                             |              | 10,917                      | 1,810,000    |                              |
|                         | 12,000t積              |              | 1,800,000    | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 1,970,000    |                             |              | 10,917                      | 1,970,000    |                              |
| [ドルフィン式(ゲート付)]          | 1,300t積               |              | 186,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 203,000      |                             |              | 10,917                      | 203,000      | 注排水装置、クレーン装置及び発動発電機を含まない。    |
|                         | 1,700t積               |              | 207,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 226,000      |                             |              | 10,917                      | 226,000      | "                            |
|                         | 2,500t積               |              | 277,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 302,000      |                             |              | 10,917                      | 302,000      | "                            |
|                         | 5,000t積               |              | 753,000      | 20                    | —                         | —                        | 120                      | 45                    | 6                     |                             |              | 10,917 (供)                  | 822,000      |                             |              | 10,917                      | 822,000      | 注排水装置及びクレーン装置を含み、発動発電機を含まない。 |

| 規 格                       |                  |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                  |                         |                         | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                                |                     |                                       |                      | 参 考                                   |                      |                                       |                      | 摘 要  |                             |
|---------------------------|------------------|--------------|---------------------|------------------------------|--------------------------|-------------------------|-------------------------|------------------------------|------------------------------|--------------------------------------|---------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|--|-----------------------------|
| 船舶の種類                     | 呼 称              | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時間<br>(時間) | (4)<br>運 転<br>日数<br>(日) | (5)<br>供 用<br>日数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                  |                     | 供 用 日 当 り                             |                      | 運 転 時 間(または日)<br>当 り 換 算 値            |                      | 供 用 日 当 り 換 算 値                       |                      |  |                             |
|                           |                  |              |                     |                              |                          |                         |                         |                              |                              | (8)<br>損 料 率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損 料 率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損 料 率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |  |                             |
| 自己昇降式台船                   | 押上力 1,500t級      |              | 1,100,000           | 15                           | —                        | —                       | 135                     | 90                           | 6                            |                                      |                     | 13,679                                | (供)                  | 1,500,000                             |                      |                                       | 13,679               | 1,500,000  | 特殊装備(クレーン、杭打装備、トラベラ等)を含まない。 |
|                           | 押上力 4,500t級      |              | 2,150,000           | 15                           | —                        | —                       | 135                     | 90                           | 6                            |                                      |                     | 13,679                                | (供)                  | 2,940,000                             |                      |                                       | 13,679               | 2,940,000  |                             |
|                           | 押上力 5,500t級      |              | 2,490,000           | 15                           | —                        | —                       | 135                     | 90                           | 6                            |                                      |                     | 13,679                                | (供)                  | 3,410,000                             |                      |                                       | 13,679               | 3,410,000  |                             |
| 地盤改良作業船<br>深層混合処理船        | 水面下 30m 面積 2.2㎡  | 809          | 788,000             | 15                           | 980                      | 70                      | 120                     | 115                          | 6                            | 721                                  | 56,800              | 10,889                                | 858,000              | 2,054                                 | 162,000              | 16,778                                | 1,320,000            | 光波式位置測定器を含む。   |                             |
|                           | 水面下 40m 面積 4.6㎡  | 2,059        | 2,620,000           | 15                           | 980                      | 70                      | 120                     | 115                          | 6                            | 721                                  | 189,000             | 10,889                                | 2,850,000            | 2,054                                 | 538,000              | 16,778                                | 4,400,000            |  |                             |
|                           | 水面下 65m 面積 5.7㎡  | 3,457        | 3,370,000           | 15                           | 980                      | 70                      | 120                     | 115                          | 6                            | 721                                  | 243,000             | 10,889                                | 3,670,000            | 2,054                                 | 692,000              | 16,778                                | 5,650,000            |  |                             |
| サンドドレーン船                  | DE 6連装           | 625          | 400,000             | 25                           | 400                      | 50                      | 85                      | 120                          | 6                            | 1,085                                | 43,400              | 12,165                                | 487,000              | 3,670                                 | 147,000              | 17,271                                | 691,000              | ケーシングパイプ及び光波式位置測定器を含まない。                                   |                             |
|                           | DE 12連装          | 3,052        | 1,890,000           | 25                           | 400                      | 50                      | 85                      | 120                          | 6                            | 1,085                                | 205,000             | 12,165                                | 2,300,000            | 3,670                                 | 694,000              | 17,271                                | 3,260,000            |  |                             |
| サンドコンパクション船               | DE (2連装)長さ 35m   | 1,640        | 666,000             | 20                           | 560                      | 70                      | 120                     | 155                          | 6                            | 1,125                                | 74,900              | 10,250                                | 683,000              | 3,321                                 | 221,000              | 15,500                                | 1,030,000            | ケーシングパイプ及び光波式位置測定器を含まない。<br>規格呼称欄の長さはホッパ下端から地盤改良深度の打設長である。 |                             |
|                           | DE (2連装)長さ 40m   | 1,876        | 739,000             | 20                           | 560                      | 70                      | 120                     | 155                          | 6                            | 1,125                                | 83,100              | 10,250                                | 757,000              | 3,321                                 | 245,000              | 15,500                                | 1,150,000            |  |                             |
|                           | DE (3連装)長さ 35m   | 2,618        | 1,410,000           | 20                           | 560                      | 70                      | 120                     | 155                          | 6                            | 1,125                                | 159,000             | 10,250                                | 1,450,000            | 3,321                                 | 468,000              | 15,500                                | 2,190,000            |  |                             |
|                           | DE (3連装)長さ 40m   | 2,993        | 1,630,000           | 20                           | 560                      | 70                      | 120                     | 155                          | 6                            | 1,125                                | 183,000             | 10,250                                | 1,670,000            | 3,321                                 | 541,000              | 15,500                                | 2,530,000            |  |                             |
|                           | DE (3連装)長さ 45m   | 3,369        | 1,740,000           | 20                           | 560                      | 70                      | 120                     | 155                          | 6                            | 1,125                                | 196,000             | 10,250                                | 1,780,000            | 3,321                                 | 578,000              | 15,500                                | 2,700,000            |  |                             |
|                           | DE (3連装)長さ 50m   | 3,744        | 1,880,000           | 20                           | 560                      | 70                      | 120                     | 155                          | 6                            | 1,125                                | 212,000             | 10,250                                | 1,930,000            | 3,321                                 | 624,000              | 15,500                                | 2,910,000            |  |                             |
|                           | DE (3連装)長さ 55m   | 4,119        | 1,920,000           | 20                           | 560                      | 70                      | 120                     | 155                          | 6                            | 1,125                                | 216,000             | 10,250                                | 1,970,000            | 3,321                                 | 638,000              | 15,500                                | 2,980,000            |  |                             |
| (付属作業船)<br>自航付属作業船<br>揚錨船 | D 1t吊            | 110          | 14,700              | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 9,610           | 7,600                                 | 11,200               | 19,080                                | (日) 28,000           | 11,564                                | 17,000               |  |                             |
|                           | D 3t吊            | 161          | 42,800              | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 28,000          | 7,600                                 | 32,500               | 19,080                                | (日) 81,700           | 11,564                                | 49,500               |  |                             |
|                           | D 5t吊            | 202          | 70,900              | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 46,400          | 7,600                                 | 53,900               | 19,080                                | (日) 135,000          | 11,564                                | 82,000               |  |                             |
|                           | D 10t吊           | 238          | 140,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 91,600          | 7,600                                 | 106,000              | 19,080                                | (日) 267,000          | 11,564                                | 162,000              |  |                             |
|                           | D 15t吊           | 284          | 208,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 136,000         | 7,600                                 | 158,000              | 19,080                                | (日) 397,000          | 11,564                                | 241,000              |  |                             |
|                           | D 20t吊           | 303          | 278,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 182,000         | 7,600                                 | 211,000              | 19,080                                | (日) 530,000          | 11,564                                | 321,000              |  |                             |
|                           | D 25t吊           | 306          | 346,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 226,000         | 7,600                                 | 263,000              | 19,080                                | (日) 660,000          | 11,564                                | 400,000              |  |                             |
|                           | D 30t吊           | 334          | 403,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 264,000         | 7,600                                 | 306,000              | 19,080                                | (日) 769,000          | 11,564                                | 466,000              |  |                             |
|                           | D 35t吊           | 340          | 459,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 300,000         | 7,600                                 | 349,000              | 19,080                                | (日) 876,000          | 11,564                                | 531,000              |  |                             |
|                           | D 40t吊           | 348          | 507,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 332,000         | 7,600                                 | 385,000              | 19,080                                | (日) 967,000          | 11,564                                | 586,000              |  |                             |
|                           | D 50t吊           | 351          | 640,000             | 25                           | —                        | 100                     | 165                     | 230                          | 6                            | 6,540                                | (日) 419,000         | 7,600                                 | 486,000              | 19,080                                | (日) 1,220,000        | 11,564                                | 740,000              |  |                             |
| 引船<br>[鋼製]                | D 100PS型 4.9GT   | 74           | 14,100              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 924                 | 6,812                                 | 9,600                | 2,060                                 | 2,900                | 9,988                                 | 14,100               |  |                             |
|                           | D 150PS型 10GT    | 110          | 20,400              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 1,340               | 6,812                                 | 13,900               | 2,060                                 | 4,200                | 9,988                                 | 20,400               |  |                             |
|                           | D 200PS型 15GT    | 147          | 26,800              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 1,760               | 6,812                                 | 18,300               | 2,060                                 | 5,520                | 9,988                                 | 26,800               |  |                             |
|                           | D 250PS型 20GT    | 184          | 33,400              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 2,190               | 6,812                                 | 22,800               | 2,060                                 | 6,880                | 9,988                                 | 33,400               |  |                             |
|                           | D 300PS型 25GT    | 221          | 38,500              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 2,520               | 6,812                                 | 26,200               | 2,060                                 | 7,930                | 9,988                                 | 38,500               |  |                             |
|                           | D 350PS型 30GT    | 257          | 43,900              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 2,880               | 6,812                                 | 29,900               | 2,060                                 | 9,040                | 9,988                                 | 43,800               |  |                             |
|                           | D 450PS型 35GT    | 331          | 54,500              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 3,570               | 6,812                                 | 37,100               | 2,060                                 | 11,200               | 9,988                                 | 54,400               |  |                             |
|                           | D 500PS型 40GT    | 368          | 60,600              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 3,970               | 6,812                                 | 41,300               | 2,060                                 | 12,500               | 9,988                                 | 60,500               |  |                             |
|                           | D 550PS型 45GT    | 405          | 65,800              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 4,310               | 6,812                                 | 44,800               | 2,060                                 | 13,600               | 9,988                                 | 65,700               |  |                             |
|                           | D 600PS型 50GT    | 441          | 71,100              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 4,660               | 6,812                                 | 48,400               | 2,060                                 | 14,600               | 9,988                                 | 71,000               |  |                             |
|                           | D 700PS型 60GT    | 515          | 81,700              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 5,350               | 6,812                                 | 55,700               | 2,060                                 | 16,800               | 9,988                                 | 81,600               |  |                             |
|                           | D 800PS型 70GT    | 588          | 91,100              | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 5,970               | 6,812                                 | 62,100               | 2,060                                 | 18,800               | 9,988                                 | 91,000               |  |                             |
|                           | D 1,000PS型 90GT  | 736          | 115,000             | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 7,530               | 6,812                                 | 78,300               | 2,060                                 | 23,700               | 9,988                                 | 115,000              |  |                             |
|                           | D 1,200PS型 100GT | 883          | 132,000             | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 8,650               | 6,812                                 | 89,900               | 2,060                                 | 27,200               | 9,988                                 | 132,000              |  |                             |
|                           | D 1,500PS型 130GT | 1,103        | 159,000             | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 10,400              | 6,812                                 | 108,000              | 2,060                                 | 32,800               | 9,988                                 | 159,000              |  |                             |
|                           | D 2,000PS型 180GT | 1,471        | 210,000             | 25                           | 800                      | 100                     | 165                     | 165                          | 6                            | 655                                  | 13,800              | 6,812                                 | 143,000              | 2,060                                 | 43,300               | 9,988                                 | 210,000              |  |                             |
| D 2,500PS型 220GT          | 1,839            | 262,000      | 25                  | 800                          | 100                      | 165                     | 165                     | 6                            | 655                          | 17,200                               | 6,812               | 178,000                               | 2,060                | 54,000                                | 9,988                | 262,000                               |                      |  |                             |
| D 3,000PS型 330GT          | 2,207            | 362,000      | 25                  | 800                          | 100                      | 165                     | 165                     | 6                            | 655                          | 23,700                               | 6,812               | 247,000                               | 2,060                | 74,600                                | 9,988                | 362,000                               |                      |  |                             |
| D 4,000PS型 450GT          | 2,942            | 475,000      | 25                  | 800                          | 100                      | 165                     | 165                     | 6                            | 655                          | 31,100                               | 6,812               | 324,000                               | 2,060                | 97,900                                | 9,988                | 474,000                               |                      |  |                             |

| 規 格                 |        |   | (1)<br>基礎価格<br>(千円)   | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                  |                         |                         | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                                |                     |                                       |                      | 参 考                                   |                      |                                       |                      | 摘 要     |         |
|---------------------|--------|---|-----------------------|------------------------------|--------------------------|-------------------------|-------------------------|------------------------------|------------------------------|--------------------------------------|---------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------|---------|
| 船舶の種類               | 呼 称    | 機関出力<br>(kW)                                |                       |                              | (3)<br>運 転<br>時間<br>(時間) | (4)<br>運 転<br>日数<br>(日) | (5)<br>供 用<br>日数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                  |                     | 供 用 日 当 り                             |                      | 運 転 時 間(または日)<br>当 り 換 算 値            |                      | 供 用 日 当 り 換 算 値                       |                      |         |         |
|                     |        |   |                       |                              |                          |                         |                         |                              |                              | (8)<br>損 料 率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損 料 率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損 料 率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |         |         |
| 押船<br>[鋼製]          | D      | 600PS型 100GT                                | 441                   | 90,300                       | 20                       | 1,040                   | 130                     | 215                          | 185                          | 6                                    | 678                 | 6,120                                 | 6,070                | 54,800                                | 1,933                | 17,500                                | 9,349                | 84,400  |         |
|                     | D      | 1,000PS型 130GT                              | 736                   | 126,000                      | 20                       | 1,040                   | 130                     | 215                          | 185                          | 6                                    | 678                 | 8,540                                 | 6,070                | 76,500                                | 1,933                | 24,400                                | 9,349                | 118,000 |         |
|                     | D      | 1,300PS型 150GT                              | 956                   | 151,000                      | 20                       | 1,040                   | 130                     | 215                          | 185                          | 6                                    | 678                 | 10,200                                | 6,070                | 91,700                                | 1,933                | 29,200                                | 9,349                | 141,000 |         |
|                     | D      | 1,600PS型 170GT                              | 1,177                 | 180,000                      | 20                       | 1,040                   | 130                     | 215                          | 185                          | 6                                    | 678                 | 12,200                                | 6,070                | 109,000                               | 1,933                | 34,800                                | 9,349                | 168,000 |         |
|                     | D      | 2,000PS型 200GT                              | 1,471                 | 198,000                      | 20                       | 1,040                   | 130                     | 215                          | 185                          | 6                                    | 678                 | 13,400                                | 6,070                | 120,000                               | 1,933                | 38,300                                | 9,349                | 185,000 |         |
|                     | D      | 3,000PS型 300GT                              | 2,207                 | 299,000                      | 20                       | 1,040                   | 130                     | 215                          | 185                          | 6                                    | 678                 | 20,300                                | 6,070                | 181,000                               | 1,933                | 57,800                                | 9,349                | 280,000 |         |
|                     | D      | 4,000PS型 400GT                              | 2,942                 | 394,000                      | 20                       | 1,040                   | 130                     | 215                          | 185                          | 6                                    | 678                 | 26,700                                | 6,070                | 239,000                               | 1,933                | 76,200                                | 9,349                | 368,000 |         |
| 交通船<br>[鋼製]         | D      | 30PS型 3.0GT                                 | 22                    | 2,870                        | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 2,580                             | 8,400                | 2,410                                 | 23,000               | (日) 6,600                             | 13,800               | 3,960   |         |
|                     | D      | 50PS型 4.9GT                                 | 37                    | 5,190                        | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 4,670                             | 8,400                | 4,360                                 | 23,000               | (日) 11,900                            | 13,800               | 7,160   |         |
|                     | D      | 60PS型 6.0GT                                 | 44                    | 6,530                        | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 5,880                             | 8,400                | 5,490                                 | 23,000               | (日) 15,000                            | 13,800               | 9,010   |         |
|                     | D      | 130PS型 13.0GT                               | 96                    | 13,500                       | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 12,200                            | 8,400                | 11,300                                | 23,000               | (日) 31,100                            | 13,800               | 18,600  |         |
|                     | D      | 150PS型 15.0GT                               | 110                   | 16,800                       | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 15,100                            | 8,400                | 14,100                                | 23,000               | (日) 38,600                            | 13,800               | 23,200  |         |
|                     | D      | 180PS型 18.0GT                               | 132                   | 21,300                       | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 19,200                            | 8,400                | 17,900                                | 23,000               | (日) 49,000                            | 13,800               | 29,400  |         |
|                     | D      | 250PS型 20.0GT                               | 184                   | 25,100                       | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 22,600                            | 8,400                | 21,100                                | 23,000               | (日) 57,700                            | 13,800               | 34,600  |         |
|                     | D      | 300PS型 25.0GT                               | 221                   | 27,700                       | 20                       | —                       | 120                     | 200                          | 335                          | 6                                    | 9,000               | (日) 24,900                            | 8,400                | 23,300                                | 23,000               | (日) 63,700                            | 13,800               | 38,200  |         |
|                     | [FRP製] | D   | 70PS型 3.0GT           | 51                           | 4,770                    | 20                      | —                       | 120                          | 200                          | 225                                  | 6                   | 6,708                                 | (日) 3,200            | 7,025                                 | 3,350                | 18,417                                | (日) 8,780            | 11,050  | 5,270   |
|                     |        | D   | 100PS型 4.9GT          | 74                           | 7,300                    | 20                      | —                       | 120                          | 200                          | 225                                  | 6                   | 6,708                                 | (日) 4,900            | 7,025                                 | 5,130                | 18,417                                | (日) 13,400           | 11,050  | 8,070   |
|                     |        | D   | 180PS型 10.0GT         | 132                          | 14,000                   | 20                      | —                       | 120                          | 200                          | 225                                  | 6                   | 6,708                                 | (日) 9,390            | 7,025                                 | 9,840                | 18,417                                | (日) 25,800           | 11,050  | 15,500  |
|                     |        | D   | 260PS型 15.0GT         | 191                          | 20,800                   | 20                      | —                       | 120                          | 200                          | 225                                  | 6                   | 6,708                                 | (日) 14,000           | 7,025                                 | 14,600               | 18,417                                | (日) 38,300           | 11,050  | 23,000  |
|                     |        | D   | 340PS型 20.0GT         | 250                          | 27,500                   | 20                      | —                       | 120                          | 200                          | 225                                  | 6                   | 6,708                                 | (日) 18,400           | 7,025                                 | 19,300               | 18,417                                | (日) 50,600           | 11,050  | 30,400  |
|                     | 潜水士船   | D   | 180PS型 3~5t吊 4.9GT    | 132                          | 17,600                   | 25                      | —                       | 90                           | 150                          | 125                                  | 6                   | 4,933                                 | (日) 8,680            | 6,960                                 | 12,200               | 16,533                                | (日) 29,100           | 9,920   | 17,500  |
| D                   |        | 270PS型 3~5t吊 7.3GT                          | 199                   | 26,400                       | 25                       | —                       | 90                      | 150                          | 125                          | 6                                    | 4,933               | (日) 13,000                            | 6,960                | 18,400                                | 16,533               | (日) 43,600                            | 9,920                | 26,200  |         |
| 自航運搬付属作業船<br>ガット船   | D      | 400m <sup>3</sup> 積 1.8m <sup>3</sup> 199GT | 588                   | 369,000                      | 15                       | —                       | 880                     | 110                          | 185                          | 6                                    | 860                 | 31,700                                | 7,333                | 271,000                               | 2,402                | 88,600                                | 11,423               | 422,000 |         |
|                     | D      | 850m <sup>3</sup> 積 3.0m <sup>3</sup> 499GT | 1,103                 | 608,000                      | 15                       | —                       | 880                     | 110                          | 185                          | 6                                    | 860                 | 52,300                                | 7,333                | 446,000                               | 2,402                | 146,000                               | 11,423               | 695,000 |         |
| 非航運搬付属作業船<br>ガットバージ | D      | 500m <sup>3</sup> 積 2.0m <sup>3</sup>       | 272                   | 178,000                      | 15                       | —                       | 140                     | 235                          | 130                          | 6                                    | 5,405               | (日) 96,200                            | 5,773                | 103,000                               | 15,095               | (日) 269,000                           | 8,993                | 160,000 |         |
|                     | D      | 1,000m <sup>3</sup> 積 3.0m <sup>3</sup>     | 294                   | 292,000                      | 15                       | —                       | 140                     | 235                          | 130                          | 6                                    | 5,405               | (日) 158,000                           | 5,773                | 169,000                               | 15,095               | (日) 441,000                           | 8,993                | 263,000 |         |
| 石運船                 |        | 120m <sup>3</sup> 積                         |                       | 54,700                       | 10                       | —                       | —                       | 290                          | 95                           | 6                                    |                     |                                       | 8,690                | (供) 47,500                            |                      |                                       | 8,690                | 47,500  |         |
|                     |        | 300m <sup>3</sup> 積                         |                       | 89,300                       | 10                       | —                       | —                       | 290                          | 95                           | 6                                    |                     |                                       | 8,690                | (供) 77,600                            |                      |                                       | 8,690                | 77,600  |         |
|                     |        | 700m <sup>3</sup> 積                         |                       | 164,000                      | 10                       | —                       | —                       | 290                          | 95                           | 6                                    |                     |                                       | 8,690                | (供) 143,000                           |                      |                                       | 8,690                | 143,000 |         |
|                     |        | 1,500m <sup>3</sup> 積                       |                       | 313,000                      | 10                       | —                       | —                       | 290                          | 95                           | 6                                    |                     |                                       | 8,690                | (供) 272,000                           |                      |                                       | 8,690                | 272,000 |         |
| 土運船<br>[開閉式]        |        | 100m <sup>3</sup> 積                         |                       | 33,100                       | 20                       | —                       | —                       | 160                          | 110                          | 6                                    |                     |                                       | 10,219               | (供) 33,800                            |                      |                                       | 10,219               | 33,800  |         |
|                     |        | 300m <sup>3</sup> 積                         |                       | 85,300                       | 20                       | —                       | —                       | 160                          | 110                          | 6                                    |                     |                                       | 10,219               | (供) 87,200                            |                      |                                       | 10,219               | 87,200  |         |
|                     |        | 650m <sup>3</sup> 積                         |                       | 141,000                      | 20                       | —                       | —                       | 160                          | 110                          | 6                                    |                     |                                       | 10,219               | (供) 144,000                           |                      |                                       | 10,219               | 144,000 |         |
|                     |        | 1,300m <sup>3</sup> 積                       |                       | 225,000                      | 20                       | —                       | —                       | 160                          | 110                          | 6                                    |                     |                                       | 10,219               | (供) 230,000                           |                      |                                       | 10,219               | 230,000 |         |
|                     | [密閉式]  |   | 100m <sup>3</sup> 積   |                              | 17,400                   | 20                      | —                       | —                            | 160                          | 110                                  | 6                   |                                       |                      | 10,219                                | (供) 17,800           |                                       |                      | 10,219  | 17,800  |
|                     |        |   | 300m <sup>3</sup> 積   |                              | 44,600                   | 20                      | —                       | —                            | 160                          | 110                                  | 6                   |                                       |                      | 10,219                                | (供) 45,600           |                                       |                      | 10,219  | 45,600  |
|                     |        |   | 650m <sup>3</sup> 積   |                              | 74,300                   | 20                      | —                       | —                            | 160                          | 110                                  | 6                   |                                       |                      | 10,219                                | (供) 75,900           |                                       |                      | 10,219  | 75,900  |
|                     |        |   | 1,300m <sup>3</sup> 積 |                              | 117,000                  | 20                      | —                       | —                            | 160                          | 110                                  | 6                   |                                       |                      | 10,219                                | (供) 120,000          |                                       |                      | 10,219  | 120,000 |

| 規 格                                    |                       |                       | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                                |                     |                                       |                      | 参 考                                   |                      |                                       |                      | 摘 要     |                                       |         |
|--|-----------------------|-----------------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|--------------------------------------|---------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------|---------------------------------------|---------|
| 船舶の種類                                  | 呼 称                   | 機関出力<br>(kW)          |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                  |                     | 供 用 日 当 り                             |                      | 運 転 時 間(または日)<br>当 り 換 算 値            |                      | 供 用 日 当 り 換 算 値                       |                      |         |                                       |         |
|  |                       |                       |                     |                              |                           |                          |                          |                              |                              | (8)<br>損 料 率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損 料 率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損 料 率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |         |                                       |         |
| 押航土運船<br>[開閉式]                         | 650m <sup>3</sup> 積   |                       | 176,000             | 15                           | —                         | —                        | 180                      | 140                          | 6                            |                                      |                     | 12,111                                | (供)                  | 213,000                               |                      |                                       | 12,111               | 213,000 |                                       |         |
|  | 1,300m <sup>3</sup> 積 |                       | 238,000             | 15                           | —                         | —                        | 180                      | 140                          | 6                            |                                      |                     | 12,111                                | (供)                  | 288,000                               |                      |                                       | 12,111               | 288,000 |                                       |         |
|  | 2,000m <sup>3</sup> 積 |                       | 301,000             | 15                           | —                         | —                        | 180                      | 140                          | 6                            |                                      |                     | 12,111                                | (供)                  | 365,000                               |                      |                                       | 12,111               | 365,000 |                                       |         |
|  | 3,000m <sup>3</sup> 積 |                       | 397,000             | 15                           | —                         | —                        | 180                      | 140                          | 6                            |                                      |                     | 12,111                                | (供)                  | 481,000                               |                      |                                       | 12,111               | 481,000 |                                       |         |
|  | 5,000m <sup>3</sup> 積 |                       | 588,000             | 15                           | —                         | —                        | 180                      | 140                          | 6                            |                                      |                     | 12,111                                | (供)                  | 712,000                               |                      |                                       | 12,111               | 712,000 |                                       |         |
|  | [密閉式]                 | 650m <sup>3</sup> 積   |                     | 140,000                      | 15                        | —                        | —                        | 180                          | 140                          | 6                                    |                     |                                       | 12,111               | (供)                                   | 170,000              |                                       |                      | 12,111  |                                       | 170,000 |
|  |                       | 1,300m <sup>3</sup> 積 |                     | 193,000                      | 15                        | —                        | —                        | 180                          | 140                          | 6                                    |                     |                                       | 12,111               | (供)                                   | 234,000              |                                       |                      | 12,111  |                                       | 234,000 |
|  |                       | 2,000m <sup>3</sup> 積 |                     | 246,000                      | 15                        | —                        | —                        | 180                          | 140                          | 6                                    |                     |                                       | 12,111               | (供)                                   | 298,000              |                                       |                      | 12,111  |                                       | 298,000 |
|  |                       | 3,000m <sup>3</sup> 積 |                     | 325,000                      | 15                        | —                        | —                        | 180                          | 140                          | 6                                    |                     |                                       | 12,111               | (供)                                   | 394,000              |                                       |                      | 12,111  |                                       | 394,000 |
|  |                       | 5,000m <sup>3</sup> 積 |                     | 481,000                      | 15                        | —                        | —                        | 180                          | 140                          | 6                                    |                     |                                       | 12,111               | (供)                                   | 583,000              |                                       |                      | 12,111  |                                       | 583,000 |
| 台船                                     | 20t積                  |                       | 3,830               | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 5,260                                 |                      |                                       | 13,731               | 5,260   |                                       |         |
|  | 30t積                  |                       | 5,520               | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 7,580                                 |                      |                                       | 13,731               | 7,580   |                                       |         |
|  | 100t積                 |                       | 11,700              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 16,100                                |                      |                                       | 13,731               | 16,100  |                                       |         |
|  | 150t積                 |                       | 17,200              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 23,600                                |                      |                                       | 13,731               | 23,600  |                                       |         |
|  | 200t積                 |                       | 22,200              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 30,500                                |                      |                                       | 13,731               | 30,500  |                                       |         |
|  | 300t積                 |                       | 30,300              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 41,600                                |                      |                                       | 13,731               | 41,600  |                                       |         |
|  | 400t積                 |                       | 35,200              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 48,300                                |                      |                                       | 13,731               | 48,300  |                                       |         |
|  | 500t積                 |                       | 40,400              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 55,500                                |                      |                                       | 13,731               | 55,500  |                                       |         |
|  | 600t積                 |                       | 45,600              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 62,600                                |                      |                                       | 13,731               | 62,600  |                                       |         |
|  | 700t積                 |                       | 51,100              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 70,200                                |                      |                                       | 13,731               | 70,200  |                                       |         |
|  | 1,000t積               |                       | 71,200              | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 97,800                                |                      |                                       | 13,731               | 97,800  |                                       |         |
|  | 1,500t積               |                       | 104,000             | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 143,000                               |                      |                                       | 13,731               | 143,000 |                                       |         |
|  | 2,000t積               |                       | 133,000             | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 183,000                               |                      |                                       | 13,731               | 183,000 |                                       |         |
|  | 3,000t積               |                       | 197,000             | 20                           | —                         | —                        | 130                      | 140                          | 6                            |                                      |                     | 13,731                                | (供)                  | 271,000                               |                      |                                       | 13,731               | 271,000 |                                       |         |
| 6,000t積                                |                       | 383,000               | 20                  | —                            | —                         | 130                      | 140                      | 6                            |                              |                                      | 13,731              | (供)                                   | 526,000              |                                       |                      | 13,731                                | 526,000              |         |                                       |         |
| 10,000t積                               |                       | 638,000               | 20                  | —                            | —                         | 130                      | 140                      | 6                            |                              |                                      | 13,731              | (供)                                   | 876,000              |                                       |                      | 13,731                                | 876,000              |         |                                       |         |
| その他作業船<br>スパット台船                       | 水深 5m用                |                       | 10,300              | 15                           | —                         | —                        | 60                       | 80                           | 6                            |                                      |                     | 29,667                                | (供)                  | 30,600                                |                      |                                       | 29,667               | 30,600  | ボーリング装置を含まない。                         |         |
|  | 水深 10m用               |                       | 14,300              | 15                           | —                         | —                        | 60                       | 80                           | 6                            |                                      |                     | 29,667                                | (供)                  | 42,400                                |                      |                                       | 29,667               | 42,400  |                                       |         |
|  | 水深 15m用               |                       | 18,200              | 15                           | —                         | —                        | 60                       | 80                           | 6                            |                                      |                     | 29,667                                | (供)                  | 54,000                                |                      |                                       | 29,667               | 54,000  |                                       |         |
|  | 水深 20m用               |                       | 22,100              | 15                           | —                         | —                        | 60                       | 80                           | 6                            |                                      |                     | 29,667                                | (供)                  | 65,600                                |                      |                                       | 29,667               | 65,600  |                                       |         |
| (作業船用付属品)<br>ポンプ浚渫船用付属品<br>排砂管<br>[鋼製] | 長5.5m 径300mm          |                       | 79                  | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 150                                   |                      |                                       | 19,048               | 150     | 接続用ボルト、ナット及びパッキングを含み、フロータ取付用バンドを含まない。 |         |
|  | 6.0m 350mm            |                       | 94                  | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 179                                   |                      |                                       | 19,048               | 179     |                                       |         |
|  | 6.0m 400mm            |                       | 113                 | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 215                                   |                      |                                       | 19,048               | 215     |                                       |         |
|  | 6.0m 510mm            |                       | 151                 | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 288                                   |                      |                                       | 19,048               | 288     |                                       |         |
|  | 6.0m 560mm            |                       | 178                 | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 339                                   |                      |                                       | 19,048               | 339     |                                       |         |
|  | 6.0m 610mm            |                       | 204                 | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 389                                   |                      |                                       | 19,048               | 389     |                                       |         |
|  | 6.0m 660mm            |                       | 238                 | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 453                                   |                      |                                       | 19,048               | 453     |                                       |         |
|  | 6.0m 710mm            |                       | 278                 | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 530                                   |                      |                                       | 19,048               | 530     |                                       |         |
|  | 6.0m 760mm            |                       | 330                 | 12                           |                           |                          | 70                       | 15                           | 4                            |                                      |                     | 19,048                                | (供)                  | 629                                   |                      |                                       | 19,048               | 629     |                                       |         |
|  | 仕切弁<br>[鋼製]           | 長 400mm 径 300mm       |                     | 400                          | 6                         |                          |                          | 120                          | 20                           | 4                                    |                     |                                       | 19,583               | (供)                                   | 783                  |                                       |                      | 19,583  |                                       | 783     |
| 400mm 350mm                            |                       |                       | 420                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 822                                   |                      |                                       | 19,583               | 822     |                                       |         |
| 400mm 400mm                            |                       |                       | 443                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 868                                   |                      |                                       | 19,583               | 868     |                                       |         |
| 400mm 510mm                            |                       |                       | 487                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 954                                   |                      |                                       | 19,583               | 954     |                                       |         |
| 400mm 560mm                            |                       |                       | 511                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 1,000                                 |                      |                                       | 19,583               | 1,000   |                                       |         |
| 400mm 610mm                            |                       |                       | 536                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 1,050                                 |                      |                                       | 19,583               | 1,050   |                                       |         |
| 400mm 660mm                            |                       |                       | 560                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 1,100                                 |                      |                                       | 19,583               | 1,100   |                                       |         |
| 400mm 710mm                            |                       |                       | 585                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 1,150                                 |                      |                                       | 19,583               | 1,150   |                                       |         |
| 400mm 760mm                            |                       |                       | 608                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                      |                     | 19,583                                | (供)                  | 1,190                                 |                      |                                       | 19,583               | 1,190   |                                       |         |



| 規 格                                  |   |              | (1)<br>基礎価格<br>(千円)   | (2)<br>標準<br>使用<br>年数<br>(年)              | 年 間 標 準                  |   |  | (6)<br>維持<br>修理<br>費率<br>(%)              | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                                |  |   |   | 参 考                                   |                      |  |   | 摘 要   |
|--------------------------------------|---|--------------|---|---|--------------------------|---|--|---|------------------------------|--------------------------------------|--|---|---|---------------------------------------|----------------------|--|---|---|
| 船舶の種類                                | 呼 称   | 機関出力<br>(kW) |   |   | (3)<br>運 転<br>時間<br>(時間) | (4)<br>運 転<br>日数<br>(日)                                     | (5)<br>供 用<br>日数<br>(日)                            |   |                              | 運 転 時 間<br>(または日)当り                  |  | 供 用 日 当 り   |   | 運 転 時 間(または日)<br>当 り 換 算 値            |                      | 供 用 日 当 り 換 算 値  |   |   |
|                                      |   |              |   |   |                          |   |  |   |                              | (8)<br>損 料 率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円)  | (10)<br>損 料 率<br>( $\times 10^{-7}$ )                       | (11)<br>損 料 額<br>(円)  | (12)<br>損 料 率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>( $\times 10^{-7}$ )  | (15)<br>損 料 額<br>(円)  |   |
| 曲管<br>[鋼製]                           | 径 300mm<br>350mm<br>400mm<br>510mm<br>560mm<br>610mm<br>660mm<br>710mm<br>760mm   |              | 43<br>55<br>70<br>100<br>123<br>145<br>180<br>225<br>282        | 6<br>6<br>6<br>6<br>6<br>6<br>6<br>6<br>6 |                          | 120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120 | 20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20 | 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4 |                              |                                      | 19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583 | (供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供) | 84<br>108<br>137<br>196<br>241<br>284<br>352<br>441<br>552                |                                       |                      | 19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583 | 84<br>108<br>137<br>196<br>241<br>284<br>352<br>441<br>552                | 接続用ボルト、ナット及びパッキングを含む。                                   |
| 分岐管<br>[鋼製]                          | 径 300mm<br>350mm<br>400mm<br>510mm<br>560mm<br>610mm<br>660mm<br>710mm<br>760mm   |              | 44<br>56<br>68<br>95<br>112<br>134<br>163<br>206<br>298         | 6<br>6<br>6<br>6<br>6<br>6<br>6<br>6<br>6 |                          | 120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120 | 15<br>15<br>15<br>15<br>15<br>15<br>15<br>15<br>15 | 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4 |                              |                                      | 18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889 | (供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供) | 83<br>106<br>128<br>179<br>212<br>253<br>308<br>389<br>563                |                                       |                      | 18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889<br>18,889 | 83<br>106<br>128<br>179<br>212<br>253<br>308<br>389<br>563                | 接続用ボルト、ナット及びパッキングを含む。                                   |
| フロータ<br>[鋼製]                         | 長 4.5m 径 600mm 排砂管径 300mm<br>4.5m 700mm 350mm<br>4.5m 900mm 400mm<br>4.5m 1,000mm 510mm<br>4.5m 1,100mm 560mm<br>4.5m 1,200mm 610mm<br>5.0m 1,300mm 660mm<br>5.0m 1,400mm 710mm<br>5.0m 1,500mm 760mm |              | 313<br>341<br>439<br>524<br>666<br>832<br>956<br>1,030<br>1,080 | 6<br>6<br>6<br>6<br>6<br>6<br>6<br>6<br>6 |                          | 90<br>90<br>90<br>90<br>90<br>90<br>90<br>90<br>90          | 20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20 | 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4 |                              |                                      | 26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111 | (供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供) | 817<br>890<br>1,150<br>1,370<br>1,740<br>2,170<br>2,500<br>2,690<br>2,820 |                                       |                      | 26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111<br>26,111 | 817<br>890<br>1,150<br>1,370<br>1,740<br>2,170<br>2,500<br>2,690<br>2,820 | 排砂管取付用バンド及びフロータ連結用鎖を含む。                                 |
| ジョイント<br>[ゴム製]                       | 長 900mm 径 300mm<br>1,000mm 350mm<br>1,000mm 400mm<br>1,200mm 510mm<br>1,300mm 560mm<br>1,300mm 610mm<br>1,500mm 660mm<br>1,600mm 710mm<br>1,700mm 760mm   |              | 137<br>165<br>217<br>316<br>401<br>491<br>582<br>710<br>855     | 6<br>6<br>6<br>6<br>6<br>6<br>6<br>6<br>6 |                          | 120<br>120<br>120<br>120<br>120<br>120<br>120<br>120<br>120 | 20<br>20<br>20<br>20<br>20<br>20<br>20<br>20<br>20 | 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4 |                              |                                      | 19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583 | (供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供)<br>(供) | 268<br>323<br>425<br>619<br>785<br>962<br>1,140<br>1,390<br>1,670         |                                       |                      | 19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583<br>19,583 | 268<br>323<br>425<br>619<br>785<br>962<br>1,140<br>1,390<br>1,670         |   |
| グラブ浚渫船用付属品<br>汚濁防止枠(巻上ウインチ有)<br>[鋼製] | 2.5~5m <sup>3</sup> 用 14×14m<br>9~15m <sup>3</sup> 用 20×20m<br>23m <sup>3</sup> 用 22×22m  |              | 8,170<br>9,400<br>9,670   | 5<br>5<br>5                               |                          | 120<br>120<br>120   | 145<br>145<br>145                                  | 4<br>4<br>4                               |                              |                                      | 43,667<br>43,667<br>43,667   | (供)<br>(供)<br>(供)   | 35,700<br>41,000<br>42,200  |                                       |                      | 43,667<br>43,667<br>43,667   | 35,700<br>41,000<br>42,200  | 上部枠、下部枠、汚濁防止膜用巻上ウインチ、ワイヤーロープ及び本船との固定用ロープを含み、汚濁防止膜を含まない。 |
| 汚濁防止枠(巻上ウインチ無、簡易型)<br>[鋼製]           | 2.5~5m <sup>3</sup> 用 14×14m<br>9~15m <sup>3</sup> 用 20×20m<br>23m <sup>3</sup> 用 22×22m  |              | 7,220<br>8,440<br>8,720   | 5<br>5<br>5                               |                          | 120<br>120<br>120   | 145<br>145<br>145                                  | 4<br>4<br>4                               |                              |                                      | 43,667<br>43,667<br>43,667   | (供)<br>(供)<br>(供)   | 31,500<br>36,900<br>38,100  |                                       |                      | 43,667<br>43,667<br>43,667   | 31,500<br>36,900<br>38,100  | 上部枠、下部枠及び本船との固定用ロープを含み、汚濁防止膜を含まない。                      |

| 規 格   |                                    |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                                |                     |                                       |                      | 参 考                                   |                      |                                       |                      | 摘 要   |
|---|------------------------------------|--------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|--------------------------------------|---------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---------------------------------------|----------------------|---|
| 船舶の種類   | 呼 称                                | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                  |                     | 供 用 日 当 り                             |                      | 運 転 時 間(または日)<br>当 り 換 算 値            |                      | 供 用 日 当 り 換 算 値                       |                      |   |
|   |                                    |              |                     |                              |                           |                          |                          |                              |                              | (8)<br>損 料 率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損 料 率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損 料 率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損 料 率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |   |
| サンドドレーン船用付属品<br>ケーシングパイプ<br>[鋼製・サンドドレーン船用]  | 長さ30m 出来上り径 400mm                  |              | 2,500               | 7                            |                           | 80                       | 105                      | 4                            |                              |                                      | 41,071              | (供)                                   | 10,300               |                                       |                      | 41,071                                | 10,300               | ケーシングパイプ1本当りケーシングパイプ上部、中部、下部及び連結金物並びに上部ホツバを含む。<br>規格呼称欄の長さはホツバ下端から先端までの長さである。 |
|   | 40m 400mm                          |              | 3,270               | 7                            |                           | 80                       | 105                      | 4                            |                              |                                      | 41,071              | (供)                                   | 13,400               |                                       |                      | 41,071                                | 13,400               |   |
|   | 45m 400mm                          |              | 3,640               | 7                            |                           | 80                       | 105                      | 4                            |                              |                                      | 41,071              | (供)                                   | 14,900               |                                       |                      | 41,071                                | 14,900               |   |
| サンドコンパクション船用付属品<br>ケーシングパイプ<br>[鋼製・サンドコンパクション船用(液状化対策用)]<br>長さ35m 造成杭径 1,000mm<br>[鋼製・サンドコンパクション船用] | 長さ35m 造成杭径 1,500~1,700mm           |              | 13,000              | 4                            |                           | 85                       | 115                      | 4                            |                              |                                      | 67,059              | (供)                                   | 87,200               |                                       |                      | 67,059                                | 87,200               | ケーシングパイプ1本当りケーシングパイプ上部、中部、下部及び連結金物並びに上部ホツバを含む。<br>規格呼称欄の長さはホツバ下端から先端までの長さである。 |
|   | 長さ35m 造成杭径 1,500~1,700mm           |              | 13,400              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 74,700               |                                       |                      | 55,750                                | 74,700               |   |
|   | 40m 1,500~1,700mm                  |              | 14,700              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 82,000               |                                       |                      | 55,750                                | 82,000               |   |
|   | 45m 1,500~1,700mm                  |              | 15,900              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 88,600               |                                       |                      | 55,750                                | 88,600               |   |
|   | 50m 1,500~1,700mm                  |              | 17,000              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 94,800               |                                       |                      | 55,750                                | 94,800               |   |
|   | 55m 1,500~1,700mm                  |              | 18,200              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 101,000              |                                       |                      | 55,750                                | 101,000              |   |
|   | 35m 1,800~2,000mm                  |              | 13,900              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 77,500               |                                       |                      | 55,750                                | 77,500               |   |
|   | 40m 1,800~2,000mm                  |              | 15,000              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 83,600               |                                       |                      | 55,750                                | 83,600               |   |
|   | 45m 1,800~2,000mm                  |              | 16,100              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 89,800               |                                       |                      | 55,750                                | 89,800               |   |
|   | 50m 1,800~2,000mm                  |              | 17,200              | 4                            |                           | 100                      | 110                      | 4                            |                              |                                      | 55,750              | (供)                                   | 95,900               |                                       |                      | 55,750                                | 95,900               |   |
| 55m 1,800~2,000mm   |                                    | 18,500       | 4                   |                              | 100                       | 110                      | 4                        |                              |                              | 55,750                               | (供)                 | 103,000                               |                      |                                       | 55,750               | 103,000                               |                      |   |
| (港湾工事用付属機器)<br>受変電機器等<br>気中開閉器<br>[耐塩型]   | 耐塩型7.2kV用 接地継電器付200A               |              | 285                 | 4                            |                           | 90                       | 0                        | 4                            |                              |                                      | 31,389              | (供)                                   | 895                  |                                       |                      | 31,389                                | 895                  | (取引計器は電力会社支給とする)<br>147~ 736kW(E 200~1,000PS型)用                               |
| 引込盤<br>[キュービクル型]  | 6kV用コンデンサ、アレスタ5kVAトランス装備<br>100kVA |              | 1,230               | 23                           |                           | 90                       | 45                       | 4                            |                              |                                      | 11,304              | (供)                                   | 1,390                |                                       |                      | 11,304                                | 1,390                | (取引計器は電力会社支給とする)<br>147~ 736kW(E 200~1,000PS型)用                               |
| 受配電盤<br>[キュービクル型]   | 遮断容量 150MVA 6kV 200A               |              | 2,850               | 23                           |                           | 90                       | 65                       | 4                            |                              |                                      | 12,271              | (供)                                   | 3,500                |                                       |                      | 12,271                                | 3,500                | 147~ 368kW(E 200~ 500PS型)用<br>736kW(E 1,000PS型)用                              |
|   | 遮断容量 150MVA 6kV 400A               |              | 3,330               | 23                           |                           | 90                       | 65                       | 4                            |                              |                                      | 12,271              | (供)                                   | 4,090                |                                       |                      | 12,271                                | 4,090                |   |
| タイトランス  | 単相 6kV/3kV用 100kVA                 |              | 592                 | 23                           |                           | 90                       | 45                       | 4                            |                              |                                      | 11,304              | (供)                                   | 669                  |                                       |                      | 11,304                                | 669                  | 147kW(E 200PS型)用  |
|   | 単相 6kV/3kV用 250kVA                 |              | 1,210               | 23                           |                           | 90                       | 45                       | 4                            |                              |                                      | 11,304              | (供)                                   | 1,370                |                                       |                      | 11,304                                | 1,370                | 368kW(E 500PS型)用  |
|   | 単相 6kV/3kV用 500kVA                 |              | 1,760               | 23                           |                           | 90                       | 45                       | 4                            |                              |                                      | 11,304              | (供)                                   | 1,990                |                                       |                      | 11,304                                | 1,990                | 736kW(E 1,000PS型)用  |
| 誘導形電圧調整器  | 3相 3kV 50kVA                       |              | 3,880               | 23                           |                           | 90                       | 45                       | 4                            |                              |                                      | 11,304              | (供)                                   | 4,390                |                                       |                      | 11,304                                | 4,390                | 147kW(E 200PS型)用  |
|   | 3相 3kV 75kVA                       |              | 4,300               | 23                           |                           | 90                       | 45                       | 4                            |                              |                                      | 11,304              | (供)                                   | 4,860                |                                       |                      | 11,304                                | 4,860                | 368kW(E 500PS型)用  |
|   | 3相 3kV 150kVA                      |              | 7,400               | 23                           |                           | 90                       | 45                       | 4                            |                              |                                      | 11,304              | (供)                                   | 8,360                |                                       |                      | 11,304                                | 8,360                | 736kW(E 1,000PS型)用  |
| ケーブル<br>被覆硬銅線(100m当り)   | 22mm <sup>2</sup>                  |              | 58                  | 6                            |                           | 90                       | 0                        | 4                            |                              |                                      | 22,407              | (供)                                   | 130                  |                                       |                      | 22,407                                | 130                  | 147kW(E 200PS型)用  |
|   | 50mm <sup>2</sup>                  |              | 114                 | 6                            |                           | 90                       | 0                        | 4                            |                              |                                      | 22,407              | (供)                                   | 255                  |                                       |                      | 22,407                                | 255                  | 368kW(E 500PS型)用  |
|   | 100mm <sup>2</sup>                 |              | 184                 | 6                            |                           | 90                       | 0                        | 4                            |                              |                                      | 22,407              | (供)                                   | 412                  |                                       |                      | 22,407                                | 412                  | 736kW(E 1,000PS型)用  |
| キャブタイヤケーブル(100m当り)  | 高圧2種単心 3kV 22mm <sup>2</sup>       |              | 138                 | 4                            |                           | 90                       | 0                        | 4                            |                              |                                      | 31,389              | (供)                                   | 433                  |                                       |                      | 31,389                                | 433                  | 147kW(E 200PS型)用  |
|   | 高圧2種単心 3kV 50mm <sup>2</sup>       |              | 195                 | 4                            |                           | 90                       | 0                        | 4                            |                              |                                      | 31,389              | (供)                                   | 612                  |                                       |                      | 31,389                                | 612                  | 368kW(E 500PS型)用  |
|   | 高圧2種単心 3kV 100mm <sup>2</sup>      |              | 318                 | 4                            |                           | 90                       | 0                        | 4                            |                              |                                      | 31,389              | (供)                                   | 998                  |                                       |                      | 31,389                                | 998                  | 736kW(E 1,000PS型)用  |
| 水底ケーブル(100m当り)  | 3心 3kV 38mm <sup>2</sup>           |              | 538                 | 6                            |                           | 90                       | 0                        | 4                            |                              |                                      | 22,407              | (供)                                   | 1,210                |                                       |                      | 22,407                                | 1,210                |   |
|   | 3心 3kV 80mm <sup>2</sup>           |              | 860                 | 6                            |                           | 90                       | 0                        | 4                            |                              |                                      | 22,407              | (供)                                   | 1,930                |                                       |                      | 22,407                                | 1,930                |   |
|   | 3心 3kV 125mm <sup>2</sup>          |              | 1,180               | 6                            |                           | 90                       | 0                        | 4                            |                              |                                      | 22,407              | (供)                                   | 2,640                |                                       |                      | 22,407                                | 2,640                |   |

| 規 格              |               |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                  |                         |                         | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |  | 摘 要 |
|------------------|---------------|--------------|---------------------|------------------------------|--------------------------|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|--|-----|
| 船舶の種類            | 呼 称           | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時間<br>(時間) | (4)<br>運 転<br>日数<br>(日) | (5)<br>供 用<br>日数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間(または日)<br>当 り 換 算 値          |                      | 供 用 日 当 り 換 算 値                     |  |     |
|                  |               |              |                     |                              |                          |                         |                         |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円)   |     |
| 灯浮標等<br>灯浮標      | 光度 12cd       |              | 120                 | 4                            |                          | 160                     | 160                     | 4                            |                              |                                    | 42,656              | (供) 512                             |                      |                                     | 42,656               | 512                                 | 型式<br>(10-P型、CB-100型)<br>(20-P型、CB-200型)<br>(3NC型、SE-150型)<br>(5NC型、SE-200型) |     |
|                  | 12cd          |              | 158                 | 4                            |                          | 160                     | 160                     | 4                            |                              |                                    | 42,656              | (供) 674                             |                      |                                     | 42,656               | 674                                 |  |     |
| 標識灯              | 24cd          |              | 591                 | 4                            |                          | 160                     | 160                     | 4                            |                              |                                    | 42,656              | (供) 2,520                           |                      |                                     | 42,656               | 2,520                               | (3NC型、SE-150型)<br>(5NC型、SE-200型)   |     |
|                  | 24cd          |              | 782                 | 4                            |                          | 160                     | 160                     | 4                            |                              |                                    | 42,656              | (供) 3,340                           |                      |                                     | 42,656               | 3,340                               |  |     |
| 測定・探査機器<br>音響測深機 | 1方向 100kHz    |              | 1,140               | 10                           |                          | 40                      | 60                      | 4                            |                              |                                    | 49,250              | (供) 5,610                           |                      |                                     | 49,250               | 5,610                               | 型式<br>(B-1型、E-10型)<br>(D-1型、P-3BS型)<br>(E-1型、E-8型)                           |     |
|                  | 1方向 200kHz    |              | 1,140               | 10                           |                          | 40                      | 60                      | 4                            |                              |                                    | 49,250              | (供) 5,610                           |                      |                                     | 49,250               | 5,610                               |  |     |
|                  | 2方向 90~230kHz |              | 2,250               | 10                           |                          | 40                      | 60                      | 4                            |                              |                                    | 49,250              | (供) 11,100                          |                      |                                     | 49,250               | 11,100                              |  |     |
|                  | 4方向 90~230kHz |              | 2,540               | 10                           |                          | 40                      | 60                      | 4                            |                              |                                    | 49,250              | (供) 12,500                          |                      |                                     | 49,250               | 12,500                              |  |     |
| マルチビーム音響測深機      | 36~455kHz     |              | 56,500              | 9                            |                          | 50                      | 30                      | 4                            |                              |                                    | 36,222              | (供) 205,000                         |                      |                                     | 36,222               | 205,000                             | 各センサー、収録、解析ソフト含む。  |     |
| 電波測位機            | 20km用         |              | 15,000              | 9                            |                          | 70                      | 40                      | 4                            |                              |                                    | 27,460              | (供) 41,200                          |                      |                                     | 27,460               | 41,200                              | 誘導装置を含まない。   |     |
|                  | 100km用        |              | 17,600              | 9                            |                          | 70                      | 40                      | 4                            |                              |                                    | 27,460              | (供) 48,300                          |                      |                                     | 27,460               | 48,300                              |  |     |
| 光波式位置測定器         | 10~1,000m用    |              | 25,400              | 7                            |                          | 100                     | 30                      | 4                            |                              |                                    | 22,143              | (供) 56,200                          |                      |                                     | 22,143               | 56,200                              | 本体3台、反射鏡3台、制御処理装置1台。   |     |
| 地層探査機            | 36ジュール(浅海用)   |              | 6,800               | 5                            |                          | 110                     | 15                      | 4                            |                              |                                    | 24,000              | (供) 16,300                          |                      |                                     | 24,000               | 16,300                              |  |     |
|                  | 200ジュール(浅海用)  |              | 11,000              | 5                            |                          | 110                     | 15                      | 4                            |                              |                                    | 24,000              | (供) 26,400                          |                      |                                     | 24,000               | 26,400                              |  |     |
|                  | 400ジュール(大水深用) |              | 20,000              | 5                            |                          | 110                     | 15                      | 4                            |                              |                                    | 24,000              | (供) 48,000                          |                      |                                     | 24,000               | 48,000                              |  |     |
| 機雷探査機            | 潜水式 20型       |              | 2,780               | 5                            |                          | 65                      | 20                      | 4                            |                              |                                    | 42,154              | (供) 11,700                          |                      |                                     | 42,154               | 11,700                              |  |     |
| GNSS施工管理装置       | グラブ浚渫船用       |              | 23,000              | 10                           |                          | 125                     | 80                      | 4                            |                              |                                    | 17,360              | (供) 39,900                          |                      |                                     | 17,360               | 39,900                              | 施工管理ソフト(船体位置表示、掘り跡表示)を含む。  |     |
| GNSS測位装置         | ポンプ浚渫船用       |              | 20,900              | 10                           |                          | 70                      | 45                      | 4                            |                              |                                    | 26,000              | (供) 54,300                          |                      |                                     | 26,000               | 54,300                              |  |     |
|                  | サンドドレーン船用     |              | 19,900              | 10                           |                          | 85                      | 45                      | 4                            |                              |                                    | 21,412              | (供) 42,600                          |                      |                                     | 21,412               | 42,600                              |  |     |
|                  | サンドコンパクション船用  |              | 23,400              | 10                           |                          | 85                      | 45                      | 4                            |                              |                                    | 21,412              | (供) 50,100                          |                      |                                     | 21,412               | 50,100                              |  |     |

正

| 規 格                      |     |                    | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要       |                                  |
|--------------------------|-----|--------------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-----------|----------------------------------|
| 船舶の種類                    | 呼 称 | 機関出力<br>(kW)       |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |                      |           |                                  |
|                          |     |                    |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |           |                                  |
| 30 主作業船                  |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| (浚渫埋立作業船)                |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 3001 ポンプ浚渫船              |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 020 [ディーゼル式]             |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 025                      | D   | 250PS型             | 184                 | 139,000                      | 25                        | 520                      | 40                       | 70                           | 190                          | 6                                  | 1,108               | 15,400                              | 16,800               | 234,000                             | 3,369                | 46,800                              | 25,029               | 348,000   | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイントを含まない。 |
| 042                      | D   | 420PS型             | 309                 | 235,000                      | 25                        | 520                      | 40                       | 70                           | 190                          | 6                                  | 1,108               | 26,000                              | 16,800               | 395,000                             | 3,369                | 79,200                              | 25,029               | 588,000   |                                  |
| 060                      | D   | 600PS型             | 441                 | 319,000                      | 25                        | 520                      | 40                       | 70                           | 190                          | 6                                  | 1,108               | 35,300                              | 16,800               | 536,000                             | 3,369                | 107,000                             | 25,029               | 798,000   |                                  |
| 080                      | D   | 800PS型             | 588                 | 407,000                      | 25                        | 520                      | 40                       | 70                           | 190                          | 6                                  | 1,108               | 45,100                              | 16,800               | 684,000                             | 3,369                | 137,000                             | 25,029               | 1,020,000 |                                  |
| 135                      | D   | 1,350PS型           | 993                 | 652,000                      | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 40,400                              | 14,238               | 928,000                             | 2,177                | 142,000                             | 19,905               | 1,300,000 |                                  |
| 225                      | D   | 2,250PS型           | 1,655               | 1,140,000                    | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 70,700                              | 14,238               | 1,620,000                           | 2,177                | 248,000                             | 19,905               | 2,270,000 |                                  |
| 320                      | D   | 3,200PS型           | 2,354               | 1,620,000                    | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 100,000                             | 14,238               | 2,310,000                           | 2,177                | 353,000                             | 19,905               | 3,220,000 |                                  |
| 400                      | D   | 4,000PS型           | 2,942               | 2,110,000                    | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 131,000                             | 14,238               | 3,000,000                           | 2,177                | 459,000                             | 19,905               | 4,200,000 |                                  |
| 600                      | D   | 6,000PS型           | 4,413               | 2,990,000                    | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 185,000                             | 14,238               | 4,260,000                           | 2,177                | 651,000                             | 19,905               | 5,950,000 |                                  |
| 800                      | D   | 8,000PS型           | 5,884               | 3,750,000                    | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 233,000                             | 14,238               | 5,340,000                           | 2,177                | 816,000                             | 19,905               | 7,460,000 |                                  |
| 040 [ディーゼル発電式]           |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 500                      | DE  | 5,000PS型           | 3,678               | 2,900,000                    | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 180,000                             | 14,238               | 4,130,000                           | 2,177                | 631,000                             | 19,905               | 5,770,000 |                                  |
| 800                      | DE  | 8,000PS型           | 5,884               | 3,820,000                    | 30                        | 640                      | 40                       | 70                           | 140                          | 6                                  | 620                 | 237,000                             | 14,238               | 5,440,000                           | 2,177                | 832,000                             | 19,905               | 7,600,000 |                                  |
| 3005 グラブ浚渫船(普通地盤用)アンカー方式 |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 010 [ディーゼル式]             |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 010                      | D   | 1.0m <sup>3</sup>  | 74                  | 73,200                       | 20                        | 640                      | 80                       | 135                          | 155                          | 6                                  | 988                 | 7,230                               | 9,130                | 66,800                              | 2,914                | 21,300                              | 13,815               | 101,000   | (普通地盤用グラブ)                       |
| 025                      | D   | 2.5m <sup>3</sup>  | 191                 | 161,000                      | 20                        | 640                      | 80                       | 135                          | 155                          | 6                                  | 988                 | 15,900                              | 9,130                | 147,000                             | 2,914                | 46,900                              | 13,815               | 222,000   |                                  |
| 050                      | D   | 5.0m <sup>3</sup>  | 456                 | 316,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 25,200                              | 9,096                | 287,000                             | 2,664                | 84,200                              | 12,974               | 410,000   |                                  |
| 090                      | D   | 9.0m <sup>3</sup>  | 883                 | 617,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 49,100                              | 9,096                | 561,000                             | 2,664                | 164,000                             | 12,974               | 800,000   |                                  |
| 020 [ディーゼル発電式]           |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 060                      | DE  | 6.0m <sup>3</sup>  | 736                 | 504,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 40,100                              | 9,096                | 458,000                             | 2,664                | 134,000                             | 12,974               | 654,000   |                                  |
| 100                      | DE  | 10.0m <sup>3</sup> | 1,206               | 865,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 68,900                              | 9,096                | 787,000                             | 2,664                | 230,000                             | 12,974               | 1,120,000 |                                  |
| 3006 グラブ浚渫船(普通地盤用)スパッド方式 |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 010 [ディーゼル式]             |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |
| 025                      | D   | 2.5m <sup>3</sup>  | 191                 | 247,000                      | 20                        | 640                      | 80                       | 135                          | 155                          | 6                                  | 988                 | 24,400                              | 9,130                | 226,000                             | 2,914                | 72,000                              | 13,815               | 341,000   |                                  |
| 050                      | D   | 5.0m <sup>3</sup>  | 456                 | 485,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 38,600                              | 9,096                | 441,000                             | 2,664                | 129,000                             | 12,974               | 629,000   |                                  |
| 090                      | D   | 9.0m <sup>3</sup>  | 883                 | 859,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 68,400                              | 9,096                | 781,000                             | 2,664                | 229,000                             | 12,974               | 1,110,000 |                                  |

| 規 格                     |     |                    | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要       |                    |           |
|-------------------------|-----|--------------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-----------|--------------------|-----------|
| 船舶の種類                   | 呼 称 | 機関出力<br>(kW)       |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |                      |           |                    |           |
|                         |     |                    |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |           |                    |           |
| 150                     | D   | 15.0m <sup>3</sup> | 1,397               | 1,400,000                    | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 111,000                             | 9,096                | 1,270,000                           | 2,664                | 373,000                             | 12,974               | 1,820,000 | (普通地盤用グラブ+硬土盤用グラブ) |           |
| 230                     | D   | 23.0m <sup>3</sup> | 1,912               | 2,120,000                    | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 169,000                             | 9,096                | 1,930,000                           | 2,664                | 565,000                             | 12,974               | 2,750,000 |                    |           |
| 300                     | D   | 30.0m <sup>3</sup> | 2,363               | 2,770,000                    | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 220,000                             | 9,096                | 2,520,000                           | 2,664                | 738,000                             | 12,974               | 3,590,000 |                    |           |
| 3007 グラブ浚渫船(硬土盤用)アンカー方式 |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 010 [ディーゼル式]            |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 035                     | D   | 3.5m <sup>3</sup>  | 456                 | 296,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 23,600                              | 9,096                | 269,000                             | 2,664                | 78,900                              | 12,974               | 384,000   |                    |           |
| 055                     | D   | 5.5m <sup>3</sup>  | 883                 | 567,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 45,100                              | 9,096                | 516,000                             | 2,664                | 151,000                             | 12,974               | 736,000   |                    |           |
| 3008 グラブ浚渫船(硬土盤用)スパッド方式 |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 010 [ディーゼル式]            |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 035                     | D   | 3.5m <sup>3</sup>  | 456                 | 521,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 41,500                              | 9,096                | 474,000                             | 2,664                | 139,000                             | 12,974               | 676,000   |                    |           |
| 055                     | D   | 5.5m <sup>3</sup>  | 883                 | 920,000                      | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 73,200                              | 9,096                | 837,000                             | 2,664                | 245,000                             | 12,974               | 1,190,000 |                    |           |
| 075                     | D   | 7.5m <sup>3</sup>  | 1,397               | 1,500,000                    | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 119,000                             | 9,096                | 1,360,000                           | 2,664                | 400,000                             | 12,974               | 1,950,000 |                    |           |
| 115                     | D   | 11.5m <sup>3</sup> | 1,912               | 2,260,000                    | 25                        | 560                      | 70                       | 115                          | 125                          | 6                                  | 796                 | 180,000                             | 9,096                | 2,060,000                           | 2,664                | 602,000                             | 12,974               | 2,930,000 |                    |           |
| 3009 グラブ浚渫船(岩盤用)アンカー方式  |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 010 [ディーゼル式・重錘式]        |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 035                     | D   | 3.5m <sup>3</sup>  | (重錘20t)             | 456                          | 319,000                   | 25                       | 560                      | 70                           | 115                          | 125                                | 6                   | 796                                 | 25,400               | 9,096                               | 290,000              | 2,664                               | 85,000               | 12,974    |                    | 414,000   |
| 055                     | D   | 5.5m <sup>3</sup>  | (重錘30t)             | 883                          | 608,000                   | 25                       | 560                      | 70                           | 115                          | 125                                | 6                   | 796                                 | 48,400               | 9,096                               | 553,000              | 2,664                               | 162,000              | 12,974    |                    | 789,000   |
| 3010 グラブ浚渫船(岩盤用)スパッド方式  |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 010 [ディーゼル式・重錘式]        |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 035                     | D   | 3.5m <sup>3</sup>  | (重錘20t)             | 456                          | 550,000                   | 25                       | 560                      | 70                           | 115                          | 125                                | 6                   | 796                                 | 43,800               | 9,096                               | 500,000              | 2,664                               | 147,000              | 12,974    |                    | 714,000   |
| 055                     | D   | 5.5m <sup>3</sup>  | (重錘30t)             | 883                          | 962,000                   | 25                       | 560                      | 70                           | 115                          | 125                                | 6                   | 796                                 | 76,600               | 9,096                               | 875,000              | 2,664                               | 256,000              | 12,974    |                    | 1,250,000 |
| 075                     | D   | 7.5m <sup>3</sup>  | (重錘45t)             | 1,397                        | 1,560,000                 | 25                       | 560                      | 70                           | 115                          | 125                                | 6                   | 796                                 | 124,000              | 9,096                               | 1,420,000            | 2,664                               | 416,000              | 12,974    |                    | 2,020,000 |
| 3011 バックホウ浚渫船           |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 010                     |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 010                     | D   | 1.0m <sup>3</sup>  | 206                 | 94,600                       | 20                        | 640                      | 80                       | 130                          | 155                          | 6                                  | 988                 | 9,350                               | 9,481                | 89,700                              | 2,914                | 27,600                              | 14,346               | 136,000   |                    |           |
| 020                     | D   | 2.0m <sup>3</sup>  | 302                 | 191,000                      | 20                        | 640                      | 80                       | 130                          | 155                          | 6                                  | 988                 | 18,900                              | 9,481                | 181,000                             | 2,914                | 55,700                              | 14,346               | 274,000   |                    |           |
| 030                     | D   | 3.0m <sup>3</sup>  | 397                 | 286,000                      | 20                        | 640                      | 80                       | 130                          | 155                          | 6                                  | 988                 | 28,300                              | 9,481                | 271,000                             | 2,914                | 83,300                              | 14,346               | 410,000   |                    |           |
| 3012 マイクロポンプ船           |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 010 [ディーゼル式]            |     |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                    |           |
| 150                     | D   | 150PS型             | 110                 | 51,700                       | 15                        | 500                      | 50                       | 85                           | 130                          | 6                                  | 1,520               | 7,860                               | 16,000               | 82,700                              | 4,240                | 21,900                              | 24,941               | 129,000   |                    |           |

| 規 格             |       |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要       |                                  |  |
|-----------------|-------|--------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-----------|----------------------------------|--|
| 船舶の種類           | 呼 称   | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |                      |           |                                  |  |
|                 |       |              |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |           |                                  |  |
| 200             | D     | 200PS型       | 147                 | 74,100                       | 15                        | 500                      | 50                       | 85                           | 130                          | 6                                  | 1,520               | 11,300                              | 16,000               | 119,000                             | 4,240                | 31,400                              | 24,941               | 185,000   |                                  |  |
| 3013 リクレーマ船     |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 030 [バックホウ式]    |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 120             | DE    | 1,200PS型     | 883                 | 1,180,000                    | 20                        | 960                      | 120                      | 200                          | 140                          | 6                                  | 620                 | 73,200                              | 5,975                | 705,000                             | 1,865                | 220,000                             | 8,950                | 1,060,000 |                                  |  |
| 280             | DE    | 2,800PS型     | 2,059               | 1,800,000                    | 20                        | 960                      | 120                      | 200                          | 140                          | 6                                  | 620                 | 112,000                             | 5,975                | 1,080,000                           | 1,865                | 336,000                             | 8,950                | 1,610,000 |                                  |  |
| 320             | DE    | 3,200PS型     | 2,354               | 2,060,000                    | 20                        | 960                      | 120                      | 200                          | 140                          | 6                                  | 620                 | 128,000                             | 5,975                | 1,230,000                           | 1,865                | 384,000                             | 8,950                | 1,840,000 |                                  |  |
| 3014 バージアンローダ船  |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 042             | D     | 420PS型       | 309                 | 347,000                      | 20                        | 720                      | 90                       | 150                          | 150                          | 6                                  | 861                 | 29,900                              | 8,133                | 282,000                             | 2,556                | 88,700                              | 12,267               | 426,000   | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイントを含まない。 |  |
| 100             | D     | 1,000PS型     | 736                 | 703,000                      | 20                        | 720                      | 90                       | 150                          | 150                          | 6                                  | 861                 | 60,500                              | 8,133                | 572,000                             | 2,556                | 180,000                             | 12,267               | 862,000   |                                  |  |
| 160             | D     | 1,600PS型     | 1,177               | 845,000                      | 20                        | 720                      | 90                       | 150                          | 150                          | 6                                  | 861                 | 72,800                              | 8,133                | 687,000                             | 2,556                | 216,000                             | 12,267               | 1,040,000 |                                  |  |
| 180             | D     | 1,800PS型     | 1,324               | 877,000                      | 20                        | 720                      | 90                       | 150                          | 150                          | 6                                  | 861                 | 75,500                              | 8,133                | 713,000                             | 2,556                | 224,000                             | 12,267               | 1,080,000 |                                  |  |
| 200             | D     | 2,000PS型     | 1,471               | 947,000                      | 20                        | 720                      | 90                       | 150                          | 150                          | 6                                  | 861                 | 81,500                              | 8,133                | 770,000                             | 2,556                | 242,000                             | 12,267               | 1,160,000 |                                  |  |
| 250             | D     | 2,500PS型     | 1,839               | 1,060,000                    | 20                        | 720                      | 90                       | 150                          | 150                          | 6                                  | 861                 | 91,300                              | 8,133                | 862,000                             | 2,556                | 271,000                             | 12,267               | 1,300,000 |                                  |  |
| 3015 空気圧送船      |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 200             | D     | 2,000PS型     | 1,471               | 1,130,000                    | 20                        | 640                      | 80                       | 135                          | 150                          | 6                                  | 969                 | 109,000                             | 9,037                | 1,020,000                           | 2,875                | 325,000                             | 13,630               | 1,540,000 | 排砂管、仕切弁、曲管、分岐管、フロータ及びジョイントを含まない。 |  |
| 300             | D     | 3,000PS型     | 2,207               | 2,270,000                    | 20                        | 640                      | 80                       | 135                          | 150                          | 6                                  | 969                 | 220,000                             | 9,037                | 2,050,000                           | 2,875                | 653,000                             | 13,630               | 3,090,000 |                                  |  |
| 600             | D     | 6,000PS型     | 4,413               | 2,880,000                    | 20                        | 640                      | 80                       | 135                          | 150                          | 6                                  | 969                 | 279,000                             | 9,037                | 2,600,000                           | 2,875                | 828,000                             | 13,630               | 3,930,000 |                                  |  |
| (構造物作業船)        |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 3021 自航起重機船     |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 010 [固定・ディーゼル式] |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 030             | 30t吊  | D            | 184                 | 108,000                      | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 8,590                               | 5,674                | 61,300                              | 2,359                | 25,500                              | 8,558                | 92,400    | 特殊吊金具を含まない。                      |  |
| 050             | 50t吊  | D            | 294                 | 279,000                      | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 22,200                              | 5,674                | 158,000                             | 2,359                | 65,800                              | 8,558                | 239,000   |                                  |  |
| 020 [旋回・ディーゼル式] |       |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                                  |  |
| 050             | 50t吊  | D            | 405                 | 475,000                      | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 37,800                              | 5,674                | 270,000                             | 2,359                | 112,000                             | 8,558                | 407,000   |                                  |  |
| 070             | 70t吊  | D            | 515                 | 607,000                      | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 48,300                              | 5,674                | 344,000                             | 2,359                | 143,000                             | 8,558                | 519,000   |                                  |  |
| 100             | 100t吊 | D            | 736                 | 804,000                      | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 63,900                              | 5,674                | 456,000                             | 2,359                | 190,000                             | 8,558                | 688,000   |                                  |  |
| 120             | 120t吊 | D            | 809                 | 862,000                      | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 68,500                              | 5,674                | 489,000                             | 2,359                | 203,000                             | 8,558                | 738,000   |                                  |  |
| 150             | 150t吊 | D            | 883                 | 961,000                      | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 76,400                              | 5,674                | 545,000                             | 2,359                | 227,000                             | 8,558                | 822,000   |                                  |  |
| 200             | 200t吊 | D            | 1,030               | 1,130,000                    | 20                        | 780                      | 130                      | 215                          | 150                          | 6                                  | 795                 | 89,800                              | 5,674                | 641,000                             | 2,359                | 267,000                             | 8,558                | 967,000   |                                  |  |

| 規 格               |         |    | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準      |                           |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                    |                                    |                     |                                     | 参 考                  |                                     |                      |                                     | 摘 要       |                      |
|-------------------|---------|----|---------------------|------------------------------|--------------|---------------------------|--------------------------|------------------------------|------------------------------|--------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|-----------|----------------------|
| 船舶の種類             | 呼 称     |    |                     |                              | 機関出力<br>(kW) | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) |                              |                              | (5)<br>供 用<br>日 数<br>(日) | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |           |                      |
|                   |         |    |                     |                              |              |                           |                          |                              |                              |                          | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) |           | (15)<br>損 料 額<br>(円) |
| 3022 起重機船         |         |    |                     |                              |              |                           |                          |                              |                              |                          |                                    |                     |                                     |                      |                                     |                      |                                     |           | 特殊吊金具を含まない。          |
| 010 [固定・ディーゼル式]   |         |    |                     |                              |              |                           |                          |                              |                              |                          |                                    |                     |                                     |                      |                                     |                      |                                     |           |                      |
| 050               | 50t吊    | D  | 92                  | 96,900                       | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 8,200               | 6,712                               | 65,000               | 2,692                               | 26,100               | 9,788                               | 94,800    |                      |
| 070               | 70t吊    | D  | 114                 | 133,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 11,300              | 6,712                               | 89,300               | 2,692                               | 35,800               | 9,788                               | 130,000   |                      |
| 100               | 100t吊   | D  | 143                 | 188,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 15,900              | 6,712                               | 126,000              | 2,692                               | 50,600               | 9,788                               | 184,000   |                      |
| 150               | 150t吊   | D  | 191                 | 267,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 22,600              | 6,712                               | 179,000              | 2,692                               | 71,900               | 9,788                               | 261,000   |                      |
| 200               | 200t吊   | D  | 243                 | 345,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 29,200              | 6,712                               | 232,000              | 2,692                               | 92,900               | 9,788                               | 338,000   |                      |
| 020 [旋回・ディーゼル式]   |         |    |                     |                              |              |                           |                          |                              |                              |                          |                                    |                     |                                     |                      |                                     |                      |                                     |           |                      |
| 030               | 30t吊    | D  | 103                 | 178,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 15,100              | 6,712                               | 119,000              | 2,692                               | 47,900               | 9,788                               | 174,000   |                      |
| 040               | 40t吊    | D  | 143                 | 209,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 17,700              | 6,712                               | 140,000              | 2,692                               | 56,300               | 9,788                               | 205,000   |                      |
| 050               | 50t吊    | D  | 177                 | 235,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 19,900              | 6,712                               | 158,000              | 2,692                               | 63,300               | 9,788                               | 230,000   |                      |
| 070               | 70t吊    | D  | 235                 | 297,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 25,100              | 6,712                               | 199,000              | 2,692                               | 80,000               | 9,788                               | 291,000   |                      |
| 080               | 80t吊    | D  | 265                 | 324,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 27,400              | 6,712                               | 217,000              | 2,692                               | 87,200               | 9,788                               | 317,000   |                      |
| 100               | 100t吊   | D  | 313                 | 389,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 32,900              | 6,712                               | 261,000              | 2,692                               | 105,000              | 9,788                               | 381,000   |                      |
| 120               | 120t吊   | D  | 353                 | 447,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 37,800              | 6,712                               | 300,000              | 2,692                               | 120,000              | 9,788                               | 438,000   |                      |
| 150               | 150t吊   | D  | 405                 | 533,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 45,100              | 6,712                               | 358,000              | 2,692                               | 143,000              | 9,788                               | 522,000   |                      |
| 180               | 180t吊   | D  | 515                 | 682,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 57,700              | 6,712                               | 458,000              | 2,692                               | 184,000              | 9,788                               | 668,000   |                      |
| 200               | 200t吊   | D  | 588                 | 756,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 64,000              | 6,712                               | 507,000              | 2,692                               | 204,000              | 9,788                               | 740,000   |                      |
| 250               | 250t吊   | D  | 736                 | 952,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 80,500              | 6,712                               | 639,000              | 2,692                               | 256,000              | 9,788                               | 932,000   |                      |
| 300               | 300t吊   | D  | 883                 | 1,140,000                    | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 96,400              | 6,712                               | 765,000              | 2,692                               | 307,000              | 9,788                               | 1,120,000 |                      |
| 350               | 350t吊   | D  | 1,030               | 1,300,000                    | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 110,000             | 6,712                               | 873,000              | 2,692                               | 350,000              | 9,788                               | 1,270,000 |                      |
| 400               | 400t吊   | D  | 1,178               | 1,460,000                    | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 170,000             | 8,574                               | 1,250,000            | 3,573                               | 522,000              | 12,704                              | 1,850,000 |                      |
| 450               | 450t吊   | D  | 1,325               | 1,630,000                    | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 189,000             | 8,574                               | 1,400,000            | 3,573                               | 582,000              | 12,704                              | 2,070,000 |                      |
| 500               | 500t吊   | D  | 1,470               | 1,810,000                    | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 210,000             | 8,574                               | 1,550,000            | 3,573                               | 647,000              | 12,704                              | 2,300,000 |                      |
| 550               | 550t吊   | D  | 1,616               | 2,000,000                    | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 232,000             | 8,574                               | 1,710,000            | 3,573                               | 715,000              | 12,704                              | 2,540,000 |                      |
| 030 [固定・ディーゼル発電式] |         |    |                     |                              |              |                           |                          |                              |                              |                          |                                    |                     |                                     |                      |                                     |                      |                                     |           |                      |
| 015               | 150t吊   | DE | 221                 | 354,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 29,900              | 6,712                               | 238,000              | 2,692                               | 95,300               | 9,788                               | 346,000   |                      |
| 030               | 300t吊   | DE | 324                 | 593,000                      | 20           | 600                       | 100                      | 165                          | 105                          | 6                        | 846                                | 50,200              | 6,712                               | 398,000              | 2,692                               | 160,000              | 9,788                               | 580,000   |                      |
| 050               | 500t吊   | DE | 441                 | 910,000                      | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 106,000             | 8,574                               | 780,000              | 3,573                               | 325,000              | 12,704                              | 1,160,000 |                      |
| 140               | 1,400t吊 | DE | 1,015               | 2,220,000                    | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 258,000             | 8,574                               | 1,900,000            | 3,573                               | 793,000              | 12,704                              | 2,820,000 |                      |
| 200               | 2,000t吊 | DE | 1,324               | 3,070,000                    | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 356,000             | 8,574                               | 2,630,000            | 3,573                               | 1,100,000            | 12,704                              | 3,900,000 |                      |
| 220               | 2,200t吊 | DE | 1,397               | 3,430,000                    | 20           | 480                       | 80                       | 135                          | 125                          | 6                        | 1,161                              | 398,000             | 8,574                               | 2,940,000            | 3,573                               | 1,230,000            | 12,704                              | 4,360,000 |                      |



| 規 格               |            |              | (1)          | (2)                   | 年 間 標 準           |                  |                  | (6)                   | (7)                   | 算 定 表                              |                     |                                     |                       | 参 考                                 |                      |                                     |                      | 摘 要     |
|-------------------|------------|--------------|--------------|-----------------------|-------------------|------------------|------------------|-----------------------|-----------------------|------------------------------------|---------------------|-------------------------------------|-----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|---------|
| 船舶の種類             | 呼 称        | 機関出力<br>(kW) | 基礎価格<br>(千円) | 標準<br>使用<br>年数<br>(年) | (3)               | (4)              | (5)              | 維持<br>修理<br>費率<br>(%) | 年間<br>管理<br>費率<br>(%) | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                       | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |                      |         |
|                   |            |              |              |                       | 運 転<br>時間<br>(時間) | 運 転<br>日数<br>(日) | 供 用<br>日数<br>(日) |                       |                       | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円)  | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |         |
| 300               | 3,000t吊 DE | 1,765        | 4,830,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 561,000             | 8,574                               | 4,140,000             | 3,573                               | 1,730,000            | 12,704                              | 6,140,000            |         |
| 370               | 3,700t吊 DE | 2,721        | 5,850,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 679,000             | 8,574                               | 5,020,000             | 3,573                               | 2,090,000            | 12,704                              | 7,430,000            |         |
| 410               | 4,100t吊 DE | 3,089        | 6,330,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 735,000             | 8,574                               | 5,430,000             | 3,573                               | 2,260,000            | 12,704                              | 8,040,000            |         |
| 040 [旋回・ディーゼル発電式] |            |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                       |                                     |                      |                                     |                      |         |
| 010               | 100t吊 DE   | 368          | 389,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 846                                | 32,900              | 6,712                               | 261,000               | 2,692                               | 105,000              | 9,788                               | 381,000              |         |
| 020               | 200t吊 DE   | 736          | 577,000      | 20                    | 600               | 100              | 165              | 105                   | 6                     | 846                                | 48,800              | 6,712                               | 387,000               | 2,692                               | 155,000              | 9,788                               | 565,000              |         |
| 040               | 400t吊 DE   | 1,471        | 1,190,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 138,000             | 8,574                               | 1,020,000             | 3,573                               | 425,000              | 12,704                              | 1,510,000            |         |
| 160               | 1,600t吊 DE | 2,620        | 4,820,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 560,000             | 8,574                               | 4,130,000             | 3,573                               | 1,720,000            | 12,704                              | 6,120,000            |         |
| 050 [固定・ディーゼル油圧式] |            |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                       |                                     |                      |                                     |                      |         |
| 040               | 400t吊 DH   | 546          | 812,000      | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 94,300              | 8,574                               | 696,000               | 3,573                               | 290,000              | 12,704                              | 1,030,000            |         |
| 060               | 600t吊 DH   | 647          | 1,080,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 125,000             | 8,574                               | 926,000               | 3,573                               | 386,000              | 12,704                              | 1,370,000            |         |
| 070               | 700t吊 DH   | 699          | 1,360,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 158,000             | 8,574                               | 1,170,000             | 3,573                               | 486,000              | 12,704                              | 1,730,000            |         |
| 130               | 1,300t吊 DH | 1,000        | 2,190,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 254,000             | 8,574                               | 1,880,000             | 3,573                               | 782,000              | 12,704                              | 2,780,000            |         |
| 300               | 3,000t吊 DH | 1,861        | 4,880,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 567,000             | 8,574                               | 4,180,000             | 3,573                               | 1,740,000            | 12,704                              | 6,200,000            |         |
| 370               | 3,700t吊 DH | 2,216        | 5,980,000    | 20                    | 480               | 80               | 135              | 125                   | 6                     | 1,161                              | 694,000             | 8,574                               | 5,130,000             | 3,573                               | 2,140,000            | 12,704                              | 7,600,000            |         |
| 3023 クレーン付台船      |            |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                       |                                     |                      |                                     |                      |         |
| 040-0             | クローラークレーン  | 35~40t吊      | 94           | 28,300                | 14                |                  | 100              | 150                   | 25                    | 10                                 | 482 <sup>(日)</sup>  | 13,600                              | 869                   | 24,600                              | 1,786 <sup>(日)</sup> | 50,500                              | 1,190                | 33,700  |
| 040-1             | 台 船        | 300t積        |              | 49,100                | 20                | -                | -                | 135                   | 95                    | 6                                  |                     |                                     | 11,593 <sup>(日)</sup> | 56,900                              |                      |                                     | 11,593               | 56,900  |
| 050-0             | クローラークレーン  | 45~50t吊      | 102          | 33,900                | 14                |                  | 100              | 150                   | 25                    | 10                                 | 482 <sup>(日)</sup>  | 16,300                              | 869                   | 29,500                              | 1,786 <sup>(日)</sup> | 60,500                              | 1,190                | 40,300  |
| 050-1             | 台 船        | 500t積        |              | 60,500                | 20                | -                | -                | 135                   | 95                    | 6                                  |                     |                                     | 11,593 <sup>(日)</sup> | 70,100                              |                      |                                     | 11,593               | 70,100  |
| 080-0             | クローラークレーン  | 80t吊         | 161          | 66,300                | 14                |                  | 100              | 150                   | 25                    | 10                                 | 482 <sup>(日)</sup>  | 32,000                              | 869                   | 57,600                              | 1,786 <sup>(日)</sup> | 118,000                             | 1,190                | 78,900  |
| 080-1             | 台 船        | 700t積        |              | 78,100                | 20                | -                | -                | 135                   | 95                    | 6                                  |                     |                                     | 11,593 <sup>(日)</sup> | 90,500                              |                      |                                     | 11,593               | 90,500  |
| 100-0             | クローラークレーン  | 100t吊        | 193          | 89,800                | 14                |                  | 100              | 150                   | 25                    | 10                                 | 482 <sup>(日)</sup>  | 43,300                              | 869                   | 78,000                              | 1,786 <sup>(日)</sup> | 160,000                             | 1,190                | 107,000 |
| 100-1             | 台 船        | 1,000t積      |              | 103,000               | 20                | -                | -                | 135                   | 95                    | 6                                  |                     |                                     | 11,593 <sup>(日)</sup> | 119,000                             |                      |                                     | 11,593               | 119,000 |
| 150-0             | クローラークレーン  | 150t吊        | 195          | 121,000               | 14                |                  | 100              | 150                   | 25                    | 10                                 | 482 <sup>(日)</sup>  | 58,300                              | 869                   | 105,000                             | 1,786 <sup>(日)</sup> | 216,000                             | 1,190                | 144,000 |
| 150-1             | 台 船        | 1,000t積      |              | 103,000               | 20                | -                | -                | 135                   | 95                    | 6                                  |                     |                                     | 11,593 <sup>(日)</sup> | 119,000                             |                      |                                     | 11,593               | 119,000 |
| 200-0             | クローラークレーン  | 200t吊        | 197          | 189,000               | 14                |                  | 100              | 150                   | 25                    | 10                                 | 482 <sup>(日)</sup>  | 91,100                              | 869                   | 164,000                             | 1,786 <sup>(日)</sup> | 338,000                             | 1,190                | 225,000 |
| 200-1             | 台 船        | 1,000t積      |              | 103,000               | 20                | -                | -                | 135                   | 95                    | 6                                  |                     |                                     | 11,593 <sup>(日)</sup> | 119,000                             |                      |                                     | 11,593               | 119,000 |
| 3024 杭打船          |            |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                       |                                     |                      |                                     |                      |         |
| 030 [油圧ハンマ式]      |            |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                       |                                     |                      |                                     |                      |         |
| 065               | H- 65      | 221          | 862,000      | 20                    | 480               | 80               | 135              | 100                   | 6                     | 1,031                              | 88,900              | 8,111                               | 699,000               | 3,313                               | 286,000              | 11,778                              | 1,020,000            |         |

クレーン付台船の損料額は、クローラークレーン損料(上段)と台船損料(下段)を合算した額とする。

クローラークレーンの損料率は( $\times 10^{-6}$ )とする。

台船の基礎価格には、固縛費、操船ウィンチ等を含む。

| 規 格                |       |                    | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要       |                   |
|--------------------|-------|--------------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-----------|-------------------|
| 船舶の種類              | 呼 称   | 機関出力<br>(kW)       |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |                      |           |                   |
|                    |       |                    |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |           |                   |
| 125                | H-125 | 405                | 1,660,000           | 20                           | 480                       | 80                       | 135                      | 100                          | 6                            | 1,031                              | 171,000             | 8,111                               | 1,350,000            | 3,313                               | 550,000              | 11,778                              | 1,960,000            |           |                   |
| 150                | H-150 | 515                | 2,110,000           | 20                           | 480                       | 80                       | 135                      | 100                          | 6                            | 1,031                              | 218,000             | 8,111                               | 1,710,000            | 3,313                               | 699,000              | 11,778                              | 2,490,000            |           |                   |
| 3025 コンクリートミキサー船   |       |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                   |
| 010 [バッチ式]         |       |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                   |
| 005                | DE    | 0.5 m <sup>3</sup> | 147                 | 167,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 20,300                              | 8,759                | 146,000                             | 3,677                | 61,400                              | 13,074               | 218,000   |                   |
| 008                | DE    | 0.75m <sup>3</sup> | 177                 | 250,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 30,400                              | 8,759                | 219,000                             | 3,677                | 91,900                              | 13,074               | 327,000   |                   |
| 010                | DE    | 1.0 m <sup>3</sup> | 338                 | 445,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 54,000                              | 8,759                | 390,000                             | 3,677                | 164,000                             | 13,074               | 582,000   |                   |
| 015                | DE    | 1.5 m <sup>3</sup> | 530                 | 699,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 84,900                              | 8,759                | 612,000                             | 3,677                | 257,000                             | 13,074               | 914,000   |                   |
| 020                | DE    | 2.0 m <sup>3</sup> | 633                 | 776,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 94,200                              | 8,759                | 680,000                             | 3,677                | 285,000                             | 13,074               | 1,010,000 |                   |
| 025                | DE    | 2.5 m <sup>3</sup> | 736                 | 848,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 103,000                             | 8,759                | 743,000                             | 3,677                | 312,000                             | 13,074               | 1,110,000 |                   |
| 030 [コンティニアス式]     |       |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                   |
| 250                | DE    | 25 型               | 177                 | 211,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 25,600                              | 8,759                | 185,000                             | 3,677                | 77,600                              | 13,074               | 276,000   |                   |
| 450                | DE    | 45 型               | 279                 | 380,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 46,100                              | 8,759                | 333,000                             | 3,677                | 140,000                             | 13,074               | 497,000   |                   |
| 900                | DE    | 90 型               | 434                 | 628,000                      | 20                        | 480                      | 80                       | 135                          | 135                          | 6                                  | 1,214               | 76,200                              | 8,759                | 550,000                             | 3,677                | 231,000                             | 13,074               | 821,000   |                   |
| 3026 ケーソン製作用台船     |       |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                   |
| 010 [フローティング式]     |       |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                   |
| 013                |       | 1,300t積            | 252,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 276,000                         |                      | 10,958                              | 276,000              |           | 注排水装置及びクレーン装置を含む。 |
| 015                |       | 1,500t積            | 297,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 325,000                         |                      | 10,958                              | 325,000              |           |                   |
| 020                |       | 2,000t積            | 372,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 408,000                         |                      | 10,958                              | 408,000              |           |                   |
| 025                |       | 2,500t積            | 441,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 483,000                         |                      | 10,958                              | 483,000              |           |                   |
| 032                |       | 3,200t積            | 535,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 586,000                         |                      | 10,958                              | 586,000              |           |                   |
| 040                |       | 4,000t積            | 662,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 725,000                         |                      | 10,958                              | 725,000              |           |                   |
| 050                |       | 5,000t積            | 822,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 901,000                         |                      | 10,958                              | 901,000              |           |                   |
| 060                |       | 6,000t積            | 983,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 1,080,000                       |                      | 10,958                              | 1,080,000            |           |                   |
| 065                |       | 6,500t積            | 1,070,000           | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 1,170,000                       |                      | 10,958                              | 1,170,000            |           |                   |
| 070                |       | 7,000t積            | 1,160,000           | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 1,270,000                       |                      | 10,958                              | 1,270,000            |           |                   |
| 100                |       | 10,000t積           | 1,590,000           | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 1,740,000                       |                      | 10,958                              | 1,740,000            |           |                   |
| 110                |       | 11,000t積           | 1,760,000           | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 1,930,000                       |                      | 10,958                              | 1,930,000            |           |                   |
| 120                |       | 12,000t積           | 1,910,000           | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 2,090,000                       |                      | 10,958                              | 2,090,000            |           |                   |
| 020 [ドルフィン式(ゲート付)] |       |                    |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |           |                   |
| 013                |       | 1,300t積            | 186,000             | 20                           | —                         | —                        | 120                      | 45                           | 6                            |                                    |                     |                                     | 10,958               | (併) 204,000                         |                      | 10,958                              | 204,000              |           |                   |

| 規 格              |                 |              | (1)          | (2)                   | 年 間 標 準           |                  |                  | (6)                   | (7)                   | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要  |
|------------------|-----------------|--------------|--------------|-----------------------|-------------------|------------------|------------------|-----------------------|-----------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|--|
| 船舶の種類            | 呼 称             | 機関出力<br>(kW) | 基礎価格<br>(千円) | 標準<br>使用<br>年数<br>(年) | (3)               | (4)              | (5)              | 維持<br>修理<br>費率<br>(%) | 年間<br>管理<br>費率<br>(%) | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |                      |  |
|                  |                 |              |              |                       | 運 転<br>時間<br>(時間) | 運 転<br>日数<br>(日) | 供 用<br>日数<br>(日) |                       |                       | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |  |
| 017              | 1,700t積         |              | 207,000      | 20                    | —                 | —                | 120              | 45                    | 6                     |                                    |                     | 10,958                              | (併) 227,000          |                                     |                      | 10,958                              | 227,000              | //   |
| 025              | 2,500t積         |              | 277,000      | 20                    | —                 | —                | 120              | 45                    | 6                     |                                    |                     | 10,958                              | (併) 304,000          |                                     |                      | 10,958                              | 304,000              | //   |
| 050              | 5,000t積         |              | 753,000      | 20                    | —                 | —                | 120              | 45                    | 6                     |                                    |                     | 10,958                              | (併) 825,000          |                                     |                      | 10,958                              | 825,000              | 注排水装置及びクレーン装置を含み、発動<br>発電機を含まない。                                   |
| 3027 自己昇降式台船     |                 |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      | 特殊装備(クレーン、杭打装備、トラベラ等)<br>を含まない。                                    |
| 150              | 押上力 1,500t級     |              | 1,100,000    | 15                    | —                 | —                | 135              | 90                    | 6                     |                                    |                     | 13,728                              | (併) 1,510,000        |                                     |                      | 13,728                              | 1,510,000            |  |
| 450              | 押上力 4,500t級     |              | 2,150,000    | 15                    | —                 | —                | 135              | 90                    | 6                     |                                    |                     | 13,728                              | (併) 2,950,000        |                                     |                      | 13,728                              | 2,950,000            |  |
| 550              | 押上力 5,500t級     |              | 2,490,000    | 15                    | —                 | —                | 135              | 90                    | 6                     |                                    |                     | 13,728                              | (併) 3,420,000        |                                     |                      | 13,728                              | 3,420,000            |  |
| (地盤改良作業船)        |                 |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      |  |
| 3031 深層混合処理船     |                 |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      | 光波式位置測定器を含む。   |
| 110              | 水面下 30m 面積 2.2㎡ | 809          | 798,000      | 15                    | 980               | 70               | 120              | 115                   | 6                     | 724                                | 57,800              | 10,917                              | 871,000              | 2,061                               | 164,000              | 16,833                              | 1,340,000            |  |
| 280              | 水面下 40m 面積 4.6㎡ | 2,059        | 2,650,000    | 15                    | 980               | 70               | 120              | 115                   | 6                     | 724                                | 192,000             | 10,917                              | 2,890,000            | 2,061                               | 546,000              | 16,833                              | 4,460,000            |  |
| 470              | 水面下 65m 面積 5.7㎡ | 3,457        | 3,410,000    | 15                    | 980               | 70               | 120              | 115                   | 6                     | 724                                | 247,000             | 10,917                              | 3,720,000            | 2,061                               | 703,000              | 16,833                              | 5,740,000            |  |
| 3033 サンドコンパクション船 |                 |              |              |                       |                   |                  |                  |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      | ケーシングパイプ及び光波式位置測定器<br>を含まない。<br>規格呼称欄の長さはホップ下端から地盤<br>改良深度の打設長である。 |
| 356              | DE (3連装) 長さ 35m | 2,618        | 1,700,000    | 20                    | 560               | 70               | 120              | 155                   | 6                     | 1,129                              | 192,000             | 10,271                              | 1,750,000            | 3,330                               | 566,000              | 15,542                              | 2,640,000            |  |
| 407              | DE (3連装) 長さ 40m | 2,993        | 1,970,000    | 20                    | 560               | 70               | 120              | 155                   | 6                     | 1,129                              | 222,000             | 10,271                              | 2,020,000            | 3,330                               | 656,000              | 15,542                              | 3,060,000            |  |
| 458              | DE (3連装) 長さ 45m | 3,369        | 2,100,000    | 20                    | 560               | 70               | 120              | 155                   | 6                     | 1,129                              | 237,000             | 10,271                              | 2,160,000            | 3,330                               | 699,000              | 15,542                              | 3,260,000            |  |
| 509              | DE (3連装) 長さ 50m | 3,744        | 2,270,000    | 20                    | 560               | 70               | 120              | 155                   | 6                     | 1,129                              | 256,000             | 10,271                              | 2,330,000            | 3,330                               | 756,000              | 15,542                              | 3,530,000            |  |
| 560              | DE (3連装) 長さ 55m | 4,119        | 2,320,000    | 20                    | 560               | 70               | 120              | 155                   | 6                     | 1,129                              | 262,000             | 10,271                              | 2,380,000            | 3,330                               | 773,000              | 15,542                              | 3,610,000            |  |

| 船舶の種類     | 規格 |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年間標準                    |                        |                        | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算定表                                |                   |                                     |                    | 参考                                  |                    |                                     |                    | 摘要      |         |  |  |  |
|-----------|----|--------------|---------------------|------------------------------|-------------------------|------------------------|------------------------|------------------------------|------------------------------|------------------------------------|-------------------|-------------------------------------|--------------------|-------------------------------------|--------------------|-------------------------------------|--------------------|---------|---------|--|--|--|
|           | 呼称 | 機関出力<br>(kW) |                     |                              | (3)<br>運転<br>時間<br>(時間) | (4)<br>運転<br>日数<br>(日) | (5)<br>供用<br>日数<br>(日) |                              |                              | 運転時間<br>(または日)当り                   |                   | 供用日当り                               |                    | 運転時間<br>(または日)当り換算値                 |                    | 供用日当り換算値                            |                    |         |         |  |  |  |
|           |    |              |                     |                              |                         |                        |                        |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損料額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損料額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損料額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損料額<br>(円) |         |         |  |  |  |
| 31 付属作業船  |    |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |         |         |  |  |  |
| (自航付属作業船) |    |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |         |         |  |  |  |
| 3101 揚錨船  |    |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |         |         |  |  |  |
| 001       | D  | 1t吊          | 110                 | 15,300                       | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 10,000                          | 7,612              | 11,600                              | 19,120             | (B) 29,300                          | 11,588             | 17,700  |         |  |  |  |
| 003       | D  | 3t吊          | 161                 | 44,600                       | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 29,300                          | 7,612              | 33,900                              | 19,120             | (B) 85,300                          | 11,588             | 51,700  |         |  |  |  |
| 005       | D  | 5t吊          | 202                 | 73,900                       | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 48,500                          | 7,612              | 56,300                              | 19,120             | (B) 141,000                         | 11,588             | 85,600  |         |  |  |  |
| 010       | D  | 10t吊         | 238                 | 146,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 95,800                          | 7,612              | 111,000                             | 19,120             | (B) 279,000                         | 11,588             | 169,000 |         |  |  |  |
| 015       | D  | 15t吊         | 284                 | 217,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 142,000                         | 7,612              | 165,000                             | 19,120             | (B) 415,000                         | 11,588             | 251,000 |         |  |  |  |
| 020       | D  | 20t吊         | 303                 | 290,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 190,000                         | 7,612              | 221,000                             | 19,120             | (B) 554,000                         | 11,588             | 336,000 |         |  |  |  |
| 025       | D  | 25t吊         | 306                 | 361,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 237,000                         | 7,612              | 275,000                             | 19,120             | (B) 690,000                         | 11,588             | 418,000 |         |  |  |  |
| 030       | D  | 30t吊         | 334                 | 420,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 276,000                         | 7,612              | 320,000                             | 19,120             | (B) 803,000                         | 11,588             | 487,000 |         |  |  |  |
| 035       | D  | 35t吊         | 340                 | 478,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 314,000                         | 7,612              | 364,000                             | 19,120             | (B) 914,000                         | 11,588             | 554,000 |         |  |  |  |
| 040       | D  | 40t吊         | 348                 | 528,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 346,000                         | 7,612              | 402,000                             | 19,120             | (B) 1,010,000                       | 11,588             | 612,000 |         |  |  |  |
| 050       | D  | 50t吊         | 351                 | 667,000                      | 25                      | -                      | 100                    | 165                          | 230                          | 6                                  | 6,560             | (B) 438,000                         | 7,612              | 508,000                             | 19,120             | (B) 1,280,000                       | 11,588             | 773,000 |         |  |  |  |
| 3102 引船   |    |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |         |         |  |  |  |
| 010 [鋼製]  |    |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |         |         |  |  |  |
| 005       | D  | 100PS型       | 4.9GT               | 74                           | 15,800                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 1,040              | 6,824                               | 10,800             | 2,065                               | 3,260              | 10,012  | 15,800  |  |  |  |
| 010       | D  | 150PS型       | 10GT                | 110                          | 22,800                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 1,500              | 6,824                               | 15,600             | 2,065                               | 4,710              | 10,012  | 22,800  |  |  |  |
| 015       | D  | 200PS型       | 15GT                | 147                          | 30,000                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 1,970              | 6,824                               | 20,500             | 2,065                               | 6,200              | 10,012  | 30,000  |  |  |  |
| 020       | D  | 250PS型       | 20GT                | 184                          | 37,300                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 2,450              | 6,824                               | 25,500             | 2,065                               | 7,700              | 10,012  | 37,300  |  |  |  |
| 025       | D  | 300PS型       | 25GT                | 221                          | 43,000                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 2,830              | 6,824                               | 29,300             | 2,065                               | 8,880              | 10,012  | 43,100  |  |  |  |
| 030       | D  | 350PS型       | 30GT                | 257                          | 49,100                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 3,230              | 6,824                               | 33,500             | 2,065                               | 10,100             | 10,012  | 49,200  |  |  |  |
| 035       | D  | 450PS型       | 35GT                | 331                          | 60,900                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 4,010              | 6,824                               | 41,600             | 2,065                               | 12,600             | 10,012  | 61,000  |  |  |  |
| 040       | D  | 500PS型       | 40GT                | 368                          | 67,800                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 4,460              | 6,824                               | 46,300             | 2,065                               | 14,000             | 10,012  | 67,900  |  |  |  |
| 045       | D  | 550PS型       | 45GT                | 405                          | 73,600                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 4,840              | 6,824                               | 50,200             | 2,065                               | 15,200             | 10,012  | 73,700  |  |  |  |
| 050       | D  | 600PS型       | 50GT                | 441                          | 79,500                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 5,230              | 6,824                               | 54,300             | 2,065                               | 16,400             | 10,012  | 79,600  |  |  |  |
| 060       | D  | 700PS型       | 60GT                | 515                          | 91,300                  | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 6,010              | 6,824                               | 62,300             | 2,065                               | 18,900             | 10,012  | 91,400  |  |  |  |
| 070       | D  | 800PS型       | 70GT                | 588                          | 102,000                 | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 6,710              | 6,824                               | 69,600             | 2,065                               | 21,100             | 10,012  | 102,000 |  |  |  |
| 090       | D  | 1,000PS型     | 90GT                | 736                          | 129,000                 | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 8,490              | 6,824                               | 88,000             | 2,065                               | 26,600             | 10,012  | 129,000 |  |  |  |
| 100       | D  | 1,200PS型     | 100GT               | 883                          | 148,000                 | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 9,740              | 6,824                               | 101,000            | 2,065                               | 30,600             | 10,012  | 148,000 |  |  |  |
| 130       | D  | 1,500PS型     | 130GT               | 1,103                        | 178,000                 | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 11,700             | 6,824                               | 121,000            | 2,065                               | 36,800             | 10,012  | 178,000 |  |  |  |
| 180       | D  | 2,000PS型     | 180GT               | 1,471                        | 235,000                 | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 15,500             | 6,824                               | 160,000            | 2,065                               | 48,500             | 10,012  | 235,000 |  |  |  |
| 220       | D  | 2,500PS型     | 220GT               | 1,839                        | 293,000                 | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 19,300             | 6,824                               | 200,000            | 2,065                               | 60,500             | 10,012  | 293,000 |  |  |  |
| 330       | D  | 3,000PS型     | 330GT               | 2,207                        | 405,000                 | 25                     | 800                    | 100                          | 165                          | 165                                | 6                 | 658                                 | 26,600             | 6,824                               | 276,000            | 2,065                               | 83,600             | 10,012  | 405,000 |  |  |  |





| 船舶の種類       | 規格                    |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年間標準                    |                        |                        | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算定表                                |                   |                                     |                    | 参考                                  |                    |                                     |                    | 摘要 |               |
|-------------|-----------------------|--------------|---------------------|------------------------------|-------------------------|------------------------|------------------------|------------------------------|------------------------------|------------------------------------|-------------------|-------------------------------------|--------------------|-------------------------------------|--------------------|-------------------------------------|--------------------|----|---------------|
|             | 呼称                    | 機関出力<br>(kW) |                     |                              | (3)<br>運転<br>時間<br>(時間) | (4)<br>運転<br>日数<br>(日) | (5)<br>供用<br>日数<br>(日) |                              |                              | 運転時間<br>(または日)当り                   |                   | 供用日当り                               |                    | 運転時間<br>(または日)当り換算値                 |                    | 供用日当り換算値                            |                    |    |               |
|             |                       |              |                     |                              |                         |                        |                        |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損料額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損料額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損料額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損料額<br>(円) |    |               |
| 020 [密閉式]   |                       |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |    |               |
| 065         | 650m <sup>3</sup> 積   |              | 140,000             | 15                           | -                       | -                      | 180                    | 140                          | 6                            |                                    |                   | 12,148                              | (供) 170,000        |                                     |                    | 12,148                              | 170,000            |    |               |
| 130         | 1,300m <sup>3</sup> 積 |              | 193,000             | 15                           | -                       | -                      | 180                    | 140                          | 6                            |                                    |                   | 12,148                              | (供) 234,000        |                                     |                    | 12,148                              | 234,000            |    |               |
| 200         | 2,000m <sup>3</sup> 積 |              | 246,000             | 15                           | -                       | -                      | 180                    | 140                          | 6                            |                                    |                   | 12,148                              | (供) 299,000        |                                     |                    | 12,148                              | 299,000            |    |               |
| 300         | 3,000m <sup>3</sup> 積 |              | 325,000             | 15                           | -                       | -                      | 180                    | 140                          | 6                            |                                    |                   | 12,148                              | (供) 395,000        |                                     |                    | 12,148                              | 395,000            |    |               |
| 500         | 5,000m <sup>3</sup> 積 |              | 481,000             | 15                           | -                       | -                      | 180                    | 140                          | 6                            |                                    |                   | 12,148                              | (供) 584,000        |                                     |                    | 12,148                              | 584,000            |    |               |
| 3125 台船     |                       |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |    |               |
| 002         | 20t積                  |              | 5,300               | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 7,300          |                                     |                    | 13,769                              | 7,300              |    |               |
| 003         | 30t積                  |              | 7,630               | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 10,500         |                                     |                    | 13,769                              | 10,500             |    |               |
| 010         | 100t積                 |              | 16,200              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 22,300         |                                     |                    | 13,769                              | 22,300             |    |               |
| 015         | 150t積                 |              | 23,800              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 32,800         |                                     |                    | 13,769                              | 32,800             |    |               |
| 020         | 200t積                 |              | 30,700              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 42,300         |                                     |                    | 13,769                              | 42,300             |    |               |
| 030         | 300t積                 |              | 41,900              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 57,700         |                                     |                    | 13,769                              | 57,700             |    |               |
| 040         | 400t積                 |              | 48,700              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 67,100         |                                     |                    | 13,769                              | 67,100             |    |               |
| 050         | 500t積                 |              | 55,900              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 77,000         |                                     |                    | 13,769                              | 77,000             |    |               |
| 060         | 600t積                 |              | 63,100              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 86,900         |                                     |                    | 13,769                              | 86,900             |    |               |
| 070         | 700t積                 |              | 70,700              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 97,300         |                                     |                    | 13,769                              | 97,300             |    |               |
| 100         | 1,000t積               |              | 98,500              | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 136,000        |                                     |                    | 13,769                              | 136,000            |    |               |
| 150         | 1,500t積               |              | 144,000             | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 198,000        |                                     |                    | 13,769                              | 198,000            |    |               |
| 200         | 2,000t積               |              | 184,000             | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 253,000        |                                     |                    | 13,769                              | 253,000            |    |               |
| 300         | 3,000t積               |              | 272,000             | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 375,000        |                                     |                    | 13,769                              | 375,000            |    |               |
| 600         | 6,000t積               |              | 530,000             | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 730,000        |                                     |                    | 13,769                              | 730,000            |    |               |
| 999         | 10,000t積              |              | 882,000             | 20                           | -                       | -                      | 130                    | 140                          | 6                            |                                    |                   | 13,769                              | (供) 1,210,000      |                                     |                    | 13,769                              | 1,210,000          |    |               |
| (その他作業船)    |                       |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |    |               |
| 3131 スパッド台船 |                       |              |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |    |               |
| 005         | 水深 5m用                |              | 11,600              | 15                           | -                       | -                      | 60                     | 80                           | 6                            |                                    |                   | 29,778                              | (供) 34,500         |                                     |                    | 29,778                              | 34,500             |    | ボーリング装置を含まない。 |
| 010         | 水深 10m用               |              | 16,100              | 15                           | -                       | -                      | 60                     | 80                           | 6                            |                                    |                   | 29,778                              | (供) 47,900         |                                     |                    | 29,778                              | 47,900             |    |               |
| 015         | 水深 15m用               |              | 20,500              | 15                           | -                       | -                      | 60                     | 80                           | 6                            |                                    |                   | 29,778                              | (供) 61,000         |                                     |                    | 29,778                              | 61,000             |    |               |
| 020         | 水深 20m用               |              | 25,000              | 15                           | -                       | -                      | 60                     | 80                           | 6                            |                                    |                   | 29,778                              | (供) 74,400         |                                     |                    | 29,778                              | 74,400             |    |               |

| 船舶の種類                      | 規格      |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年間標準                      |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算定表                                |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要   |                                       |
|----------------------------|---------|--------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------|---------------------------------------|
|                            | 呼 称     | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り 換 算 値                     |                      |       |                                       |
|                            |         |              |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |       |                                       |
| 32 作業船用付属品<br>(ポンプ浚渫船用付属品) |         |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |       |                                       |
| 3201 排砂管                   |         |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |       |                                       |
| 010 [鋼製]                   |         |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |       |                                       |
| 030                        | 長5.5m   | 径300mm       | 184                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 380                                 |                      |                                     | 20,641               | 380   | 接続用ボルト、ナット及びパッキングを含み、フロータ取付用バンドを含まない。 |
| 035                        | 6.0m    | 350mm        | 219                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 452                                 |                      |                                     | 20,641               | 452   |                                       |
| 040                        | 6.0m    | 400mm        | 263                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 543                                 |                      |                                     | 20,641               | 543   |                                       |
| 051                        | 6.0m    | 510mm        | 352                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 727                                 |                      |                                     | 20,641               | 727   |                                       |
| 056                        | 6.0m    | 560mm        | 415                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 857                                 |                      |                                     | 20,641               | 857   |                                       |
| 061                        | 6.0m    | 610mm        | 475                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 980                                 |                      |                                     | 20,641               | 980   |                                       |
| 066                        | 6.0m    | 660mm        | 555                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 1,150                               |                      |                                     | 20,641               | 1,150 |                                       |
| 071                        | 6.0m    | 710mm        | 648                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 1,340                               |                      |                                     | 20,641               | 1,340 |                                       |
| 076                        | 6.0m    | 760mm        | 769                 | 12                           |                           |                          | 65                       | 15                           | 4                            |                                    |                     | 20,641                              | (8)                  | 1,590                               |                      |                                     | 20,641               | 1,590 |                                       |
| 3202 仕切弁                   |         |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |       |                                       |
| 010 [鋼製]                   |         |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |       |                                       |
| 030                        | 長 400mm | 径 300mm      | 400                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 789                                 |                      |                                     | 19,722               | 789   | 接続用ボルト、ナット及びパッキングを含む。                 |
| 035                        | 400mm   | 350mm        | 420                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 828                                 |                      |                                     | 19,722               | 828   |                                       |
| 040                        | 400mm   | 400mm        | 443                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 874                                 |                      |                                     | 19,722               | 874   |                                       |
| 051                        | 400mm   | 510mm        | 487                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 960                                 |                      |                                     | 19,722               | 960   |                                       |
| 056                        | 400mm   | 560mm        | 511                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 1,010                               |                      |                                     | 19,722               | 1,010 |                                       |
| 061                        | 400mm   | 610mm        | 536                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 1,060                               |                      |                                     | 19,722               | 1,060 |                                       |
| 066                        | 400mm   | 660mm        | 560                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 1,100                               |                      |                                     | 19,722               | 1,100 |                                       |
| 071                        | 400mm   | 710mm        | 585                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 1,150                               |                      |                                     | 19,722               | 1,150 |                                       |
| 076                        | 400mm   | 760mm        | 608                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 1,200                               |                      |                                     | 19,722               | 1,200 |                                       |
| 3203 曲管                    |         |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |       |                                       |
| 010 [鋼製]                   |         |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |       |                                       |
| 030                        |         | 径 300mm      | 43                  | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 85                                  |                      |                                     | 19,722               | 85    | 接続用ボルト、ナット及びパッキングを含む。                 |
| 035                        |         | 350mm        | 55                  | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 108                                 |                      |                                     | 19,722               | 108   |                                       |
| 040                        |         | 400mm        | 70                  | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 138                                 |                      |                                     | 19,722               | 138   |                                       |
| 051                        |         | 510mm        | 100                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 197                                 |                      |                                     | 19,722               | 197   |                                       |
| 056                        |         | 560mm        | 123                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 243                                 |                      |                                     | 19,722               | 243   |                                       |
| 061                        |         | 610mm        | 145                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 286                                 |                      |                                     | 19,722               | 286   |                                       |
| 066                        |         | 660mm        | 180                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (8)                  | 355                                 |                      |                                     | 19,722               | 355   |                                       |



| 船舶の種類      | 規 格             |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要                     |
|------------|-----------------|--------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------|
|            | 呼 称             | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り換算値                        |                      |                         |
|            |                 |              |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |                         |
| 071        | 710mm           |              | 225                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (円) 444              |                                     |                      | 19,722                              | 444                  | 接続用ボルト、ナット及びパッキングを含む。   |
| 076        | 760mm           |              | 282                 | 6                            |                           |                          | 120                      | 20                           | 4                            |                                    |                     | 19,722                              | (円) 556              |                                     |                      | 19,722                              | 556                  |                         |
| 3204 分岐管   |                 |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                         |
| 010 [鋼製]   |                 |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                         |
| 030        | 径 300mm         |              | 44                  | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 84               |                                     |                      | 19,028                              | 84                   |                         |
| 035        | 350mm           |              | 56                  | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 107              |                                     |                      | 19,028                              | 107                  |                         |
| 040        | 400mm           |              | 68                  | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 129              |                                     |                      | 19,028                              | 129                  |                         |
| 051        | 510mm           |              | 95                  | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 181              |                                     |                      | 19,028                              | 181                  |                         |
| 056        | 560mm           |              | 112                 | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 213              |                                     |                      | 19,028                              | 213                  |                         |
| 061        | 610mm           |              | 134                 | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 255              |                                     |                      | 19,028                              | 255                  |                         |
| 066        | 660mm           |              | 163                 | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 310              |                                     |                      | 19,028                              | 310                  |                         |
| 071        | 710mm           |              | 206                 | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 392              |                                     |                      | 19,028                              | 392                  |                         |
| 076        | 760mm           |              | 298                 | 6                            |                           |                          | 120                      | 15                           | 4                            |                                    |                     | 19,028                              | (円) 567              |                                     |                      | 19,028                              | 567                  |                         |
| 3205 フロータ  |                 |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      | 排砂管取付用バンド及びフロータ連結用鎖を含む。 |
| 010 [鋼製]   |                 |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                         |
| 030        | 長 4.5m          | 径 600mm      | 685                 | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 1,300            |                                     |                      | 18,933                              | 1,300                |                         |
| 035        | 4.5m            | 700mm        | 747                 | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 1,410            |                                     |                      | 18,933                              | 1,410                |                         |
| 040        | 4.5m            | 900mm        | 961                 | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 1,820            |                                     |                      | 18,933                              | 1,820                |                         |
| 051        | 4.5m            | 1,000mm      | 1,150               | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 2,180            |                                     |                      | 18,933                              | 2,180                |                         |
| 056        | 4.5m            | 1,100mm      | 1,460               | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 2,760            |                                     |                      | 18,933                              | 2,760                |                         |
| 061        | 4.5m            | 1,200mm      | 1,820               | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 3,450            |                                     |                      | 18,933                              | 3,450                |                         |
| 066        | 5.0m            | 1,300mm      | 2,090               | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 3,960            |                                     |                      | 18,933                              | 3,960                |                         |
| 071        | 5.0m            | 1,400mm      | 2,260               | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 4,280            |                                     |                      | 18,933                              | 4,280                |                         |
| 076        | 5.0m            | 1,500mm      | 2,370               | 6                            |                           |                          | 125                      | 20                           | 4                            |                                    |                     | 18,933                              | (円) 4,490            |                                     |                      | 18,933                              | 4,490                |                         |
| 3206 ジョイント |                 |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                         |
| 010 [ゴム製]  |                 |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                         |
| 030        | 長 900mm 径 300mm |              | 152                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (円) 379              |                                     |                      | 24,912                              | 379                  |                         |
| 035        | 1,000mm         | 350mm        | 183                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (円) 456              |                                     |                      | 24,912                              | 456                  |                         |
| 040        | 1,000mm         | 400mm        | 241                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (円) 600              |                                     |                      | 24,912                              | 600                  |                         |
| 051        | 1,200mm         | 510mm        | 351                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (円) 874              |                                     |                      | 24,912                              | 874                  |                         |
| 056        | 1,300mm         | 560mm        | 445                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (円) 1,110            |                                     |                      | 24,912                              | 1,110                |                         |
| 061        | 1,300mm         | 610mm        | 545                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (円) 1,360            |                                     |                      | 24,912                              | 1,360                |                         |

| 船舶の種類                         | 規 格                    |                    | 機関出力<br>(kW) | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要   |
|-------------------------------|------------------------|--------------------|--------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|---|
|                               | 呼 称                    |                    |              |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り 換 算 値                     |                      |   |
|                               |                        |                    |              |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |   |
| 066                           | 1,500mm                | 660mm              |              | 646                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (8) 1,610            |                                     |                      | 24,912                              | 1,610                |   |
| 071                           | 1,600mm                | 710mm              |              | 788                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (8) 1,960            |                                     |                      | 24,912                              | 1,960                |   |
| 076                           | 1,700mm                | 760mm              |              | 949                 | 6                            |                           |                          | 95                       | 20                           | 4                            |                                    |                     | 24,912                              | (8) 2,360            |                                     |                      | 24,912                              | 2,360                |   |
| (グラブ浚渫船用付属品)                  |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 3211 汚濁防止枠(巻上ウインチ有)           |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 010 [鋼製]                      |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 005                           | 2.5~ 5m <sup>3</sup> 用 | 14×14m             |              | 8,170               | 5                            |                           |                          | 120                      | 145                          | 4                            |                                    |                     | 43,833                              | (8) 35,800           |                                     |                      | 43,833                              | 35,800               |   |
| 015                           | 9 ~ 15m <sup>3</sup> 用 | 20×20m             |              | 9,400               | 5                            |                           |                          | 120                      | 145                          | 4                            |                                    |                     | 43,833                              | (8) 41,200           |                                     |                      | 43,833                              | 41,200               |   |
| 023                           | 23m <sup>3</sup> 用     | 22×22m             |              | 9,670               | 5                            |                           |                          | 120                      | 145                          | 4                            |                                    |                     | 43,833                              | (8) 42,400           |                                     |                      | 43,833                              | 42,400               |   |
| 3212 汚濁防止枠(巻上ウインチ無、簡易型)       |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 010 [鋼製]                      |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 005                           | 2.5~ 5m <sup>3</sup> 用 | 14×14m             |              | 7,220               | 5                            |                           |                          | 120                      | 145                          | 4                            |                                    |                     | 43,833                              | (8) 31,600           |                                     |                      | 43,833                              | 31,600               |   |
| 015                           | 9 ~ 15m <sup>3</sup> 用 | 20×20m             |              | 8,440               | 5                            |                           |                          | 120                      | 145                          | 4                            |                                    |                     | 43,833                              | (8) 37,000           |                                     |                      | 43,833                              | 37,000               |   |
| 023                           | 23m <sup>3</sup> 用     | 22×22m             |              | 8,720               | 5                            |                           |                          | 120                      | 145                          | 4                            |                                    |                     | 43,833                              | (8) 38,200           |                                     |                      | 43,833                              | 38,200               |   |
| (サンドコンパクション船用付属品)             |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 3231 ケーシングパイプ                 |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 010 [鋼製・サンドコンパクション船用(液状化対策用)] |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 035                           | 長さ35m                  | 造成杭径 1,000mm       |              | 13,000              | 4                            |                           |                          | 85                       | 115                          | 4                            |                                    |                     | 67,353                              | (8) 87,600           |                                     |                      | 67,353                              | 87,600               | ケーシングパイプ1本当りケーシングパイプ<br>上部、中部、下部及び連結金物並びに上部<br>ホッパを含む。<br>規格呼称欄の長さはホッパ下端から先端<br>までの長さである。 |
| 020 [鋼製・サンドコンパクション船用]         |                        |                    |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |
| 135                           | 長さ35m                  | 造成杭径 1,500~1,700mm |              | 13,400              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 75,000           |                                     |                      | 56,000                              | 75,000               | 規格呼称欄の長さはホッパ下端から先端<br>までの長さである。   |
| 140                           | 40m                    | 1,500~1,700mm      |              | 14,700              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 82,300           |                                     |                      | 56,000                              | 82,300               |   |
| 145                           | 45m                    | 1,500~1,700mm      |              | 15,900              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 89,000           |                                     |                      | 56,000                              | 89,000               |   |
| 150                           | 50m                    | 1,500~1,700mm      |              | 17,000              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 95,200           |                                     |                      | 56,000                              | 95,200               |   |
| 155                           | 55m                    | 1,500~1,700mm      |              | 18,200              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 102,000          |                                     |                      | 56,000                              | 102,000              |   |
| 235                           | 35m                    | 1,800~2,000mm      |              | 13,900              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 77,800           |                                     |                      | 56,000                              | 77,800               |   |
| 240                           | 40m                    | 1,800~2,000mm      |              | 15,000              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 84,000           |                                     |                      | 56,000                              | 84,000               |   |
| 245                           | 45m                    | 1,800~2,000mm      |              | 16,100              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 90,200           |                                     |                      | 56,000                              | 90,200               |   |
| 250                           | 50m                    | 1,800~2,000mm      |              | 17,200              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 96,300           |                                     |                      | 56,000                              | 96,300               |   |
| 255                           | 55m                    | 1,800~2,000mm      |              | 18,500              | 4                            |                           |                          | 100                      | 110                          | 4                            |                                    |                     | 56,000                              | (8) 104,000          |                                     |                      | 56,000                              | 104,000              |   |

| 船舶の種類            | 規格  |                | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年間標準                    |                        |                        | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算定表                                |                   |                                     |                    | 参考                                  |                    |                                     |                    | 摘要                   |
|------------------|-----|----------------|---------------------|------------------------------|-------------------------|------------------------|------------------------|------------------------------|------------------------------|------------------------------------|-------------------|-------------------------------------|--------------------|-------------------------------------|--------------------|-------------------------------------|--------------------|----------------------|
|                  | 呼称  | 機関出力<br>(kW)   |                     |                              | (3)<br>運転<br>時間<br>(時間) | (4)<br>運転<br>日数<br>(日) | (5)<br>供用<br>日数<br>(日) |                              |                              | 運転時間<br>(または日)当り                   |                   | 供用日当り                               |                    | 運転時間<br>(または日)当り換算値                 |                    | 供用日当り換算値                            |                    |                      |
|                  |     |                |                     |                              |                         |                        |                        |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損料額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損料額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損料額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損料額<br>(円) |                      |
| 33 港湾工事用付属機器     |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |                      |
| (灯浮標等)           |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |                      |
| 3321 灯浮標         |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    | 型式                   |
| 120              | 光度  | 12cd           | 120                 | 4                            |                         |                        | 160                    | 160                          | 4                            |                                    |                   | 42,813                              | (円) 514            |                                     |                    | 42,813                              | 514                | (10-P型、CB-100型)      |
| 122              |     | 12cd           | 158                 | 4                            |                         |                        | 160                    | 160                          | 4                            |                                    |                   | 42,813                              | (円) 676            |                                     |                    | 42,813                              | 676                | (20-P型、CB-200型)      |
| 241              |     | 24cd           | 591                 | 4                            |                         |                        | 160                    | 160                          | 4                            |                                    |                   | 42,813                              | (円) 2,530          |                                     |                    | 42,813                              | 2,530              | (3NC型、SE-150型)       |
| 242              |     | 24cd           | 782                 | 4                            |                         |                        | 160                    | 160                          | 4                            |                                    |                   | 42,813                              | (円) 3,350          |                                     |                    | 42,813                              | 3,350              | (5NC型、SE-200型)       |
| 3322 標識灯         |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    | 型式                   |
| 024              | 光度  | 24cd           | 109                 | 3                            |                         |                        | 210                    | 190                          | 4                            |                                    |                   | 47,619                              | (円) 519            |                                     |                    | 47,619                              | 519                | (B-1型、E-10型)         |
| 141              |     | 12,14cd        | 164                 | 3                            |                         |                        | 210                    | 190                          | 4                            |                                    |                   | 47,619                              | (円) 781            |                                     |                    | 47,619                              | 781                | (D-1型、P-3BS型)        |
| 101              |     | 12,14cd        | 67                  | 3                            |                         |                        | 210                    | 190                          | 4                            |                                    |                   | 47,619                              | (円) 319            |                                     |                    | 47,619                              | 319                | (E-1型、E-8型)          |
| (測定・探査機器)        |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |                      |
| 3331 音響測深機       |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |                      |
| 110              | 1方向 | 100kHz         | 1,150               | 10                           |                         |                        | 35                     | 60                           | 4                            |                                    |                   | 56,571                              | (円) 6,510          |                                     |                    | 56,571                              | 6,510              |                      |
| 120              | 1方向 | 200kHz         | 1,150               | 10                           |                         |                        | 35                     | 60                           | 4                            |                                    |                   | 56,571                              | (円) 6,510          |                                     |                    | 56,571                              | 6,510              |                      |
| 220              | 2方向 | 90~230kHz      | 2,270               | 10                           |                         |                        | 35                     | 60                           | 4                            |                                    |                   | 56,571                              | (円) 12,800         |                                     |                    | 56,571                              | 12,800             |                      |
| 423              | 4方向 | 90~230kHz      | 2,570               | 10                           |                         |                        | 35                     | 60                           | 4                            |                                    |                   | 56,571                              | (円) 14,500         |                                     |                    | 56,571                              | 14,500             |                      |
| 3332 マルチビーム音響測深機 |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    | 各センサー、収録、解析ソフト含む。    |
| 036              |     | 36~455kHz      | 56,500              | 9                            |                         |                        | 50                     | 30                           | 4                            |                                    |                   | 36,444                              | (円) 206,000        |                                     |                    | 36,444                              | 206,000            |                      |
| 3333 電波測位機       |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    | 誘導装置を含まない。           |
| 020              |     | 20km用          | 15,000              | 9                            |                         |                        | 70                     | 40                           | 4                            |                                    |                   | 27,619                              | (円) 41,400         |                                     |                    | 27,619                              | 41,400             |                      |
| 100              |     | 100km用         | 17,600              | 9                            |                         |                        | 70                     | 40                           | 4                            |                                    |                   | 27,619                              | (円) 48,600         |                                     |                    | 27,619                              | 48,600             |                      |
| 3334 光波式位置測定器    |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    | 本体3台、反射鏡3台、制御処理装置1台。 |
| 010              |     | 10~1,000m用     | 25,400              | 7                            |                         |                        | 100                    | 30                           | 4                            |                                    |                   | 22,286                              | (円) 56,600         |                                     |                    | 22,286                              | 56,600             |                      |
| 3335 地層探査機       |     |                |                     |                              |                         |                        |                        |                              |                              |                                    |                   |                                     |                    |                                     |                    |                                     |                    |                      |
| 036              |     | 36ｼﾞｬｰﾙ(浅海用)   | 6,800               | 5                            |                         |                        | 110                    | 15                           | 4                            |                                    |                   | 24,182                              | (円) 16,400         |                                     |                    | 24,182                              | 16,400             |                      |
| 200              |     | 200ｼﾞｬｰﾙ(浅海用)  | 11,000              | 5                            |                         |                        | 110                    | 15                           | 4                            |                                    |                   | 24,182                              | (円) 26,600         |                                     |                    | 24,182                              | 26,600             |                      |
| 400              |     | 400ｼﾞｬｰﾙ(大水深用) | 20,000              | 5                            |                         |                        | 110                    | 15                           | 4                            |                                    |                   | 24,182                              | (円) 48,400         |                                     |                    | 24,182                              | 48,400             |                      |

| 規 格             |              |              | (1)<br>基礎価格<br>(千円) | (2)<br>標準<br>使用<br>年数<br>(年) | 年 間 標 準                   |                          |                          | (6)<br>維持<br>修理<br>費率<br>(%) | (7)<br>年間<br>管理<br>費率<br>(%) | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要 |  |
|-----------------|--------------|--------------|---------------------|------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-----|--|
| 船舶の種類           | 呼 称          | 機関出力<br>(kW) |                     |                              | (3)<br>運 転<br>時 間<br>(時間) | (4)<br>運 転<br>日 数<br>(日) | (5)<br>供 用<br>日 数<br>(日) |                              |                              | 運 転 時 間<br>(または日)当り                |                     | 供 用 日 当 り                           |                      | 運 転 時 間<br>(または日)当り換算値              |                      | 供 用 日 当 り 換 算 値                     |                      |     |  |
|                 |              |              |                     |                              |                           |                          |                          |                              |                              | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |     |  |
| 3336 機雷探査機      |              |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |     |  |
| 020             | 潜水式 20型      |              | 2,780               | 5                            |                           | 65                       | 20                       | 4                            |                              |                                    | 42,462              | (8) 11,800                          |                      |                                     | 42,462               | 11,800                              |                      |     |  |
| 3337 GNSS施工管理装置 |              |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |     |  |
| 010             | グラブ浚渫船用      |              | 23,000              | 10                           |                           | 125                      | 80                       | 4                            |                              |                                    | 17,440              | (8) 40,100                          |                      |                                     | 17,440               | 40,100                              |                      |     |  |
| 3338 GNSS測位装置   |              |              |                     |                              |                           |                          |                          |                              |                              |                                    |                     |                                     |                      |                                     |                      |                                     |                      |     |  |
| 010             | ポンプ浚渫船用      |              | 21,100              | 10                           |                           | 70                       | 45                       | 4                            |                              |                                    | 26,143              | (8) 55,200                          |                      |                                     | 26,143               | 55,200                              |                      |     |  |
| 030             | サンドコンパクション船用 |              | 23,600              | 10                           |                           | 85                       | 45                       | 4                            |                              |                                    | 21,529              | (8) 50,800                          |                      |                                     | 21,529               | 50,800                              |                      |     |  |

施工管理ソフト(船体位置表示、掘り跡表示)を含む。

| 規 格                        |                                 |              |              | (1)                   | (2)                     | 年 間 標 準                |                        |                       | (6)                   | (7)                                | 算 定 表               |                                     |                      |                                     | 参 考                  |                                     |                      |   | 摘 要        |
|----------------------------|---------------------------------|--------------|--------------|-----------------------|-------------------------|------------------------|------------------------|-----------------------|-----------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|---|------------|
| 船舶の種類                      | 呼 称                             | 機関出力<br>(kW) | 基礎価格<br>(千円) | 標準<br>使用<br>年数<br>(年) | (3)<br>運転<br>時間<br>(時間) | (4)<br>運転<br>日数<br>(日) | (5)<br>供用<br>日数<br>(日) | 維持<br>修理<br>費率<br>(%) | 年間<br>管理<br>費率<br>(%) | 運転時間<br>(または日)当り                   |                     | 供 用 日 当 り                           |                      | 運転時間<br>(または日)当り換算値                 |                      | 供用日当り換算値                            |                      |   |            |
|                            |                                 |              |              |                       |                         |                        |                        |                       |                       | (8)<br>損料率<br>(×10 <sup>-7</sup> ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>(×10 <sup>-7</sup> ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>(×10 <sup>-7</sup> ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>(×10 <sup>-7</sup> ) | (15)<br>損 料 額<br>(円) |   |            |
| 構造物作業船                     | 自航起重機船(自航式多目的船)<br>[旋回・ディーゼル式]  |              |              |                       |                         |                        |                        |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |            |
| (付属作業船)                    | 500t吊 D                         | 2,984        | 4,500,000    | 20                    | 780                     | 130                    | 215                    | 150                   | 6                     | 795                                | 358,000             | 5,674                               | 2,550,000            | 2,359                               | 1,060,000            | 8,558                               | 3,850,000            |   |            |
| その他作業船                     | スバッド台船(油圧式)                     |              |              |                       |                         |                        |                        |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |            |
|                            | 鋼 800t~1,000t積<br>昇降能力 220~240t |              | 182,000      | 10                    | -                       | -                      | 90                     | 80                    | 6                     |                                    | 26,444              | (供)                                 | 481,000              |                                     |                      | 26,444                              | 481,000              |   |            |
| 船外機船                       | FRP製 5.5m                       | 11           | 876          | 20                    | -                       | 120                    | 200                    | 270                   | 6                     | 7,667                              | (日)                 | 672                                 | 7,600                | 666                                 | 20,333               | (日)                                 | 1,780                | 12,200  | 1,070      |
| 調査台船(磁気探査用)                | FRP製                            |              | 14,000       | 10                    | -                       | -                      | 70                     | 45                    | 6                     |                                    | 29,000              | (供)                                 | 40,600               |                                     |                      | 29,000                              | 40,600               |   |            |
| 捨石均し船                      | 機械式                             | 736          | 741,000      | 10                    | 600                     | 100                    | 165                    | 100                   | 6                     | 1,650                              | 122,000             | 9,636                               | 714,000              | 4,300                               | 319,000              | 15,636                              | 1,160,000            | 水中バックホウ式は除く<br>均し装置、作業船、施工管理装置(GNSS<br>測位装置除く)を含む |            |
| (港湾工事用作業機械器具等)             | 港湾工事用作業機械器具<br>大型トレーラ<br>[電動機式] |              |              |                       |                         |                        |                        |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      |   |            |
|                            | 最大積載質量 60t積                     | 393          | 41,100       | 12                    | 630                     | 100                    | 180                    | 25                    | 13                    | 980                                | 4,030               | 9,440                               | 38,800               | 3,680                               | 15,100               | 12,870                              | 52,900               | 残存率8%とする。   |            |
|                            | 最大積載質量 70t積                     | 393          | 43,700       | 12                    | 630                     | 100                    | 180                    | 25                    | 13                    | 980                                | 4,280               | 9,440                               | 41,300               | 3,680                               | 16,100               | 12,870                              | 56,200               |   |            |
| 水中バックホウ                    | 97PS型 質量21.3t                   | 71           | 85,700       | 7                     | 500                     | 100                    | 220                    | 115                   | 10                    | 4,450                              | 38,100              | 7,300                               | 62,600               | 7,660                               | 65,600               | 17,410                              | 149,000              | 動力ユニットを含む。<br>残存率14%とする。                          |            |
| ペーバードレーン施工機                | 打込長 20m以下 質量 23.9t              | 81           | 54,200       | 11                    | 550                     | 80                     | 140                    | 35                    | 9                     | 1,320                              | 7,150               | 9,350                               | 50,700               | 3,700                               | 20,100               | 14,550                              | 78,900               | 残存率10%とする。  |            |
|                            | 30m以下 28.3t                     | 96           | 60,500       | 11                    | 550                     | 80                     | 140                    | 35                    | 9                     | 1,320                              | 7,990               | 9,350                               | 56,600               | 3,700                               | 22,400               | 14,550                              | 88,000               |   |            |
|                            | 40m以下 40.5t                     | 147          | 78,700       | 11                    | 550                     | 80                     | 140                    | 35                    | 9                     | 1,320                              | 10,400              | 9,350                               | 73,600               | 3,700                               | 29,100               | 14,550                              | 115,000              |   |            |
|                            | 施工管理計 7,200                     | 11           | 7,200        | 11                    | 70                      | 140                    | 35                     | 9                     | 10,390                | (日)                                | 7,480               | 9,350                               | 6,730                | 29,090                              | (日)                  | 20,900                              | 14,550               | 10,500  | 残存率10%とする。 |
| ペーバードレーン施工機(液化化対策用)        | 打込長 15m以下 質量 36.0t              | 88           | 53,200       | 11                    | 550                     | 80                     | 150                    | 30                    | 10                    | 1,240                              | 6,600               | 9,390                               | 50,000               | 3,800                               | 20,200               | 13,940                              | 74,200               | 残存率10%とする。  |            |
|                            | 20m以下 57.1t                     | 125          | 72,100       | 11                    | 550                     | 80                     | 150                    | 30                    | 10                    | 1,240                              | 8,940               | 9,390                               | 67,700               | 3,800                               | 27,400               | 13,940                              | 101,000              |   |            |
|                            | 25m以下 64.4t                     | 132          | 79,600       | 11                    | 550                     | 80                     | 150                    | 30                    | 10                    | 1,240                              | 9,870               | 9,390                               | 74,700               | 3,800                               | 30,200               | 13,940                              | 111,000              |   |            |
|                            | 施工管理計 5,950                     | 11           | 5,950        | 11                    | 80                      | 160                    | 40                     | 8                     | 9,660                 | (日)                                | 5,750               | 7,560                               | 4,500                | 24,770                              | (日)                  | 14,700                              | 12,390               | 7,370   | 残存率10%とする。 |
| グラベルドレーン施工機                | 打込長 20m以下 質量 98.5t              | 114          | 107,000      | 11                    | 610                     | 110                    | 160                    | 45                    | 10                    | 1,350                              | 14,400              | 8,840                               | 94,600               | 3,670                               | 39,300               | 13,980                              | 150,000              | 付属機器を含む。  |            |
|                            | 25m以下 107.8t                    | 114          | 121,000      | 11                    | 610                     | 110                    | 160                    | 45                    | 10                    | 1,350                              | 16,300              | 8,840                               | 107,000              | 3,670                               | 44,400               | 13,980                              | 169,000              | 残存率9%とする。   |            |
|                            | 施工管理計 9,360                     | 11           | 9,360        | 11                    | 110                     | 160                    | 35                     | 8                     | 6,650                 | (日)                                | 6,220               | 7,590                               | 7,100                | 17,690                              | (日)                  | 16,600                              | 12,160               | 11,400  | 残存率9%とする。  |
| グラベルドレーン施工機(締固め式)          | 打込長 20m以下 質量 102.6t             | 114          | 143,000      | 11                    | 610                     | 110                    | 160                    | 45                    | 10                    | 1,350                              | 19,300              | 8,840                               | 126,000              | 3,670                               | 52,500               | 13,980                              | 200,000              | 付属機器を含む。  |            |
|                            | 25m以下 118.3t                    | 136          | 157,000      | 11                    | 610                     | 110                    | 160                    | 45                    | 10                    | 1,350                              | 21,200              | 8,840                               | 139,000              | 3,670                               | 57,600               | 13,980                              | 219,000              | 残存率9%とする。   |            |
|                            | 施工管理計 22,000                    | 11           | 22,000       | 11                    | 110                     | 160                    | 35                     | 8                     | 6,650                 | (日)                                | 14,600              | 7,590                               | 16,700               | 17,690                              | (日)                  | 38,900                              | 12,160               | 26,800  | 残存率9%とする。  |
| 鋼管用大型バイプロハンマ<br>[電動式・低周波型] | 起振力 1,049KN 質量 10.1t            | 150          | 32,300       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 6,520               | 13,180                              | 42,600               | 5,110                               | 16,500               | 21,820                              | 70,500               | 操作盤、二次側キャブタイヤケーブル及び<br>緩衝装置を含む。                   |            |
|                            | 1,431KN 13.5t                   | 200          | 43,700       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 8,830               | 13,180                              | 57,600               | 5,110                               | 22,300               | 21,820                              | 95,400               | 残存率10%とする。  |            |
|                            | 1,823KN 16.7t                   | 240          | 47,500       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 9,600               | 13,180                              | 62,600               | 5,110                               | 24,300               | 21,820                              | 104,000              |   |            |
| バイプロ用鋼管チャック<br>[寸法可変式]     | 60,90kw用 φ 500~1,200 質量 2.6t    |              | 13,500       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 2,730               | 13,180                              | 17,800               | 5,110                               | 6,900                | 21,820                              | 29,500               | 残存率10%とする。  |            |
|                            | 120kw用 φ 500~1,200 質量 3.9t      |              | 15,700       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 3,170               | 13,180                              | 20,700               | 5,110                               | 8,020                | 21,820                              | 34,300               |   |            |
|                            | 150kw用 φ 600~1,500 質量 4.5t      |              | 17,600       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 3,560               | 13,180                              | 23,200               | 5,110                               | 8,990                | 21,820                              | 38,400               |   |            |
|                            | 200kw用 φ 700~1,700 質量 6.5t      |              | 21,400       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 4,320               | 13,180                              | 28,200               | 5,110                               | 10,900               | 21,820                              | 46,700               |   |            |
|                            | 240kw用 φ 1,000~2,000 質量 10.2t   |              | 23,900       | 10                    | 470                     | 80                     | 110                    | 50                    | 10                    | 2,020                              | 4,830               | 13,180                              | 31,500               | 5,110                               | 12,200               | 21,820                              | 52,100               |   |            |
| 事前混合処理設備                   | B500型 標準タイプ                     |              | 82,100       | 7                     | 620                     | 110                    | 160                    | 100                   | 8                     | 3,260                              | 26,800              | 8,950                               | 73,500               | 5,570                               | 45,700               | 21,580                              | 177,000              | 残存率9%とする。   |            |
|                            | B500型 中継コンベヤ追加型                 |              | 86,100       | 7                     | 620                     | 110                    | 160                    | 100                   | 8                     | 3,260                              | 28,100              | 8,950                               | 77,100               | 5,570                               | 48,000               | 21,580                              | 186,000              |   |            |



| 規 格                       |  |              | (1)          | (2)                   | 年 間 標 準            |                   |                   | (6)                   | (7)                   | 算 定 表                              |                     |                                     |                      | 参 考                                 |                      |                                     |                      | 摘 要                             |
|---------------------------|--|--------------|--------------|-----------------------|--------------------|-------------------|-------------------|-----------------------|-----------------------|------------------------------------|---------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|-------------------------------------|----------------------|---------------------------------|
| 船舶の種類                     | 呼 称                                    | 機関出力<br>(kW) | 基礎価格<br>(千円) | 標準<br>使用<br>年数<br>(年) | (3)                | (4)               | (5)               | 維持<br>修理<br>費率<br>(%) | 年間<br>管理<br>費率<br>(%) | 運転時間<br>(または日)当り                   |                     | 供 用 日 当 り                           |                      | 運転時間<br>(または日)当り換算値                 |                      | 供用日当り換算値                            |                      |                                 |
|                           |  |              |              |                       | 運 転<br>時 間<br>(時間) | 運 転<br>日 数<br>(日) | 供 用<br>日 数<br>(日) |                       |                       | (8)<br>損料率<br>( $\times 10^{-7}$ ) | (9)<br>損 料 額<br>(円) | (10)<br>損料率<br>( $\times 10^{-7}$ ) | (11)<br>損 料 額<br>(円) | (12)<br>損料率<br>( $\times 10^{-7}$ ) | (13)<br>損 料 額<br>(円) | (14)<br>損料率<br>( $\times 10^{-7}$ ) | (15)<br>損 料 額<br>(円) |                                 |
| 〔鋼製・ケーソン吊降し起重機船用〕         |  |              |              |                       |                    |                   |                   |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                                 |
|                           | 100t型                                  |              | 691          | 7                     |                    |                   | 130               | 20                    | 8                     |                                    |                     | 17,745                              | (供) 1,230            |                                     |                      | 17,745                              | 1,230                | 規格荷重50tを超え175t以下に適用             |
|                           | 250t型                                  |              | 1,280        | 7                     |                    |                   | 130               | 20                    | 8                     |                                    |                     | 17,745                              | (供) 2,270            |                                     |                      | 17,745                              | 2,270                | 規格荷重175tを超え375t以下に適用            |
| コンクリートバケット<br>〔鋼製〕        | バケット規格 1.5m <sup>3</sup> 質量 4.2t       |              | 414          | 8                     |                    | 50                | 100               | 70                    | 8                     | 29,490                             | 1,220               | 13,890                              | (供) 575              | 57,270                              | (日) 2,370            | 28,630                              | 1,190                | 残存率7%とする。                       |
|                           | 3.0m <sup>3</sup> 8.1t                 |              | 687          | 8                     |                    | 50                | 100               | 70                    | 8                     | 29,490                             | 2,030               | 13,890                              | (供) 954              | 57,270                              | (日) 3,930            | 28,630                              | 1,970                |                                 |
| 鋼製檣                       | 5.0m <sup>3</sup> 13.4t                |              | 1,000        | 8                     |                    | 50                | 100               | 70                    | 8                     | 29,490                             | 2,950               | 13,890                              | (供) 1,390            | 57,270                              | (日) 5,730            | 28,630                              | 2,860                |                                 |
|                           | 檣高 7m 質量 8.4t                          |              | 4,240        | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 12,800           |                                     |                      | 30,104                              | 12,800               |                                 |
|                           | 10m 14.6t                              |              | 6,520        | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 19,600           |                                     |                      | 30,104                              | 19,600               |                                 |
|                           | 12m 16.5t                              |              | 7,140        | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 21,500           |                                     |                      | 30,104                              | 21,500               |                                 |
|                           | 15m 18.4t                              |              | 7,780        | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 23,400           |                                     |                      | 30,104                              | 23,400               |                                 |
|                           | 20m 23.0t                              |              | 9,210        | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 27,700           |                                     |                      | 30,104                              | 27,700               |                                 |
|                           | 25m 26.7t                              |              | 10,300       | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 31,000           |                                     |                      | 30,104                              | 31,000               |                                 |
|                           | 30m 29.0t                              |              | 11,000       | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 33,100           |                                     |                      | 30,104                              | 33,100               |                                 |
|                           | 35m 31.4t                              |              | 11,700       | 8                     |                    |                   | 120               | 135                   | 8                     |                                    |                     | 30,104                              | (供) 35,200           |                                     |                      | 30,104                              | 35,200               |                                 |
| ケーシングパイプ<br>〔場所打ちコンクリート用〕 | 400φ × 1m                              |              | 227          | 4                     |                    |                   | 140               | 50                    | 8                     |                                    |                     | 34,490                              | (供) 783              |                                     |                      | 34,490                              | 783                  | 架台一式を含む。                        |
| 単管足場(1箇所当り)               | 海上、使用水深1m未満                            |              |              |                       |                    |                   |                   |                       |                       |                                    |                     |                                     | (供) 61,000           |                                     |                      |                                     | 61,000               | 残存率9%とする。<br>足場板、丸パイプ、クランプ等を含む。 |
|                           | 海上、使用水深1~3m未満                          |              |              |                       |                    |                   |                   |                       |                       |                                    |                     |                                     | (供) 76,000           |                                     |                      |                                     | 76,000               |                                 |
| (港湾工事用付属機器)<br>測定・探査機器    | GNSS測位装置                               |              |              |                       |                    |                   |                   |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                                 |
|                           | DGNSS                                  |              | 1,020        | 5                     |                    |                   | 20                | 40                    | 3                     |                                    |                     | 153,000                             | (供) 15,600           |                                     |                      | 153,000                             | 15,600               |                                 |
|                           | RTKGNSS(特定省電力方式)                       |              | 29,500       | 9                     |                    |                   | 100               | 30                    | 4                     |                                    |                     | 18,222                              | (供) 53,800           |                                     |                      | 18,222                              | 53,800               |                                 |
|                           | 磁気探査用機器                                |              |              |                       |                    |                   |                   |                       |                       |                                    |                     |                                     |                      |                                     |                      |                                     |                      |                                 |
|                           | 磁気傾度計用探査コイル                            |              | 3,080        | 13                    |                    |                   | 30                | 5                     | 1                     |                                    |                     | 29,744                              | (供) 9,160            |                                     |                      | 29,744                              | 9,160                |                                 |
|                           | 増幅器、記録器                                |              | 630          | 12                    |                    |                   | 15                | 10                    | 4                     |                                    |                     | 86,667                              | (供) 5,460            |                                     |                      | 86,667                              | 5,460                |                                 |
| 流向・流速計                    | 流向・流速計(海中係留型)                          |              | 3,890        | 8                     |                    |                   | 190               | 25                    | 2                     |                                    |                     | 9,118                               | (供) 3,550            |                                     |                      | 9,118                               | 3,550                | バッテリー代を含む。<br>残存率7%とする。         |
| 簡易型AIS                    | クラスB 非SOLAS船対象<br>(SDTDMA方式又はCSTDMA方式) |              | 327          | 5                     |                    |                   | 40                | 40                    | 5                     |                                    |                     | 81,500                              | (供) 2,670            |                                     |                      | 81,500                              | 2,670                |                                 |
| 国際VHF装備                   | 国際VHF無線                                |              | 329          | 5                     |                    |                   | 285               | 40                    | 5                     |                                    |                     | 11,439                              | (供) 376              |                                     |                      | 11,439                              | 376                  |                                 |